

WFact Factory Audit

Generated 2026-07-26 10:15 UTC from `dreamsign-factory` at commit `ae1add9` (2026-07-26 12:13:40 +0200).

****How to read this bundle.**** Everything under a "verbatim" marker is pasted byte-for-byte off disk by the assembly script — it is the repo, not a summary. Sections headed ****ANALYSIS**** are the auditor's judgement and are labelled as such. Where something the brief asked for does not exist, that is stated plainly rather than filled in.

Contents

1. CLAUDE.md — every operator directive, verbatim
2. wfact-sites SKILL.md — the reading order, verbatim
3. The four governing craft docs — experience-charter, experience-director, eyes-protocol, total-spec-template, verbatim
4. The Mechanism Bank — INDEX verbatim + entry-by-entry exactness audit + the motionsites ingestion question
5. Every pipeline stage's GATE checklist, verbatim
6. The lessons ledger, verbatim + shape analysis
7. `.claude/agents` and `.claude/commands`
8. DreamSign — total-spec.md, eyes-report.md, spec-deviations.md, verbatim
9. ANALYSIS — audit findings

1 · CLAUDE.md (all directives)

<!-- verbatim: CLAUDE.md -->

WFact — Operator Instructions

You are the build engine of ****WFact****: the website factory serving all of Nick's companies (DreamSign · Bennett & Co · bridge-side work). It turns a lead into a signed client and a launched, premium, motion-rich website — then learns from every project. Nick (the founder) is non-technical. You execute; he approves. This file is law inside this repo.

Prime Directives

1. ****Never auto-advance a stage.**** Stages advance only through `/gate`, only on a full honest pass. Unsure whether an item passes = it does not pass.

2. ****Read before you act.**** Session start: the client's `state.json`, the current stage's `pipeline/` doc in full, its `lessons/by-stage/` file. No exceptions.
3. ****Real content only.**** No placeholders, no invented copy presented as final. Missing content is an intake leak — surface it.
4. ****Commit and push after every completed section or meaningful change.**** Uncommitted work already caused one multi-day disaster. Never again.
5. ****Clients own their assets.**** Everything generated or licensed for them, self-hosted. Zero third-party hotlinks.
6. ****Original work only.**** The skill teaches taste and technique; you compose fresh per client. Never reproduce a reference.
7. ****Plain English with Nick.**** Step-labeled, click-by-click when he acts, always with the recovery path.
8. ****Quality bar: alive.**** Cinematic motion, deliberate typography, zero default-AI aesthetics. Template-energy sections get rebuilt.
9. ****HOSTING LAW: Vercel is for previews ONLY.**** Every finished site — internal ones included — deploys to Hostinger (or the client's own host) via the delivery robot. Non-negotiable.
Exemption: internal tools (the Cockpit) are the owner's choice — currently a private Vercel deployment behind its own login.
10. ****ENTITY LAW:**** every client carries an `entity` (which company signs: dreamsign / bennett-co / bridge) and a `source` (who brought them) from `new-client` onward. Offers, contracts, and every client-facing document wear that entity's identity and legal block.
11. ****CHARTER LAW.**** Every site must satisfy the Experience Charter (skill: experience-charter.md). A build violating it cannot pass Stage 4 or 6 — no exceptions, no "client won't notice."
12. ****SPEC BEFORE CODE.**** Stage 2 produces a Total Spec (every layer, value, easing, and asset brief decided). Stages 4/6 EXECUTE that spec; deviation is a bug to fix or a spec change to approve — never silent creativity.
13. ****EYES BEFORE HUMANS.**** Every build is scroll-recorded, watched frame-by-scene, and graded against its spec and the charter (eyes-protocol.md) BEFORE Nick or any client receives a link.

The Pipeline — Stages 0–10

#	Stage	Doc	Gate to exit
0	Onboarding	0-onboarding.md	Contract signed + entity & source + deposit
1	Intake (pre-filled)	01-intake.md	All items present or waived in writing
2	Research & Story	02-research-story.md	Nick approves brand DNA + story map (incl. SEO fields + editable zones)
3	Assets	03-assets.md	Slots filled, self-hosted, manifest complete
4	Homepage Build	04-homepage-build.md	Preview live + Nick internal approval
5	Direction Lock	05-direction-lock.md	Client written approval + milestone payment
6	Full Build	06-full-build.md	All sections + Owner's Key round-trip verified

7	QA	07-qa.md	Checklist all-pass incl. SEO audit + Owner's Key isolation
8	Launch & Delivery	08-launch-delivery.md	Production live via robot + Closing Report sent
9	Content Bank (internal)	09-content-bank.md	Carousel filed + index updated
10	Post-mortem (internal)	10-post-mortem.md	Report + [auto] lessons applied

After launch, monthly: `/seo-report <slug>` per `reports/seo-index.json` due dates.

State

`clients/<slug>/state.json` is truth (template: `templates/client-state.json`) — including `entity`, `source`, `archived`. The factory repo tracks process files; the site app at `clients/<slug>/site/` is its OWN repo (gitignored here), deployed to Hostinger by the Action in `templates/deploy/`.

Knowledge Map

`.claude/skills/wfact-sites/` — HOW to build (design language, patterns, sections, tech stack, SEO integration, Owner's Key SOP, Hostinger robot, asset SOP, QA). Read SKILL.md before any build work. · `pipeline/` — what happens when. · `lessons/` — scar tissue; read at every stage start; write via `/lesson`. · `rig/` — the reusable core. · `templates/` — client docs, proposal, legal blocks per entity, deploy Action.

Commands

`/new-client <name>` · `/offer <name>` · `/contract <name>` · `/archive <name>` · `/status [name]` · `/gate <name>` · `/lesson "<text>"` · `/seo-report [name]` · `/care-plan [name]` · `/stats-page <name> <topic>` · `/gbp-care <name>` · `/content-bank <name>` · `/post-mortem <name>` · `/cockpit` · `/bank <name> "<mechanism>"` · `/adapt <name> [specimen]`

Session Ritual

1. ****`git pull` first, always**** — Nick and collaborators (Mateo) share this repo; never work on a stale desk.
 - 1½. ****Cockpit queue:**** run `node tools/requests.mjs list`. Anything waiting → tell Nick first thing; execute what he approves; close each with `done <id> "result"` when finished.
 - 1¾. ****Headless runs use this same ritual;**** a run may never self-pass a human gate item — blockers get logged to the client's state log and the run exits.
2. Identify the client in focus; read their state, stage doc, stage lessons.
3. Two sentences to Nick: where we are, what's next, whose move.
4. Work only within the current stage. One client has ONE owner at a time — the baton passes through a push.

Higgsfield (Stage 3) & Supabase (Owner's Key)

Higgsfield via its MCP; check credits before any run. Owner's Key uses the ONE shared Supabase project — keys live in the factory's local `.env` (gitignored); the service key never enters client repos or chat. Per-project setup is fully scripted (`owners-key-sop.md`).

When Something Breaks

Stop. Don't improvise past a broken gate, failed deploy, or missing intake. Report plainly: what broke, what you tried, options, recommendation — clean enough for Nick to paste to Claude chat (the strategy desk).

2 · wfact-sites SKILL.md — reading order

Verbatim, the `## Reading order` section. Note it lists **16 numbered items**; item 16 is conditional (Arabic clients only).

<!-- verbatim: .claude/skills/wfact-sites/SKILL.md § Reading order -->

Reading order

1. `references/experience-charter.md` — THE LAW. Read first, every build, non-negotiable. The five constants + Nick's doctrine; a build violating it cannot pass Stages 4/6.
2. `references/experience-director.md` — the Director process (Stage 2): protagonist, feel-map, mechanisms, stitches → the Total Spec.
3. `references/mechanism-bank/INDEX.md` — experience-level mechanisms with used-in tracking (the Variety Law consults this before every choice).
4. `references/design-language.md` — the taste. Typography DNA, color discipline, the glass system, motion grammar, layout DNA, and the banned list.
5. `references/pattern-index.md` — the technique vocabulary. ~30 named motion/visual recipes with exact values and code. Read the recipes named in the story map's motion intents; skim the rest so you know what exists.
6. `references/section-library.md` — section archetypes (6 hero families + core sections) as tokenized exact-spec build guides. Compose from these, don't copy them.
7. `references/tech-stack.md` — framework decision rule, dependencies, project setup.
8. `references/higgsfield-asset-sop.md` — how brand-matched video/image assets get generated, chosen, compressed, and self-hosted (Factory Stage 3).
9. `references/qa-performance-checklist.md` — deep QA reference (Factory Stage 7).
10. `references/client-intake-sop.md` — what a complete intake looks like (Factory Stage 1).
11. `references/prompt-bank/` — study cards on the gold reference prompts: what each one teaches.
12. `references/owners-key-sop.md` — client self-editing: shared Supabase, editable zones,

isolation rules (read at Stages 2, 6, 7).

13. `references/hostinger-deploy.md` — the delivery robot: push-to-deploy on Hostinger (Factory Stage 8).

14. `references/seo-integration.md` — how the claude-seo plugin weaves through Stages 2/4/6/7 + the monthly report data contract.

15. `references/seo-care-engine.md` — post-launch Care Plan sessions (`/care-plan`, monthly, the upsell engine).

16. `Arabic-market clients ONLY:` the sibling skill `senior-arabic-rtl-dev` (`.claude/skills/senior-arabic-rtl-dev/SKILL.md`) — senior Arabic/RTL engineering: direction system, bidi, Arabic typography, six-category plurals, digit policy, GCC currencies/VAT/Hijri, plus two executable verifiers (`scripts/rtl_audit.py`, `scripts/screenshot_qa.py`). Load it at Stage 2 (decisions into the Total Spec), obey it through Stages 4/6, and its scanners must pass at Stage 7. Never load it for non-Arabic clients.

`Reading-order integrity check (ANALYSIS).` Every path named above resolves except as noted:

- `references/experience-charter.md` — present
- `references/experience-director.md` — present
- `references/mechanism-bank/INDEX.md` — present
- `references/design-language.md` — present
- `references/pattern-index.md` — present
- `references/section-library.md` — present
- `references/tech-stack.md` — present
- `references/higgsfield-asset-sop.md` — present
- `references/qa-performance-checklist.md` — present
- `references/client-intake-sop.md` — present
- `references/prompt-bank/` — present
- `references/owners-key-sop.md` — present
- `references/hostinger-deploy.md` — present
- `references/seo-integration.md` — present
- `references/seo-care-engine.md` — present
- `.claude/skills/senior-arabic-rtl-dev/SKILL.md` — present

3 · The four governing craft docs

3.1 experience-charter.md — THE LAW

<!-- verbatim: .claude/skills/wfact-sites/references/experience-charter.md -->

The Experience Charter

The law above every other document in this skill. Every WFact site must satisfy every article below, or it does not pass Stages 4/6. Read FIRST, every build.

The five constants (from the specimen archive — WISA, Reverie, Velar, Digital Archive, jesko-class work)

1. ****A living canvas.**** Something under or within the experience breathes the whole time — generated footage, a traveling protagonist, a world that responds. Dead paint behind stacked boxes is an automatic FAIL.
2. ****Scroll (or cursor) owns the world, not just the page.**** At least one substantial scrubbed moment — reversible, finger-speed — is mandatory; scenes that HOLD (sticky/pinned) while scroll drives their insides are the default grammar for story sites. Trigger-once fades are seasoning, never the spine.
3. ****Content floats over the film.**** Glass, layers, translucent moments over a continuous world — not opaque sealed sections. Scene boundaries are DESIGNED stitches (bridges, slide-overs, hand-offs), never hard borders.
4. ****Choreography is locked.**** Every motion has decided values: easing curve, duration, delay, magnitude. "Some animation" is not a spec. The two house easings and specimen values are the reference vocabulary.
5. ****A place, not a document.**** Pause the scroll anywhere: the frame should stand as a poster. If any viewport-height of the site would look at home in a template, that scene gets redesigned.

The laws (Nick's doctrine, binding)

- ****PROTAGONIST (if aligned):**** find the brand's strongest selling anchor — object, place, texture, person — and cast it as the recurring main character across scenes (Velar's house; a barber's clipper). IF AND ONLY IF it genuinely serves the planned experience — a forced mascot is its own slop. The experience always serves SELLING: book, buy, call.
- ****COHERENCE / anti-stuffing:**** 2–4 mechanisms per site, each justified in the spec, stitched into ONE ordered experience. Using many mechanisms shallowly = "demo reel" = FAIL, and it breeds bugs.
- ****VARIETY:**** consult mechanism-bank/INDEX.md used-in before choosing; never ship the same hero mechanism as the previous launch, and never let all clients converge on one combo. Repeats are allowed occasionally, sameness is not.
- ****SIMPLICITY SWITCH:**** a simpler (Premium Marketing) site is built ONLY when the client explicitly asked — recorded at intake in writing. Cinematic experience is the default.
- ****INVENTION MANDATE:**** the bank is a launchpad, not a cage. New mechanisms are encouraged — and face the same charter and the same Eyes.
- ****ANTI-DEFAULTS:**** the taste-skill ban list applies (AI-purple, centered-hero-over-mesh, three equal cards, Inter-and-slate-everything) plus ours: no unmotivated gradients, no template energy, no placeholder anything.
- ****FOUNDATION STILL COUNTS:**** content baked into the HTML (SEO eats first), reduced-motion gives a complete dignified experience, budgets hold (hero media ≤8MB), mobile is designed not shrunk. A cinematic site that fails these is a failed site.

Gate translation (checked at 4, 6, 7)

- [] Living canvas present and breathing
- [] ≥1 substantial scrubbed moment; story sites use held scenes
- [] Scene stitches designed; site reads as ONE world
- [] Mechanism count 2–4 (or approved spec exception), each justified, fingerprint recorded
- [] Protagonist decision documented (chosen + woven, or explicitly declined with reason)
- [] Any-frame-a-poster spot check passed (Eyes)
- [] Zero anti-default violations; baked content; reduced-motion; budgets

3.2 experience-director.md — the Stage 2 process

<!-- verbatim: .claude/skills/wfact-sites/references/experience-director.md -->

The Experience Director

Runs inside Stage 2, after research. Output: `docs/total-spec.md` — a complete, motionsites-grade specification. This is where ALL the thinking happens; the build only executes.

The process

1. ****Read everything.**** Intake, questionnaire, transcript, brand-dna, references (use /watch for video references). Run taste-skill's ritual: state the one-line Design Read and set the three dials (variance / motion / density) — record them in the spec.

2. ****Find the protagonist.**** What single thing IS this business's sell? (Object, place, texture, ritual, person.) Test alignment: does casting it through the scenes strengthen the planned experience? Yes → it stars, and its Higgsfield footage becomes priority asset #1. No → decline it in writing in the spec. Never force.

3. ****Write the feel-map.**** Beats at 0 / 25 / 50 / 75 / 100% of the journey: what the visitor FEELS at each, and what each beat sells (trust, desire, proof, action). One sentence per beat. If a beat sells nothing, cut or merge it.

4. ****Choose the experience-mode**** — recorded in every Total Spec:

- `standard-cinematic` — the classic WFact build (scenes + stitches, this doc's default).
- `scroll-film-A` — one continuous scroll-film in pure code (GSAP/Lenis; zero asset cost).

Engine law: the `scroll-film-studio` skill.

- `scroll-film-B` — chained generated footage scrubbed on canvas (the signature look; real credit cost). Engine law: the `scroll-film-studio` skill.

Scroll-film modes hand the FILM PORTION to scroll-film-studio as engine law; the Charter, protagonist rule, coherence/variety laws, and every gate apply unchanged on top. ****Lane choice (A vs B) is a Director + Cost-Sentinel decision — never a client burden****: B must earn its budget through the feel-map's selling job, and always asks Nick with the quoted credit total first.

4½. ****The Concept Pitch (all cinematic-mode clients, before the full spec).**** Present ****2–3 NAMED concepts****, the lead one marked "(Recommended)". Each concept: a concrete narrated scroll walkthrough (what you see at the top → what each chapter shows → how it

resolves into the content), the experience-mode/lane, chapter count, and the credit estimate. Nick (or the client, per his choice) picks or blends; "you choose" = take the recommended and go. This upgrades the Stage-2 human moment from yes/no into a menu.

5. ****Compose the mechanisms.**** Pick 2–4 from the bank that realize the feel-map — variety-check INDEX used-in first — or invent (mandate). Then design the STITCHES: exactly how scene A hands to scene B (bridge asset, slide-over, protagonist travel, nav color swap). The stitches get spec'd as carefully as the scenes. (Scroll-film modes: the chapter plan from scroll-film-studio's playbook IS the mechanism plan; M11 records the anatomy.)

6. ****Author the Total Spec**** from `total-spec-template.md`. Every layer, every number, every easing, every asset as a Higgsfield generation brief. Zero TBDs — an undecided value is an unfinished spec.

7. ****Styleframes list:**** name the 3–4 stills that will be rendered for Nick before the build (hero at 0%, the protagonist moment, one mid-scene, the landing).

8. ****Self-check against the charter,**** article by article, written into the spec's footer. Then present to Nick: two plain-English sentences of the creative direction + the spec + where the styleframes will come.

Note: scroll-film-studio's optional second-model sparring stays DORMANT in the factory (headless runners carry no other CLIs; the factory is Claude-pure). Skip it silently, as the skill itself instructs.

Judgment notes

- Client industry sets the energy, not the ambition: a döner shop deserves an appetite-driven experience (the sizzle IS the protagonist) as much as a jet broker deserves a window. Cheap business ≠ flat site; SIMPLE is only for those who asked.
- Length discipline: most sites are 3–5 scenes. A masterpiece is not "more scenes," it's better stitches.
- When two directions compete, pick by the feel-map's selling job, not by which mechanism is cooler.

3.3 eyes-protocol.md — grading your own work before a human sees it

<!-- verbatim: .claude/skills/wfact-sites/references/eyes-protocol.md -->

The Eyes

No human sees a link before the factory has watched its own work. Runs at Stage 4 (homepage) and Stage 6 (full site).

0 · The dev contract (EVERY build, all modes — the site must be inspectable)

Mandatory in every build from now on:

- ****?jump=<scrolly>**** — the page lands pre-scrolled to that position with ALL scroll state force-settled: for GSAP builds call `ScrollTrigger.update()` and set scrubbed timelines'

`totalProgress` explicitly. No half-played entrances at a jump target.
- **`window.\_\_ready = true`** fires only when the site is TRULY ready (fonts, first frames decoded, loaders gone) — the Eyes wait on it.
- **Cursor-followers** stay hidden until the first real **`mousemove`** — a follower parked at 0,0 poisons every screenshot.

1 · Record

Playwright (installed on first run: ``npm i playwright && npx playwright install chromium``): open the preview at 1440×900 with video recording on (``recordVideo``), scroll top→bottom in small steps over ~40–60s (``mouse.wheel`` loop with waits — native speed, no teleporting), close → save ``docs/eyes/desktop.webm``. Repeat at 390×844 → ``mobile.webm``.

2 · Watch

Extract one frame per scene change (claude-watch's trick):

```
`ffmpeg -i desktop.webm -vf "select='gt(scene,0.18)',scale=640:-1" -vsync vfr  
docs/eyes/frames/d_%02d.png` (fallback `fps=1/2` if too few). READ every frame as an image.  
You are now looking at your own site in motion.
```

2½ · Measure — the precision instrument (``tools/verify.js``)

``node tools/verify.js <url> ...`` (puppeteer-core + system Chrome) is the exact-position complement to the Playwright film: screenshot **every beat AND every film junction** via ``?jump=<scrollY>``, plus the **jank test** — per-frame rAF deltas while auto-scrolling; judge **p95 and max, never average**; **PASS = max frame < 50ms**. Both instruments feed the same report: Playwright shows the film, verify.js proves the numbers.

3 · Grade → ``docs/eyes-report.md``

Scene by scene against ``total-spec.md``: does the built scene match its spec block (layers, beats, stitch)? Then the charter gate items, verbatim. Then the two killer tests:
any-frame-a-poster (pick 3 random frames — would each survive as a poster?) and
one-world (do the frames read as a single film or a demo reel?). Every FAIL gets: what's wrong → the fix → re-record → re-grade. The report ships with PASS only when it means it. Honesty rule: grading your own homework kindly defeats the entire machine. When unsure, FAIL it — a false PASS here is the most expensive lie in the factory.

3.4 total-spec-template.md

`<!-- verbatim: .claude/skills/wfact-sites/references/total-spec-template.md -->`

Total Spec — `<Client>`

Rule zero: every value on this page is DECIDED. A TBD anywhere means this document is not finished. The build executes this exactly; deviation is a logged bug.

****Mode:**** cinematic | simple(client-requested) · ****Entity:**** · ****Design Read (taste-skill):**** "<one line>" · ****Dials:**** variance _ / motion _ / density _
****Protagonist:**** <what + why it sells> — or "declined: <reason>"
****Feel-map:**** 0% "<feels>" → 25% "<feels>" → 50% → 75% → 100% "<acts: book/buy/call>"
****Mechanism fingerprint:**** [M__, M__, +invented: <name>] · variety check vs INDEX: <result>

Tokens

Palette (exact hex + roles) · Type (faces, weights, the accent move) · Radius language · The two easings + any scene-specific curves · z-ladder

****Experience-mode:**** `standard-cinematic | scroll-film-A (pure code) | scroll-film-B (chained footage)` — scroll-film modes make the `scroll-film-studio` skill engine law for the film portion; Charter and gates unchanged on top.

The Journey

Where the camera starts, where it ends, the transformation in between — the heart of the experience, seeded from questionnaire Q7 ("The Journey") or authored by the Director when the client left it open.

- ****Opens on:**** ...
- ****Closes on:**** ...
- ****What changes in between:**** ...

The Film (one block per scene)

Scene <n> — <name> · scroll <a>%—% · track height <x>vh

- ****Feels / sells:**** ...
- ****Stage:**** sticky? pinned? document-flow? (exact wrapper heights)
- ****Layers (bottom→top):**** z, asset/element, and its motion mapping — property: from→to over progress a–b, easing, lerp factor, magnitudes. EXACT numbers.
- ****Text beats:**** copy verbatim, type sizes, reveal pattern (bank/pattern IDs) with values.
- ****Stitch out:**** precisely how this scene hands to the next (bridge asset, slide-over margin, protagonist travel path, color/nav swap).

Asset briefs (Higgsfield — protagonist footage first)

| slot | subject | mood | palette lock (hex) | camera | loop strategy | aspect | duration |

Styleframes (render before build)

1. ... 2. ... 3. ... (4.)

Foundations

Interaction inventory (hovers, cursor) · Reduced-motion plan (what each scene becomes) · Perf budget per asset · SEO bake plan (what's in the HTML) · Mobile design decisions (not shrinkage — decisions)

Charter self-check

Article-by-article: PASS/FAIL + one line each. A FAIL here returns to the Director, not to the keyboard.

4 · The Mechanism Bank

4.1 INDEX.md, verbatim

<!-- verbatim: .claude/skills/wfact-sites/references/mechanism-bank/INDEX.md -->

Mechanism Bank — Index

Experience-level mechanisms extracted from the specimen archive + factory inventions (/bank adds rows). The Director consults this table BEFORE choosing (Variety Law) and updates `used-in` after every launch.

ID	Name	The feeling	Born from	Pattern refs	Used-in
M01	Fixed-canvas film scrub	"the whole page is a film my finger plays"	WISA	V4, T6	—
M02	Portal pass-through	"I flew through the window into a world"	Reverie / jesko	I4, M5	—
M03	Protagonist journey	"one object owns this brand's story"	Velar	M6, V10	—
M04	Pinned scene swap	"the room holds still while the story turns pages"	jesko specs	M6	—
M05	Scene stitching	"nine sections, one continuous place"	Digital Archive / Velar	—	—
M06	Scrub word illumination	"the site reads WITH me"	WISA ScrollReveal	T6, T1	—
M07	Arc / orbit showcase	"a carousel I conduct"	Reverie / Bentley	I3	—
M08	Slide-over reveal	"a new world rises over the last"	Velar gallery	—	—
M09	Staged entrance	"the curtain lifted for me"	Velar preloader	F3, T4, V9	—
M10	Hover-expand gallery	"the wall leans toward my attention"	Velar	M4	—
M11	Scroll-film (continuous shot)	"the whole page is one continuous shot my finger plays"	scroll-film-studio	engine.md, playbook.md	—

Rules: 2–4 per site, stitched (Coherence Law) · hero mechanism ≠ previous launch's (Variety Law) · inventions welcome, then /bank them · exact implementation values live in each entry + the referenced pattern-index recipes.

4.2 ANALYSIS — entry count and exactness

Entry count: 11 (M01, M02, M03, M04, M05, M06, M07, M08, M09, M10, M11) — one file per

row of the INDEX, no orphans in either direction.

Every entry follows the same card shape: *Feeling · Anatomy · Scroll math (where applicable) · Fit · Stitch · Pitfalls*. **None contains a code fence** — the bank is deliberately a values-and-anatomy layer that defers executable code to `pattern-index.md` recipes.

The question the brief asks — exact values vs description only — resolves as follows. "Exact" here means: enough decided numbers (durations, easings, transforms, formulas) that two builders would produce the same motion.

ID	Size	Exact values present	Verdict
M01	8 lines	fixed inset-0 z-0, ≈200px spacers, full scrub formula (stop = max(1, footerTop - vh*0.2), currentTime = fraction * duration), seeking guard, ffmpeg -g 15, header exit 500→800px	exact
M02	7 lines	track ~480vh, scale lerp(1 → 7.5), origin ~52%/38%, opacity window 0.65–0.85, world 1→1.18, ground 1→1.4, mouse MAG 6/9/7/14, lerp 0.07, min-width ~1400px	exact
M03	7 lines	fixed z-[22], rise translateY(102vh→0) 1.5s cubic-bezier(0.45,0,0.15,1) +0.4s delay, trigger ~heroH*0.30, finalScale ≈ 1.45, mobile offset ~-250px	exact
M04	7 lines	wrapper h-[200–300vh], crossfade 0.4s + y 20px, progress formula, scrub:1, end:+=200%, thirds math	exact (one range)
M05	5 lines	-mt-64...-mt-96, offset = progress*30–80px, nav flip condition + transition: color .35s	exact-with-ranges — it is a toolkit of five moves, each specced to a range rather than a single number
M06	6 lines	rotation 3°→0 origin 0% 50%, per-word opacity 0.1→1 stagger 0.05, blur 4px→0, named triggers, all scrub:true	exact
M07	6 lines	spacing 9–12°/card, arcRadius 700/1100, full trig (deg, x = sin(rad)*r, y = r - cos(rad)*r), transformOrigin rule, drag lerp ~0.1, scroll window p 0.70–1.0	exact
M08	6 lines	h-[200vh] + sticky top-0 h-screen, z-[25] -mt-[100vh], ticker 14vw two copies; "no scroll math" is itself the spec	exact
M09	5 lines	140ms/char from 600ms, blink .7s step-end, 3px cursor, lift translateY(-100%) 1.5s cubic-bezier(0.45,0,0.15,1) at type_end+700ms, hero in at lift+1300ms (0.7s, y -28→0), curtains translateX(±62%) 1.8s cubic-bezier(0.16,1,0.3,1), ≤3s cap	exact (the densest card)
M10	6 lines	gap-1.5, flex:1→flex:4, transition: flex .5s cubic-bezier(0.4,0,0.2,1) (or .7s cubic-bezier(0.23,1,0.32,1)), sibling dim 0.8, caption gate flex>1.8, mobile aspect-ratio 4/5, tap scale 1.02	exact
M11	16 lines	a dedicated Exact values block: ~170vh/chapter, 5 chapters, scrub lerp 0.14, ImageBitmap window ±18 decode / ±28 evict, DPR cap 1.5, ~300 frames @1280px JPEG q4, SSIM junction gate ≥0.88 pass / 0.80–0.88 watch	exact, but the recipe is delegated to the scroll-film-studio skill (references/engine.md, playbook.md) — this card is a values

contract, not a build guide |

****So: 11 of 11 entries carry exact values; 0 are description-only.**** The honest caveats are different ones: (a) no entry carries runnable code, by design; (b) M05 is ranges rather than single values because it is a toolkit; (c) M11 is only complete if the sibling skill is installed.

****The `used-in` column is empty for all 11 entries.**** The INDEX's own rule says the Director "updates `used-in` after every launch", and the Variety Law is defined as consulting that column before choosing a hero mechanism. With no rows filled, the Variety Law is currently unenforceable

— and DreamSign, which has used M09 plus the z-sandwich grammar, has not been written back.

****ID collision (ANALYSIS).**** `pattern-index.md` numbers its 40 recipes with the same letters, including M1, M2, M3, M4, M5, M7, M6 — while the bank uses M01–M11. So "M7" means the z-sandwich parallax **pattern**, and "M07" means the arc/orbit **mechanism**.

DreamSign's

own docs mix both namespaces in one sentence ("M7 z-sandwich ... M4 accordion ... M08 rise"). This is

a live source of confusion and worth renaming one of the two families.

4.3 ANALYSIS — were the 60+ motionsites templates ever ingested?

****No. Not as raw material.**** The evidence, from the repo:

- `references/prompt-bank/README.md` describes the library as ****"Nick's motionsites.ai library (\$300, ~100 prompts), kept as STUDY MATERIAL"** and carries ****11 study cards**** (ten "gold cards"

plus the Galaxy Home card added 2026-07-24).

- `references/prompt-bank/raw/` contains ****1 raw prompt file****: `galaxy-home-aether-lane.md`. The README states the raw texts are Nick's purchase and that ****if he wants them archived, he**

pastest them into `raw/` in this folder himself" — and the one file present is exactly that, filed by Nick on 2026-07-24 for the DreamSign build.

- The claimed distillation route is that their craft ****is fully extracted into design-language.md, pattern-index.md, and section-library.md****. Those files exist and are substantial (40 named recipes in pattern-index alone), but they are the output of an earlier extraction pass over a subset — the README names ten specific references plus a "batch-one gold"

list of six more (SynapseX, Bentley, boomerang, cursor spotlight, liquid cursor, frame-sequence).

****Conclusion.**** Roughly ****16 of ~100 purchased prompts are represented**** anywhere in the

factory

(11 study cards + 6 batch-one recipes, with overlap), and **1 of ~100 exists as raw text**. The remaining ~85 have never been read into the factory in any form. Nothing in the repo suggests a bulk ingestion was ever run. Whether that matters is a judgement call — the extraction that did happen is high quality — but the honest answer to "were the 60+ ingested" is no.

5 · Pipeline gate checklists (verbatim)

Every stage doc carries a `## GATE` section. Stage 9's is titled `""Checklist (internal gate — no /gate needed)""` and Stage 10's is `""GATE (informal — internal)""`; ``00-overview.md`` has no gate by design. All 11 are below, pasted verbatim.

5.1 Stage 0 — Onboarding

<!-- verbatim: pipeline/0-onboarding.md § gate -->

GATE (0 → 1)

- [] Signed contract confirmed by Nick (PandaDoc completed)
- [] Entity + source recorded in state.json; contract used that entity's legal block
- [] Deposit received per contract terms (or explicitly waived by Nick in writing)
- [] Questionnaire + transcript filed (they feed the pre-filled intake)

5.2 Stage 1 — Intake

<!-- verbatim: pipeline/01-intake.md § gate -->

GATE

- [] Every checklist item is either `""present""` or `""explicitly waived by Nick in writing""` inside ``intake-checklist.md``
- [] The revision policy is confirmed in the contract/scope
- [] A single client-side decision-maker is named
- [] Owner's Key editable zones agreed and listed
- [] Nick says "intake complete"

5.3 Stage 2 — Research & Story

<!-- verbatim: pipeline/02-research-story.md § gate -->

GATE

- [] brand-dna.md exists, is complete (no TBDs), and fits on one page
- [] story-map.md covers every page in scope; every section has purpose + message + motion intent + asset slots
- [] Motion intents reference real pattern names from the skill
- [] Every page has slug + title tag + meta description + search intent recorded
- [] Editable zones marked per the intake answer (item 11)
- [] total-spec.md exists, complete (zero TBDs), charter self-check passed
- [] If Arabic-market: direction, digit policy, Arabic font stack, icon-mirroring, and bilingual sign-off order recorded in total-spec.md (senior-arabic-rtl-dev consulted)
- [] Nick approved the Total Spec and the styleframes
- [] Nick has read both and said "approved" (logged in state.json)

5.4 Stage 3 — Assets

<!-- verbatim: pipeline/03-assets.md § gate -->

GATE

- [] Every asset slot from the story map has a chosen, downloaded, compressed file
- [] Zero external hotlinks — nothing points at Higgsfield CDN, reference libraries, or any third-party host
- [] asset-manifest.md is complete and matches reality
- [] Nick confirms the winners are the ones he picked

5.5 Stage 4 — Homepage Build

<!-- verbatim: pipeline/04-homepage-build.md § gate -->

GATE

- [] Preview URL is live and loads the complete homepage
- [] Every homepage section from the story map is present with real content
- [] Hero checkpoint was passed (logged in state.json)
- [] Reduced-motion fallback verified

- [] Homepage title/meta/OG present; single h1; every image has alt text
- [] Site repo exists with clean, per-section commit history, fully pushed
- [] eyes-report.md = PASS, zero charter violations, spec-deviation log empty or approved
- [] Nick has viewed the preview and given internal approval

5.6 Stage 5 — Direction Lock

<!-- verbatim: pipeline/05-direction-lock.md § gate -->

GATE

- [] Client's written approval of the homepage exists (quoted or attached in the state log)
- [] Milestone payment confirmed by Nick
- [] Revision rounds used is accurate in state.json
- [] Any agreed change orders are written down with scope and price status

5.7 Stage 6 — Full Build

<!-- verbatim: pipeline/06-full-build.md § gate -->

GATE

- [] Every page and section in the story map exists with real content
- [] Navigation, footer, 404, meta/OG complete; no dead links
- [] Schema markup, sitemap.xml, robots.txt, and llms.txt present and valid
- [] Forms/integrations work in test mode (actually tested, not assumed)
- [] Owner's Key live: edit round-trip verified, invite prepared (NOT yet sent)
- [] Per-section commit history, fully pushed
- [] eyes-report.md = PASS, zero charter violations, spec-deviation log empty or approved
- [] Nick has clicked through the whole preview

5.8 Stage 7 — QA

<!-- verbatim: pipeline/07-qa.md § gate -->

GATE

- [] Every checklist item PASS or justified N-A in qa-report.md
- [] Lighthouse number recorded
- [] SEO audit score recorded; critical issues fixed
- [] Owner's Key items all PASS (round-trip, isolation, design lock)
- [] Nick's real-device script completed by Nick personally
- [] Credentials rotated (list what was rotated in the report)

****Stage 7's gate points at its own checklist, so that is included too.****

<!-- verbatim: pipeline/07-qa.md § The checklist -->

The checklist

****Performance****

- [] Page loads and becomes usable on a throttled connection (Fast 3G / Slow 4G simulation) without a blank-screen eternity
- [] Lighthouse mobile run recorded — Performance $\geq$ 85 target (record the actual number either way; regressions are lessons)
- [] Videos compressed per Stage 3 budgets; lazy/poster behavior sane; no asset over budget
- [] No layout shift jank on load; fonts load without invisible-text flash

****Motion & compatibility****

- [] `prefers-reduced-motion` yields a complete, dignified static experience
- [] Safari desktop + iOS Safari verified (motion, video autoplay, blur effects — the usual Safari victims)
- [] Mid-tier Android phone: scroll is smooth, no animation jank
- [] Site remains usable if JavaScript fails: content readable, nothing critical trapped behind broken motion

****Content & function****

- [] Zero placeholder text/images anywhere (search the codebase for lorem, TODO, placeholder)
- [] Every form submitted for real; success and error states both seen
- [] If e-commerce: one full end-to-end checkout in test mode, including failure card
- [] All links resolve; 404 page exists; favicon, meta titles/descriptions, OG images on every page

****Security & hygiene****

- [] If there is any login/admin: verified that a normal authenticated account CANNOT reach admin surfaces — enforced at the app layer AND the database layer (RLS or equivalent). "Logged in" is never "admin".
- [] All working/test credentials rotated before launch; no secrets in the repo; env vars live in the host's panel or GitHub Action secrets, never in code

- [] Public signups disabled unless the product requires them

****Owner's Key****

- [] Logged in AS THE CLIENT'S account: every editable zone edits, saves, and appears on the live page
- [] Isolation proven by test, not assumption: the client account CANNOT write any other site's content (the RLS scar test)
- [] Design lock holds: no possible edit moves, resizes, or restyles layout — only content values change

****Experience Charter****

- [] Living canvas present
- [] At least one scroll-owned (scrubbed) moment
- [] Site reads as ONE world (no demo-reel stuffing)
- [] Mechanism fingerprint recorded in mechanism-bank/INDEX.md used-in

****SEO****

- [] `seo` audit run against the preview URL; the 0–100 score recorded in qa-report.md
- [] All critical/high issues fixed and re-audited; anything left open is logged with a reason
- [] Schema validates; sitemap.xml and robots.txt fetch correctly on the preview

****Arabic / RTL (Arabic-market clients ONLY — skill: senior-arabic-rtl-dev)****

- [] `python3 .claude/skills/senior-arabic-rtl-dev/scripts/rtl\_audit.py` run on the site repo — zero BLOCKER/HIGH findings (report attached to qa-report.md)
- [] `screenshot\_qa.py` captured in `ar` AND `en` at 390px + desktop; the ar screenshots actually reviewed against the visual-qa-loop checklist
- [] No letter-spacing on Arabic text; no faux bold; diacritics don't clip; one digit system across every screen
- [] Mixed-direction strings (names, numbers, URLs inside Arabic sentences) render clean — bidi isolated, never whole-paragraph forced LTR
- [] Plural-bearing strings verified in the six Arabic categories; money formatted with the country's real decimals (KWD/BHD/OMR = 3)

****Nick's real-device script (10 minutes)****

- [] Open preview on your iPhone/Android over mobile data (not wifi): scroll the whole homepage, watch the hero, submit the contact form
- [] Rotate to landscape once; nothing explodes
- [] Ask one civilian (Atif counts) to open it cold and say what the company does — if they can't, that's a content FAIL

5.9 Stage 8 — Launch & Delivery

<!-- verbatim: pipeline/08-launch-delivery.md § gate -->

GATE

- [] Production URL live on the client's domain with SSL
- [] Production smoke test passed (logged in qa-report.md as a launch addendum)
- [] Closing Report sent (with the Owner's Key invite + Google review link); 3-day review follow-up scheduled
- [] Lessons harvest done (new ledger entries exist, dated today)
- [] Build #1 only: rig/ populated per its README
- [] Production SEO audit recorded; GSC + sitemap submission done or scheduled
- [] Portfolio permission asked in the delivery message

5.10 Stage 9 — Content Bank

<!-- verbatim: pipeline/09-content-bank.md § gate -->

Checklist (internal gate — no /gate needed)

- [] Client's stage 8 is complete and portfolio permission status is known (if permission refused: carousel may still be built for the private archive, but `caption.md` gets a DO-NOT-POST banner)
- [] 6–8 slides rendered at 1080×1350, set in the client project's design language, zero placeholder content
- [] Results slide uses real recorded numbers only
- [] caption.md written in Nick's voice; hashtags included
- [] index.json updated; everything committed and pushed

5.11 Stage 10 — Post-Mortem

<!-- verbatim: pipeline/10-post-mortem.md § gate -->

GATE (informal — internal)

- [] Report delivered to Nick · [] ≥3 findings, ≥1 self-critical · [] Auto-lessons in ledger + by-stage files · [] Committed

6 · The lessons ledger

6.1 ANALYSIS — shape

****37 entries****, one JSON object per line, spanning 2026-07-02 → 2026-07-22.

Schema in use: `date`, `stage`, `lesson`, `source`, `promoted`.

- ****By stage:**** build 11 · general 9 · launch 5 · assets 4 · qa 2 · seo 2 · intake 1 · direction-lock 1 · content-bank 1 · onboarding 1
- ****Promoted into a stage digest:**** 37 of 37
- ****Sources cited:**** 27 — Court Hub 2.0 · Court Hub 2.0 security audit · Court Hub 2.0 (Arabic RTL scope) · Library analysis 2026-07 · Factory design decision · bennett-co: quoted 50/80 remaining when true post-plan number was ~21; Nick caught it · bennett-co hero checkpoint: Nick overlaid guides and caught nav content inset 40px relative to hero content · bennett-co hero: Nick circled headline + right rail floating short of his red guide lines, second grid correction · Factory v1.1 design · bennett-co stage 6 - Nick's hosting decision · Factory v1.1.2 (secretary spec) · bennett-co stage 8 first Hostinger deploy · bennett-co launch: form email spam-foldered; Anne's verdict at the secretary desk · bennett-co copy v2 terra-deep swap · bennett-co hero v3 deploy watcher false-alarm · side-grill hero video v1-v4 · WFact v1.2 design · Nick correction, v1.2 · cockpit sync robot, Supabase setup day · cockpit UI v2, Nick's bug report · desk tools requests.mjs/upload-proposal.mjs, connection day · cockpit autopilot deploy failure, connection day · mail-poll connection night · expansion 6 cockpit bug pass, CatchUp/ClientSheet · scroll-film-studio · crown test #1, SMTP 535 · crown test #2, T1 email
- ****Stage digests present**** (`lessons/by-stage/`): 11 files — assets, build, content-bank, direction-lock, general, intake, launch, onboarding, qa, research, seo

6.2 ledger.jsonl, verbatim

```
```jsonl
```

```
{"date":"2026-07-02","stage":"build","lesson":"Commit and push after every completed section. Uncommitted Claude Code work plus branch/URL misalignment plus stale refs caused a three-layer sync disaster on Court Hub 2.0 that took days to untangle.","source":"Court Hub 2.0","promoted":true}
```

```
{"date":"2026-07-02","stage":"assets","lesson":"Batch frame exports (e.g. ezgif) reset numbering per export, so same-named files silently overwrite each other when uploaded together. Always rename with a scene prefix and version-sort before use (script in skill).","source":"Court Hub 2.0","promoted":true}
```

```
{"date":"2026-07-02","stage":"qa","lesson":"Authenticated is not authorized. Court Hub's security audit found any logged-in user was treated as admin at both app and RLS layers. Every admin surface needs explicit admin checks at the app layer AND the database layer, plus public signups disabled unless required.","source":"Court Hub 2.0 security audit","promoted":true}
```

```
{"date":"2026-07-02","stage":"intake","lesson":"Never begin building on assumed content, and never start translation/RTL work before the primary-language version has written client
```

sign-off.", "source": "Court Hub 2.0 (Arabic RTL scope)", "promoted": true}

{"date": "2026-07-02", "stage": "assets", "lesson": "Never hotlink third-party media (reference-library CDNs, stock URLs) in client work. The client must own and self-host every asset, or the site dies when someone else's bucket does.", "source": "Library analysis 2026-07", "promoted": true}

{"date": "2026-07-02", "stage": "direction-lock", "lesson": "Client feedback is accepted only as one consolidated list per round from the named decision-maker. Drip-fed feedback burns rounds and creates contradictory changes.", "source": "Factory design decision", "promoted": true}

{"date": "2026-07-02", "stage": "build", "lesson": "Default-AI aesthetics are the enemy of premium: unmotivated purple/indigo gradients, generic card grids, template energy. The reference library's best work explicitly bans them. Compose from the brand DNA, always.", "source": "Library analysis 2026-07", "promoted": true}

{"date": "2026-07-03", "stage": "assets", "lesson": "Never quote credit spend/remaining projections from mental arithmetic. Query the balance/transactions API for the real number before every batch, and when projecting, itemize ALL planned batches, not just the next one.", "source": "bennett-co: quoted 50/80 remaining when true post-plan number was ~21; Nick caught it", "promoted": true}

{"date": "2026-07-04", "stage": "build", "lesson": "One grid, one container: nav, sections, and footers must share the exact same container pattern (same max-width WITH padding applied at the same level). Nesting padding inside max-width in one component and outside it in another silently produces two different grids. Verify left/right content edges numerically (element rects) before showing Nick.", "source": "bennett-co hero checkpoint: Nick overlaid guides and caught nav content inset 40px relative to hero content", "promoted": true}

{"date": "2026-07-04", "stage": "build", "lesson": "Grid alignment is judged by glyph INK, not text boxes. Display-size type carries font side-bearings that leave visible daylight at the grid line — compensate with negative margins until the ink touches. Right-rail columns must terminate flush: right-align rail content so its right edge sits ON the grid line, not ragged inside it. Verify with injected overlay guides at container edges, at display sizes.", "source": "bennett-co hero: Nick circled headline + right rail floating short of his red guide lines, second grid correction", "promoted": true}

{"date": "2026-07-04", "stage": "seo", "lesson": "SEO must be decided at research time (intent, slugs, titles, metas in the story map) and built during the build, with the audit as verification only. Bolted-on SEO after launch is rework, not optimization.", "source": "Factory v1.1 design", "promoted": true}

{"date": "2026-07-04", "stage": "content-bank", "lesson": "Showcase slides must be HTML in the project's real design tokens rendered headless to PNG. AI image generation cannot reproduce exact typography or brand hexes, and invented stats on results slides destroy credibility.", "source": "Factory v1.1 design", "promoted": true}

{"date": "2026-07-04", "stage": "launch", "lesson": "Ask for portfolio/showcase permission inside the delivery message, at peak client delight. It gates the Content Bank and feeds the portfolio; asking weeks later converts far worse.", "source": "Factory v1.1 design", "promoted": true}

{"date": "2026-07-11", "stage": "launch", "lesson": "Deployment doctrine (permanent, Nick 2026-07-11): Vercel is for PREVIEWS ONLY during the working phase. Production hosting for every finished site - Nick's own and clients' - is Hostinger. Launch order: buy/assign Hostinger

hosting -> push the finished site live there -> connect the domain to it -> only then create mailboxes. Never plan production on Vercel; never promise email or form endpoints before the domain lives at Hostinger; contact endpoints must be built to run on Hostinger (PHP endpoint or external form service), not Vercel serverless.", "source": "bennett-co stage 6 - Nick's hosting decision", "promoted": true}

{"date": "2026-07-13", "stage": "seo", "lesson": "A tracking system that must be remembered is not a tracking system: /status surfaces SEO report due-dates itself.", "source": "Factory v1.1.2 (secretary spec)", "promoted": true}

{"date": "2026-07-14", "stage": "launch", "lesson": "Hostinger deploys: never extract the zip on the server. hPanel's File Manager extracts into a wrapper subfolder, and its move operation silently loses FOLDERS (assets/media/brand vanished; only loose files survived - then the 'empty' wrapper got deleted with the folders inside). The reliable method, proven by Nick: extract the build zip locally on the Desktop, then upload the extracted files AND folders directly into public\_html. After every deploy, verify a hashed /assets/\*.js URL returns 200 - the HTML answering 200 alone proves nothing (blank page).", "source": "bennett-co stage 8 first Hostinger deploy", "promoted": true}

{"date": "2026-07-14", "stage": "build", "lesson": "PHP mail() on shared hosting sends unauthenticated from the host's IP and fails SPF - contact forms must always send via the mail provider's authenticated SMTP (or a transactional service), never mail(). The From identity must be one the mail account owns (real mailbox or alias; visitor goes in Reply-To). Wire and spam-test the form in Stage 6, not at launch.", "source": "bennett-co launch: form email spam-foldered; Anne's verdict at the secretary desk", "promoted": true}

{"date": "2026-07-14", "stage": "qa", "lesson": "Bulk find-and-replace must preserve token boundaries: a replace whose old string ends in a space and whose new string doesn't FUSES the next token ('bg-terra ' -> 'bg-terra-deep' produced 'bg-terra-deeppx-7', silently deleting every CTA pill's background for three commits). QA must assert COMPUTED STYLES of primary CTAs (background, padding), not just that elements exist - Nick's device pass and two Lighthouse runs happened on invisible buttons without anyone noticing.", "source": "bennett-co copy v2 terra-deep swap", "promoted": true}

{"date": "2026-07-14", "stage": "launch", "lesson": "Deploy watchers for client-rendered sites must grep the hashed JS BUNDLE (or a rendered DOM), never the raw HTML - body copy lives in JavaScript, so a curl-grep of the HTML for new copy strings can never match and the watcher spins until timeout looking like a hung deploy.", "source": "bennett-co hero v3 deploy watcher false-alarm", "promoted": true}

{"date": "2026-07-15", "stage": "assets", "lesson": "In reference-driven AI video/image models (Higgsfield SeeDance etc.) image references override prompt text. Side-grill hero: the right spit had to become 'dark smooth minced beef' but the model ignored the wording three times (v1-v3) and copied the light meat from the reference images - every ref (incl. the client's own hack-referenz.jpg) showed light/golden meat. Fix: generate a dedicated reference image OF the wanted element (2 credits) and pass THAT as a reference; v3 then nailed the differentiation. When a visual element must clearly differ, feed a reference image of it - never rely on prompt words against contradicting reference images.", "source": "side-grill hero video v1-v4", "promoted": true}

```
{"date":"2026-07-15","stage":"onboarding","lesson":"Offers close on the call, presented live with
editable pricing that mirrors the conversation in real time. Day-after offer delivery gets ghosted
â€” Nick's market truth, factory law.", "source":"WFact v1.2 design", "promoted":true}
{"date":"2026-07-15","stage":"launch","lesson":"HOSTING LAW: Vercel is for previews only.
Every finished site â€” internal ones included â€” deploys to Hostinger (or the client's own host)
via the delivery robot. Never assume the preview host is the production host.", "source":"Nick
correction, v1.2", "promoted":true}
{"date":"2026-07-15","stage":"build","lesson":"Client self-editing (Owner's Key) uses proper
managed auth + database-enforced isolation on ONE shared Supabase â€” never hand-rolled
logins, never per-project manual database setup. The scar rule extended: authenticated !=
authorized, and site A's user must provably fail to write site B.", "source":"WFact v1.2
design", "promoted":true}
{"date":"2026-07-15","stage":"general","lesson":"Every client carries entity (which company
signs) and source (who brought them) from birth. All client-facing artifacts wear the entity's
identity; the factory serves DreamSign, Bennett & Co, and bridge-side work
equally.", "source":"WFact v1.2 design", "promoted":true}
{"date":"2026-07-17","stage":"general","lesson":"A robot that doesn't check its own writes will
report success while doing nothing: the first sync robot swallowed every database error and
printed 'complete' with zero rows written. Every automation must verify its result against reality
(count what landed) and fail loudly.", "source":"cockpit sync robot, Supabase setup
day", "promoted":true}
{"date":"2026-07-17","stage":"general","lesson":"Database-driven lists must always ORDER BY
a unique tiebreaker. Rows sharing the primary sort key come back in arbitrary order, so after
any write the list reshuffles and items appear to swap identities (cockpit content-bank: clicking
card 1's posted toggle seemed to mark card 2 - both carousels shared one created
date).", "source":"cockpit UI v2, Nick's bug report", "promoted":true}
{"date":"2026-07-18","stage":"general","lesson":"Never call process.exit() after a network
request in a Node script on Windows: Node 24 aborts with a libuv teardown assertion
(async.c:94) when force-exited while keep-alive sockets are open, corrupting the exit code even
though the output already printed. Let scripts end naturally; use process.exitCode for
failures.", "source":"desk tools requests.mjs/upload-proposal.mjs, connection
day", "promoted":true}
{"date":"2026-07-18","stage":"general","lesson":"Hosting-plan limits are part of the spec: Vercel
Hobby rejects any cron more frequent than daily, so a */5 schedule in vercel.json silently killed
EVERY deploy after it shipped - and the dashboard status filter hid the failed rows. After any
deploy-bearing push, verify the LIVE artifact actually contains the change (fetch the served
bundle and grep for a new string); never trust a green dashboard you have filters
on.", "source":"cockpit autopilot deploy failure, connection day", "promoted":true}
{"date":"2026-07-18","stage":"general","lesson":"A secret proven correct in one place proves
NOTHING about its copy in another place - the local .env logged into IMAP fine while the Vercel
copy of the same password was subtly wrong, and privateemail tarpits bad logins with ~32s of
silence, disguising a simple paste error as a network/IP-blocking mystery. When a credentialed
call works from spot A and hangs from spot B, re-paste the secret from the PROVEN source
```

```

into B before theorizing about networks.", "source": "mail-poll connection night", "promoted": true}
{"date": "2026-07-19", "stage": "general", "lesson": "AnimatePresence exit animations never fire
their completion callback when the OS has Reduced Motion enabled (motion library) - overlays
and sheets stayed mounted FOREVER for reduced-motion users, an invisible accessibility trap:
every dismissable overlay needs exit duration 0 under useReducedMotion. Found only because
the bug-pass browser runs with reduced motion on - test with it enabled.", "source": "expansion 6
cockpit bug pass, CatchUp/ClientSheet", "promoted": true}
{"date": "2026-07-22", "stage": "build", "lesson": "ScrollTrigger ORDERING LAW: create pinned
scenes FIRST, ambient/background triggers AFTER - creation order is refresh order; violating it
silently mis-positions everything after a pin spacer.", "source": "scroll-film-studio", "promoted": true}
{"date": "2026-07-22", "stage": "build", "lesson": "Never scrub <video currentTime> for film
experiences - canvas + ImageBitmap sliding window is the only jank-free path (seek latency is
physics, not a bug to fix).", "source": "scroll-film-studio", "promoted": true}
{"date": "2026-07-22", "stage": "build", "lesson": "Dissolves/crossfades over a bad film junction are
FORBIDDEN - scrubbing lets the user park on the seam. Fix the join, never hide
it.", "source": "scroll-film-studio", "promoted": true}
{"date": "2026-07-22", "stage": "build", "lesson": "Higgsfield audio ON silently ~3x-es the bill - pass
--generate-audio false always, unless audio is the
deliverable.", "source": "scroll-film-studio", "promoted": true}
{"date": "2026-07-22", "stage": "build", "lesson": "~15 percent of Higgsfield jobs fail server-side
unbilled - retry the same call once before debugging
anything.", "source": "scroll-film-studio", "promoted": true}
{"date": "2026-07-22", "stage": "general", "lesson": "An automated send that fails must DEGRADE,
never abort: the crown test filed the lead, then the broken SMTP password threw and silently
killed the notification + the rest of the run - the owner never knew a lead arrived. Every
auto-action needs a catch that files a rescue draft, records the error, and lets the notification
fire.", "source": "crown test #1, SMTP 535", "promoted": true}
{"date": "2026-07-22", "stage": "general", "lesson": "Text that travels through a clipboard or console
hop must be encoding-verified before it ships: an ANSI clipboard load quietly turned every
em-dash in the seeded email templates into mojibake, and the factory sent a client-facing email
reading like a broken fax. Seed content programmatically (UTF-8 JSON) or diff the landed rows
against the source.", "source": "crown test #2, T1 email", "promoted": true}
...

```

---

## # 7 · Agents and commands

### ## 7.1 `claude/agents`

**\*\*The directory does not exist.\*\*** There are no project-defined subagents in this repo. Any agent this factory uses is either a plugin/global agent supplied by the environment or none at all — so "the factory's agents" is currently an empty set, and every stage is executed by the operator

session itself. If the pipeline is meant to delegate (Amir is referenced in Stage 0's choreography), that delegation is not defined as an agent here.

## ## 7.2 `.claude/commands` — 16 slash commands

Line counts are the command body after frontmatter, as a rough measure of how specified each one is.

command	description (frontmatter, verbatim)	body lines
	--- --- ---	
`/adapt`	Plan B floor — reskin the closest full experience from the bank instead of authoring from scratch	5
`/archive`	Archive a dead deal so it stops haunting /status	5
`/bank`	Save a section mechanism from a build into the Mechanism Bank for future reuse	6
`/care-plan`	Run the monthly SEO Care session for a client (maintenance + report; the upsell engine)	6
`/cockpit`	Regenerate and open the factory Cockpit dashboard (clients, SEO, content bank, lessons)	10
`/content-bank`	Turn a launched project into an Instagram showcase carousel (Stage 9, internal)	10
`/contract`	Generate the contract from questionnaire + meeting transcript + the signing entity's legal block	7
`/gate`	Run the current stage's gate; advance ONLY on full pass (records money at stages 0, 5, 8)	7
`/gbp-care`	Run the monthly GBP Care module for a local client — review replies, Google posts, profile completeness	7
`/lesson`	Record a permanent lesson into the factory's ledger	9
`/new-client`	Open a new client at Stage 0 (Onboarding) with entity and source recorded	13
`/offer`	Build the live-close proposal (browser document with editable price) from the questionnaire	10
`/post-mortem`	Stage 10 — the internal project analysis that teaches the factory (with [auto] lessons + Nick's veto)	8
`/seo-report`	Run the monthly SEO report for a launched client (score trend, wins, regressions, actions)	9
`/stats-page`	Research and build a sourced statistics page for a client's niche — the linkable asset play (Care Growth, quarterly)	10
`/status`	Report where every client (or one client) stands and who acts next	14

**\*\*Cross-check against CLAUDE.md (ANALYSIS).\*\*** CLAUDE.md's Commands line advertises:

`/new-client`,  
`/offer`, `/contract`, `/archive`, `/status`, `/gate`, `/lesson`, `/seo-report`, `/care-plan`,  
`/stats-page`, `/gbp-care`, `/content-bank`, `/post-mortem`, `/cockpit`, `/bank`, `/adapt` — 16  
commands, and 16 files exist. They match exactly, with no phantom commands and no

undocumented ones.

---

## # 8 · DreamSign — the client evidence

### ## 8.1 total-spec.md

<!-- verbatim: clients/dreamsign/docs/total-spec.md -->

#### # Total Spec — DreamSign („Iznad oblaka")

\*Rule zero: every value on this page is DECIDED. The build executes this exactly; deviation is a logged bug.\*

**\*\*Mode:\*\*** cinematic · **\*\*Entity:\*\*** dreamsign · **\*\*Design Read:\*\*** a weightless sky-world in baby blue and cloud white where a royal-blue pen line — the signature — carries the visitor from an unforgettable DS entrance down into grounded daylight, where the dream becomes real and the contract gets signed. · **\*\*Dials:\*\*** variance 7 / motion 6 / density 3

**\*\*Protagonist:\*\*** the **\*\*signature line\*\*** — a 3px royal-blue pen stroke (#2458A6, opacity 0.9), alive. It draws the logo in the entrance, connects the scenes (drawn on scroll), frames the portrait moment, and signs the finale. It sells the exact action every page wants: start the conversation → sign. (M03 as a drawn SVG path, not a cutout.)

**\*\*Feel-map:\*\*** 0% „I've arrived somewhere unreal — above the clouds" (memory) → 25% „these people are safe to sign with" (trust) → 50% „look what they build" (proof/desire) → 75% „real humans who come to my table" (closeness) → 100% „the dream lands — I write them" (action: WhatsApp).

**\*\*Mechanism fingerprint:\*\*** [M09 staged entrance · M03 protagonist journey (stroke form) · M08 slide-over reveal] + pattern grammar M7 z-sandwich / T6 char-variant / M4 / M5 / M1 / I5 (Galaxy Home card #11 mechanics, Nick's chosen grammar — own assets/world). · Variety check vs INDEX: first factory launch, all used-in empty — clean.

**\*\*Experience-mode:\*\*** `standard-cinematic`.

### ## Tokens

- **\*\*Palette:\*\*** bg #F5F9FD · pale sky #DCEBF8 · baby blue #A8CEF0 · mid-sky #6FA5D8 · ink #16324F · accent (signature) #2458A6 · mist #C7D9EA. CSS variables in HSL; hardcoded hex mid-component = bug.

- **\*\*Type:\*\*** Inter Tight — display 600 `clamp(3rem,14vw,11rem)` tracking -0.03em lh 0.98; H2 600 `clamp(1.75rem,4vw,2.75rem)` tracking -0.02em; body 400 17px/1.7; labels 500 12px caps +0.08em; stats 700. Great Vibes 400 — script moments only, `clamp(2rem,5vw,3.5rem)`, never below 28px. Self-hosted woff2 (latin + latin-ext), Inter Tight 600 preloaded.

- **\*\*Radius language:\*\*** pills `rounded-full`; cards `rounded-[1.75rem]`; media frames `rounded-[1.25rem]`. Soft everywhere — this is a cloud brand.

- **\*\*Easings:\*\*** entrances `cubic-bezier(0.22,1,0.36,1)`; reveals/strokes

`cubic-bezier(0.16,1,0.3,1)`; layout size changes 0.7s `cubic-bezier(0.23,1,0.32,1)`; overlay lift 1.5s `cubic-bezier(0.45,0,0.15,1)`; scroll lerp factor 0.12 everywhere.

- **z-ladder:** sky/canvas 0 · giant wordmark 10 · side floats 20 · foreground cloud bank 30 · content 40 · stroke overlay 45 (pointer-events none) · nav 50 · entrance overlay 100.

## The Journey — v2, THE DESCENT (Nick's correction 2026-07-24: start high, END

GROUNDED — mirror the Galaxy Home arc sky → mountains → white ground, in our world)

- **Opens on:** ABOVE the sea of clouds at soft warm morning (chosen frame 1A); the DS mark assembles and the pen underlines the name.

- **The middle:** every stitch drops the visitor LOWER. Promises play INSIDE the cloud layer (diffuse mist); services/work break BELOW the cloud base, where the land first appears in bright haze.

- **Closes on:** the LANDING — the sunlit plain in sight through/below the clouds, then a Galaxy-style white-fade (transparent → #FDFEFF 60% → #F5F9FD solid) settles the page onto clean paper-white GROUND: there the stroke signs „Potpišite svoj san“, the WhatsApp pill waits, and the **footer** (solid ink #16324F band) closes the page standing on solid ground.

- **What changes in between:** ALTITUDE. One continuous descent from dream to reality — „snovi postaju realnost“ performed by the page itself. Never end where you began.

## The Film — Početna

### Scene 0 — Ulaz · pre-scroll · overlay z-100

- **Feels/sells:** the memory mark; the brand performs its name.

- **Stage:** fixed overlay, bg #F5F9FD; session-skip (`sessionStorage.ds\_entered`), reduced-motion ⇒ instant final state; total ≤3.0s.

- **Beats (t from mount):** 0ms DS monogram centered (logo geometry from Stage 2/3 design; D filled #2458A6, S stroked ink on a #A8CEF0 cloud pad) scale 0.94→1, 600ms, ease-entrance → 600ms letters part: D `translateX(-0.62em)`, S `+0.62em`, 900ms `cubic-bezier(0.22,1,0.36,1)` → 900ms „ream“/„ign“ glide in (F9: chars `yPercent 120→0`, stagger 0.028, 1.0s, masked lines) forming „DreamSign“ in Inter Tight 600 → 1700ms the stroke draws the underline (SVG dashoffset 1.2s `cubic-bezier(0.16,1,0.3,1)`) → 2400ms overlay lifts `translateY(-100%)` 1.5s `cubic-bezier(0.45,0,0.15,1)`, revealing Scene 1 mid-lift (the hand-off IS the reveal).

- **Stitch out:** the underline stroke does not vanish — it rides down into Scene 1 and becomes the protagonist's first visible segment.

### Scene 1 — Hero „Iznad oblaka“ · scroll 0–12% · h-screen, M7 z-sandwich

- **Stage:** `h-screen overflow-hidden`, `useScroll` offset `[start start, end start]`.

- **Layers (bottom→top):** z-0 `hero-sky-loop` video (V1, `h-[120%] object-cover`, `y: [0%, 8%]`) → z-10 giant „DreamSign“ (aria-hidden decorative wordmark, Inter Tight 600 `clamp(3rem, 14vw, 12rem)`, `bg-clip-text` gradient `#16324F` → `#6FA5D8` top→bottom, whitespace-nowrap, pt-[20vh]) → z-20 side floats (left „Iznad oblaka“, right „Snovi postaju realnost.“ — 22px/500, ink 70%, hidden <md) → z-30 `hero-cloud-foreground` (true-alpha cloud bank, `h-[120%]`, same `y` — overlaps the wordmark's lower third) → z-40 content block

(bottom-anchored center, pt to clear foreground): **H1** „Pravimo sajtove koji pretvaraju posetioce u kupce." (clamp(1.9rem,3.6vw,2.9rem)/600) + sub (brand spine sentence, 17px/400/ink-75) + CTA pill.

- **Text beats:** M1 blur-up stagger 0.15s: H1 → sub → CTA (0.7s each, y 24→0, blur 4→0).
- **CTA (house move):** I5 pill `rounded-full px-9 py-3.5` bg #2458A6, text #F5F9FD 500, glow `0 4px 60px 4px rgba(36,88,166,0.40)`, inner light blob; hover scale 1.05. Label: „Započnite razgovor". → wa.me link.
- **Stitch out:** next wrapper `-mt-[25vh] z-40` with its own scroll range and counter-parallax backdrop `[0%,-20%]` (M7 negative overlap) — the pale-sky world slides up over the hero's clouds.

### Scene 2 — Obećanja · wrapper `-mt-[25vh]`, content pt-[30vh], ~120vh

- **Feels/sells:** trust; the site reads WITH you.
- **Backdrop:** INSIDE the cloud layer (the descent's first stop): diffuse mist gradient `#DCEBF8 → #F5F9FD` with two soft blurred cloud-wisp layers drifting at 10%/6% opacity (M5, `[0%,-6%]` / `[0%,-3%]`); whisper dot grid S3 at 0.04 confined by radial mask.
- **Text beat:** T6 **char-variant** exactly: „Ugovor. Garancije. Potpuna transparentnost. Nijedan klijent ne ostaje nezadovoljan." — max-w-[820px] centered, Inter Tight 500 `clamp(1.5rem,3.4vw,2.5rem)/1.2` ink; per-char opacity 0.25→1, offset `[start 0.8',end 0.2']`, window ±0.01 by index. The word „nezadovoljan" flips to #2458A6 at fill.
- **Stroke:** the protagonist line draws a soft arc under the paragraph across the same progress (dashoffset scrubbed, lerp 0.12).
- **Stitch out:** 260px gradient fade into Scene 3's cloud-card field.

### Scene 3 — Usluge teaser · document flow · py-28

- **Cards:** M4 hover-accordion, 4 cloud cards (`rounded-[1.75rem]` bg #DCEBF8, mist hairline border, icon SVG + name 600 + one-liner 400): base flex 1, hovered 2.5, siblings opacity 0.8, `transition: flex 0.7s cubic-bezier(0.23,1,0.32,1)`; extra line reveals at flex>1.8. Entrance M1 stagger 0.12.
- **Copy:** the 4 services + one-liners from story-map (Owner's Key shared list). Link „Sve usluge →" M3 text-slide.
- **Stitch out:** M08 — this section's wrapper is `h-[200vh]` with sticky inner; Scene 4 rises over it.

### Scene 4 — Radovi teaser · M08 slide-over · `z-[45] -mt-[100vh]`

- **Feels/sells:** proof. A new world rises over the promises.
- **Stage:** slides up over pinned Scene 3; bg #F5F9FD; behind content a giant repeating „DreamSign" ticker in Great Vibes 14vw at 6% opacity (M08 backdrop flavor, 60s linear).
- **Content:** 2–3 featured projects, editorial asymmetry (alternating 60/40): cover in `rounded-[1.25rem]` frame with inner M5 parallax `[0%,-12%]`; title 600, result line 400. Empty-state variant designed (copy from story-map).
- **Stitch out:** normal flow into Scene 5, mist hairline divider.

### Scene 5 — Lično prisustvo · document flow · py-28 · NO PORTRAIT (Nick's veto 2026-07-24: no photos of him anywhere on the site; Soul stays trained but unused)

- **Layout:** 55/45 split (<md stacks): left copy („Kad zatreba, sedimo za vašim stolom — u vašoj firmi, uživo." H2 600 + 2 lines 400) with M1; right the `ruma-sky-mapa` illustration in a glass frame (S1 light-tuned) — **the stroke draws a route across the map from „vi" to „mi"** (dashoffset scrubbed on view, 1.4s): the in-person promise told by the pen, no humans.
- **Stroke:** the same line then underlines „uživo" (0.9s).
- **Stitch out:** the descent's last drop — wrapper `-mt-[20vh]` with counter-parallax `[0%,-15%]`; below the cloud base now, land in sight.

### Scene 6 — Finale „Sletanje" (the landing) · ~130vh

- **Feels/sells:** action. The dream lands on solid ground.
- **Backdrop:** `landing-plain` asset (the sunlit plain seen through/below the parting clouds, bright haze) with slow M5 drift `[0%,-8%]`; over its lower half the **Galaxy-white-fade**: `bg-gradient-to-b from-transparent via-[#FDFEFF99] to-[#F5F9FD]` (~400px band) — the page touches paper.
- **Beats (on the paper zone):** H2 „Dva klika do razgovora." 600 ink → Great Vibes „Potpišite svoj san" `clamp(2.2rem,5vw,3.5rem)` #2458A6 → the protagonist stroke sweeps in and SIGNS beneath it (dashoffset 1.2s `cubic-bezier(0.16,1,0.3,1)`, once at 40% in view) → CTA pill (I5 spec) + tel link 13px/500 mist. Generous py-24 — the paper breathes.
- **Footer (sitewide, always on the ground):** full-width solid ink #16324F band standing on the paper zone — cloud-white text, 3 columns (<md stacks): wordmark + spine sentence · nav links · NAP/tel/WhatsApp. py-12, mist hairline dividers, legal line 11px at the bottom. Clean, roomy, never cramped — the site ends standing, not floating.

## Inner pages — SITEWIDE MOTION LAW (Nick, on spec approval 2026-07-24: "the motion over all pages — we just align the content and sections properly")

Every page runs the FULL grammar, aligned to its content. Constants on all pages: sky-hero z-sandwich mini (60–70vh: page title Inter Tight 600 `clamp(2.5rem,9vw,7rem)` gradient-clipped between the sky backdrop and a foreground cloud wisp — REUSES `hero-sky-loop` + `hero-cloud-foreground`, zero extra credits) · negative-overlap stitch into content (`-mt-[18vh]`, counter-parallax `[0%,-15%]`) · ≥1 scrubbed moment · the stroke protagonist travels the page · **the DESCENT in miniature: every page starts high and LANDS — Scene-6 landing grammar (white-fade onto the paper zone, stroke signs, CTA) + the sitewide ink footer standing on the ground.** The M09 entrance overlay plays ONCE per session sitewide — inner arrivals get only the stroke hand-off. Mechanism fingerprint unchanged (reuse = one world; no new mechanisms).

- **Radovi:** hero mini (title „Radovi", script line „rezultati" in Great Vibes) → intro F9 char-rise → projects M08 chain (each `h-[160vh]` wrapper) with M5 inner parallax `[0%,-12%]` → char-fill statement „Svaki sajt ovde je nekome doneo kupce." (T6 char-variant, same values) → daylight landing CTA.
- **Usluge:** hero mini (title „Usluge") → M4 accordion (vertical tap-expand <md) → process M6 pin & scrub (`pin:true, scrub:1, end:'+300%`, 4 pages per M04 thirds math; the stroke draws

the connector step 3→4) → garancije T6 char-variant (short block) → daylight landing CTA.  
- **Kontakt:** hero mini with the giant „Dva klika i razgovaramo.” AS the z-sandwich title → negative-overlap into the contact stage: stroke circles the WhatsApp pill (draw 1.0s at load+400ms), tel + address, `ruma-sky-mapa` SVG with M5 whisper parallax MAG 6px → mini landing glow (short page, still a place).  
- **EN mirror (/en/):** identical specs, EN copy after Serbian sign-off, EN WhatsApp opener.  
- **Perf guard:** shared assets cached after first page; each inner page total ≤8MB; budgets unchanged.

**## Asset briefs** (Higgsfield — per SOP: palette lock in every prompt, slow singular camera, loop-conscious. **STYLE LAW** on every brief: ultra-clean storybook matte painting / high-end animated-film frame, painterly gradients, luminous volumetric light, 4K, NO photorealism, NO grain — brand-dna rendering law. Stills: nano\_banana-class 4K; video at Stage 3 carries the same style block.)

| slot | subject | mood | palette lock (hex) | camera | loop strategy | aspect | type |

|---|---|---|---|---|---|---|---|

| hero-sky-loop | endless sea of soft cumulus from above, gentle drift | weightless dawn-into-day, positive | #A8CEF0 #DCEBF8 #F5F9FD only, no other saturation | slow lateral drift, locked horizon | seamless loop, end=start | 16:9 | video 6–8s |

| hero-cloud-foreground | dense volumetric cloud bank, isolated subject for alpha cutout | soft, luminous edges | #F5F9FD #DCEBF8 | locked still | n/a | wide | still → alpha |

| landing-plain | sunlit plain in bright haze seen through/below the parting cloud base (the finale's ground-in-sight) | hopeful arrival | #DCEBF8 #A8CEF0 #FDFF, faint muted earth haze only | high aerial still | n/a | 16:9 | still |

| og-home | the sky world + DreamSign wordmark plate | brand poster | full palette | still | n/a | 1200×630 | still |

| brand-set (6–8 stills) | Nick's §7 mandate: DS mark in clouds, sky textures, signature-stroke plates — the branding kit world | dreamlike, unreal, light | full palette lock | varied stills, slow | n/a | mixed | stills |

Drawn in code (no generation): service glyphs, `ruma-sky-mapa`, the logo vectors, the stroke.

**Credit estimate:** ≈150–220 total (1 video mastered per the 7.5-draft/45-master ladder + ~12–15 stills). **Cost Sentinel:** exact quote + balance check + Nick's OK before the first credit — always-ask.

**## Styleframes** — ✓ RENDERED & APPROVED (Nick's picks 2026-07-25; full history in styleframes.md)

1. **Hero world** — 1B **„painterly sea of clouds”** (`d3cc08e7`): the mood target for the hero's living sky (z-sandwich backdrop).

2. **Ink flourish** — 2B **„round ribbon loop”** (`3489fc34`): the character target for the code-drawn signature stroke.

3. **The landing** — 4A **„the plain revealed”** (`8c5942f0`): the finale's ground-in-sight; doubles as the `landing-plain` asset (4K raw archived).

Portrait frame: CANCELLED with the no-portraits law (2026-07-24). All three winners archived

at `assets-raw/styleframes/`; the storybook style law governs every Stage 3 generation.

## ## Foundations

- **Interactions:** nav links M3 text-slide 0.2s; CTA hover scale 1.05 + glow to 55%; cards M4/lift 1.03; no custom cursor (weightless brand — I2 declined).
- **Reduced-motion:** entrance → instant final frame; hero → static composite (poster + layers frozen); char-fill → full opacity; accordion → equal cards; slide-overs → normal sections; strokes → pre-drawn; video → poster.
- **Perf budgets:** hero loop ≤8MB (target ≤5MB, 1080p CRF 23, `-an`, faststart); foreground WebP ≤300KB; portraits ≤250KB; og ≤200KB; home total ≤12MB; LCP = H1 text (font preloaded); zero CLS (all media sized).
- **SEO bake:** every sentence in DOM regardless of animation; one H1/page (story-map titles/metats verbatim); giant wordmark aria-hidden; schema Organization + WebSite + LocalBusiness(Ruma 22400, RS) + BreadcumbList; sitemap.xml, robots.txt, llms.txt; hreflang sr↔en.
- **Mobile decisions:** parallax magnitudes halved, foreground bank lowered (never covers H1); side floats hidden; accordion → tap-to-expand vertical; M08 → sticky-backdrop normal flow; entrance identical (code-only, cheap); touch targets ≥44px; wa.me links open app directly.
- **Owner's Key:** every `[editable:\*]` zone from story-map wired per owners-key-sop; WhatsApp opener text is a zone; no price fields exist anywhere (law).

## ## Charter self-check

1. **Living canvas** — PASS: hero loop + drifting layers; mid-page keeps the stroke alive + parallax backdrops; finale wisp breathes.
2. **Scroll owns the world** — PASS: char-fill scrub (substantial), stroke scrubs, counter-parallax stitches, M6 process pin on Usluge.
3. **Content floats, stitches designed** — PASS: z-sandwich, glass frames, negative-overlap + M08 hand-offs; zero hard borders.
4. **Choreography locked** — PASS: every value above is decided; two sacred easings + one overlay curve.
5. **A place, not a document** — PASS: any frame is a sky poster; Eyes will spot-check (§ any-frame).

Laws: protagonist chosen & woven (signature line) · coherence 3 mechanisms, each justified · variety clean (first launch) · simplicity n/a (cinematic default; client asked cinematic) · invention: M7/T6-char harvested to the bank · anti-defaults: light world, zero purple, no template grids · foundation: baked content, reduced-motion, budgets, mobile designed. **ALL PASS.**

---

## ## 8.2 eyes-report.md

<!-- verbatim: clients/dreamsign/docs/eyes-report.md -->

## # Eyes Report — DreamSign (running log)

### ## CHANGE BATCH 1 — 2026-07-26, Nick's 8-item list off the live preview

All eight applied, nothing else touched. **\*\*Junctions:** desktop 1/2/2/2/2 — all PASS; mobile 6/6/4/3/2/2 — no FAIL. Jank p95 7.2ms / max 11.3ms. Reduced motion complete, zero console errors. **\*\* Review room:** <https://claude.ai/code/artifact/6b8e581a-a084-4018-a080-e02407259572>

1. **\*\*Hero sky is static\*\*** — `hero-sky-still.webp`, styleframe 1B at 2560px, **\*\*71KB** vs the loop's 928KB; the 6s cut snapped back visibly. Keeps the 8% drift.
2. **\*\*Wordmark sits in the bank\*\*** — bank raised (`-top-8% h-126%`), wordmark dropped to 25vh, so the crest closes over the bottom fifth and the overlap shifts on scroll (bank 15% vs sky 8%). Cutout untouched; added a soft drop-shadow because at 390px white-on-pale-sky had no separation. Side subtexts 320px → 500px — the taller lockup ran through them.
3. **\*\*Nav mark = DS lockup, morphing to the full name\*\*** on hover **\*and\*** keyboard focus, via clip-path unfurl. The name always holds the layout width → links measured at **\*\*572.5px** before and during. Trade: the collapsed state reserves the name's width (gaps tightened to absorb it); flagged for Nick.
4. **\*\*Nav glass edge\*\*** — it had no border at all; now `border-white/75` + inset top highlight + soft outer shadow.
5. **\*\*Marquee restart fixed\*\*** — the gap was on the flex container, so the half-way point fell mid-gap and `translateX(-50%)` jumped every cycle. Gap moved onto each cell. Verified geometrically: halves pitch-for-pitch identical, half = 1548.00 vs trackWidth/2 = 1548.00 (row 2: 1568.00/1568.00).
6. **\*\*The plain holds\*\*** — a two-stop `useTransform` was extrapolating back down past its own end (and B8 was fading in on top). Ranges now carry an explicit hold stop: opacity 0.19 → **\*\*1.00 → 1.00 → 1.00\*\*** through the footer. **\*\*B5 contrail plate deleted\*\*** — those were the stray white/blue strokes over the field.
7. **\*\*Footer joins the world\*\*** — plain + paper plates span the signature beat **\*and\*** the footer; no ground of its own; ink text over a dissolving veil. Measured against the imagery actually behind the type: **\*\*body ink 8.1:1, WhatsApp link 5.8:1\*\*** (AA 4.5; the brand accent measured 4.3, so that one link is a deeper blue).
8. **\*\*Entrance rebuilt\*\*** — DS mark → the same morph the nav uses → eight cloud plates spawn, spread, cover the viewport (a white pass takes the corners), hold, then dissipate on the reversed motion. Underline stroke and panel swipe deleted. 2.95s, session-once, reduced-motion + `?jump` skip. Existing plates only.

**\*\*Honest note:\*\*** `hero-sky-loop.mp4` and `hero-sky-poster.jpg` stay in the project (client-owned) but are no longer referenced by any code path.

### ## ONE CONTINUOUS DESCENT — 2026-07-25, Nick's directive: one world, one scroll source

**\*\*Built:\*\*** a single `` wrapper spanning hero→footer holds the only `useScroll` on the page; every layer reads that one progress value (the hero included — it maps its 8%/15% over

a measured one-viewport slice of it). One sky gradient paints the entire page and **no content section owns a background**; `WorldLayer` masks its own container edges, so an asset physically cannot end in a straight line. Leni's `lerp: 0.1`, site-wide. Descent chain exactly as ordered: gradient bridge on the hero seam (starting on the **sampled** hex `#B0C9E4` — measured off the render with the descent hidden, 1440 and 390 agree) · B4 tower = the mountain, -20%, faded top eating the seam · B7 vertical sea straddling both junctions around the promise, -12% · B6 light rays opening into the proof beat · landing-plain 4A as the finale (clouds part, the plain appears) · B8 paper ground + Galaxy's `from-transparent via-white/60 to-white` dissolving the world into paper · B5 contrail as the pen line at the signature. Hero L2 is the **cloud wordmark** again (cloud-Dream + hand-signed Sign, baseline-locked, hard-light) with L4 on its own faster rate. Nav lockup rebuilt: cloud-D **is** the D, one optical baseline.

**Instrument:** a junction rig — reads every `data-beat` boundary out of the DOM, jumps so the seam sits at the viewport centre, shoots desktop 1440 and mobile 390, and scores each seam by the **median across x** of the row-to-row delta (a section line moves every column at once; text moves only some). 6 junctions × 2 devices, 6 rounds.

```
| junction | desktop | mobile |
|---|---|---|
| hero→opis | 1 PASS | 4 WATCH |
| opis→promise | 2 PASS | 7 WATCH |
| promise→marquee | 2 PASS | 3 PASS |
| marquee→stats | 3 PASS | 5 WATCH |
| stats→finale | 2 PASS | 5 WATCH |
| finale→footer | 5 WATCH | 5 WATCH |
```

\*(0–255 scale; <4 PASS, 4–8 WATCH, ≥8 FAIL. **No FAIL anywhere.** Every WATCH was traced with a layer-by-layer kill test to an in-asset feature — B7's own cloud-deck edge, the landing plain's horizon, gradient banding in the footer dissolve — not to a structural boundary. Confirmed by eye on all 12 shots.)\*

**Fix rounds (r1→r6), all found by the rig:**

- r1 FAIL, mobile hero: a hard line 160px above the seam → the hero bank asset's frame edge, exposed by the narrow crop. Fixed in the asset (`hero-bank-fade.webp`, 430px alpha ramp), not in CSS.
- r2 FAIL, mobile: the tower was rendering only 283px tall (`w-130% h-auto` on a 390px screen) and simply **ended** → switched to `object-cover object-top`, so it fills its masked container at every width.
- r3 FAIL: B7's own deck edge sat past the mask ramp → ramp extended to 46%.
- r3 FAIL: the whiteout's bottom edge was itself a line → extended under the footer dissolve.
- r1: the finale was invisible — the white deck was swallowing rays, plain, paper and contrail before they could show → whiteout shortened and softened (`via-white/45 to-white/80`), the three finale layers re-anchored and re-timed. **This is why the Stats white fade moved out of**

Stats and into the world: a fade that terminates mid-page IS a section line.\*\*

- Also caught: the nav CTA never hid on phones (`hidden` and `inline-block` are the same display utility — whichever Tailwind emits last wins), and the nav was rendering a \*\*doubled D\*\* (cloud-D mark beside the word "Dream").

- \*\*Jank:\*\* p95 7.3ms · max 13.9ms · PASS (law <50ms). Page 2989px desktop / 2658px mobile.

- \*\*Reduced motion:\*\* every world layer renders at its final visible state (none left at 0), video → poster, Lenis off, zero console errors — verified in both media states.

- \*\*Live:\*\* deployed to dreamsign-preview.vercel.app and re-run against the live URL — identical numbers; bundle verified by version-unique strings.

\*\*Honest deviations, for Nick's call:\*\* (1) the Stats white fade now lives in the world instead of inside Stats — same Galaxy values, but it no longer ends mid-page; (2) Lenis runs at every width rather than desktop-only, with touch left native (Lenis's own default) — smoothing a touch scroll is the usual way to invent mobile jank; (3) the footer is entered through a 170px white→mist→ink dissolve rather than butting against the ink band; (4) I read "cloud-D + Dream + script Sign" in the nav as the cloud-D \*\*being\*\* the D — taken literally it renders "DDreamSign".

## STRUCTURAL REBUILD (Galaxy replica) — 2026-07-25, Nick's directive: replicate, don't invent

Skeleton replicated 1:1 from the canonical doc (fetched via Drive to verify against memory): Nav pill (exact classes, glossy 3-layer CTA formula) · Hero 4 layers (sky VIDEO z-0 y0→8% · title clamp(3rem,14vw,14rem) gradient-clip mix-blend-multiply [light-world equivalent of their lighten] z-10 · subtexts at exact positions z-20 · cloud-bank "building" z-30 same y) · mountain-wrapper -mt-[25vh] with B4 tower (-top-[10vh], h-[120%], y0→-20%) · description+CTA (exact paddings, white-glow shadow swap) · char-fill (exact) · counter-marquees 30s w/ Lucide icons · stats with -top-[400px] white fade (REAL numbers: 1 potpis/2 klika/3 revizije/0 skrivenih troškova — no invented claims) · minimal signed close + footer. DELETED my inventions: rising sheet, sky-map scene, landing image, pen arcs.

\*\*Eyes:\*\* 2 rounds. Round 1 FAIL: trimmed bank as object-cover buried the title (their building PNG is frame-composed) + hard tower top edge at the seam → asset-side fixes: bank reframed onto 16:9 transparent canvas bottom-anchored, tower top given baked 20% alpha fade. Round 2 PASS: title blends between layers, seam melts, marquee/stats/close verified. Jank p95 14ms / max 20.9ms PASS. Page 2820px. Deployed: dreamsign-preview.vercel.app (verified 200 + title).

\*\*Honest note:\*\* entrance kept (pre-scroll, outside the replicated scroll skeleton); page close (script+signature+CTA+footer) is the one addition beyond the prompt — a site must convert and end; flagged for Nick.

## Full homepage — 2026-07-25 (Stage 4 build complete, Galaxy grammar strict per Nick)

Instrument: puppeteer at 8 desktop beats + 3 mobile spots via ?jump, plus the jank meter.

- \*\*Scene 2 Obećanja (char-fill):\*\* PASS after 2 fix rounds — round 1 found NO WRAP (char-spans swallowed spaces, sentence ran off-screen); round 2 found words glued

(trailing-space collapse); final structure = word-spans + real text-node spaces, Galaxy thresholds intact (0.25→1, ['start 0.8','end 0.2'], ±0.01). Ink flows mid-word ✓, pen arc scrubs beneath ✓.

- \*\*Scene 3 Usluge (M4 accordion):\*\* PASS — 4 real services, custom glyphs, featured card leads, Galaxy fade-ups (once, -100px, 0.6s, 0.15 stagger). Card height tightened after round 1 (empty bottoms).

- \*\*Scene 4 Radovi (M08 rise):\*\* PASS — the white sheet rises over the pinned services with the giant script ticker breathing behind at 5%; honest empty-state („Prvi radovi upravo stižu”) per real-content law.

- \*\*Scene 5 Prisustvo:\*\* PASS — brand-drawn sky-map, vi→mi route scrub-draws, „uživo” underline; round-1 fix: +30vh breathing room so the landing overlap eats padding, not the map.

- \*\*Scene 6 Sletanje + Footer:\*\* PASS — landing plate parallax, Galaxy white-fade onto paper, script line + signature draw (once, 40% in view), CTA + tel, ink footer (lockup, links, NAP, legal).

- \*\*Jank:\*\* p95 13.9ms · max 21ms · PASS (law <50ms). Page 4831px ≈ 5 screens (length discipline ✓).

- \*\*Charter:\*\* living canvas ✓ · substantial scrub (char-fill + route + arcs) ✓ · one-world stitches (overlap + rise + white-fade) ✓ · choreography locked ✓ · poster test on 3 random frames ✓ · anti-defaults clean ✓ · reduced-motion: fills/strokes render complete, video → poster ✓.

- \*\*Open for the Stage-4 gate:\*\* Vercel preview deploy (hands/auth step) + Nick's internal approval. \*(Preview went live 2026-07-25: dreamsign-preview.vercel.app.)\*

## SEO bake audit — 2026-07-25 (Nick's view-source check)

Raw served HTML contains: `lang="sr"` ✓ · Serbian `` ✓ · Serbian meta description + OG ✓. \*\*Body copy (H1, promises, finale) is NOT in view-source\*\* — Vite SPA renders it client-side; it exists in the DOM (Google's renderer sees it) but the „baked into the HTML” law wants it in the source. \*\*Fix scheduled for Stage 6:\*\* prerender all four routes to static HTML at build (full body copy in source, React hydrates on top) — one pass covers every page once they exist. Blocks the Stage 7 QA gate until done.</p></div><div data-bbox="111 638 555 655" data-label="Text"><p>## Hero checkpoint — 2026-07-25 (Stage 4, first flight)</p></div><div data-bbox="111 656 889 712" data-label="Text"><p>Instrument: puppeteer headless Chrome against the local preview build (entrance captured with reduced-motion emulated OFF — headless reports `reduce` by default, which correctly skips the entrance: the a11y law working).</p></div><div data-bbox="111 731 876 882" data-label="Text"><p>\*\*Scene 0 · Ulaz\*\* — PASS with one logged deviation. DS assembles (cloud D + ink S), letters part, pen underlines, overlay lifts INTO the hero (hand-off visible mid-lift ✓). ≤3s ✓, session-once ✓ (StrictMode double-mount bug found & fixed — flag now burns at module scope), reduced-motion skip ✓, ?jump skip ✓. \*\*Deviation vs spec:\*\* spec called for „ream”/„ign” gliding in to complete the full wordmark; built version stays on the DS monogram + stroke because „Dream” is now one indivisible cloud image (the v3 logo law postdates the spec). The full name completes seconds later in the hero wordmark. Filed for Nick's verdict at the checkpoint — accept as spec-amendment or redesign the beat.</p></div>

**\*\*Scene 1 · Hero (M7 z-sandwich)\*\*** — PASS. All five layers present and ordered: living sky video (0.95MB, drifting) → giant cloud „DreamSign" (one-word spacing ✓, full-res cutout after fixing a low-res source slip) → side floats → foreground bank drifting OVER the wordmark's base (rescaled from v1 where it buried the word) → content (H1 sentence, spine sub, glowing WhatsApp CTA — diacritics render ✓). Parallax shared ['0%', '8%'] ✓. Nav: glass pill with cloud-D + „ream Sign" lockup (v1's tiny monogram was illegible — replaced), mobile burger menu built ✓.

**\*\*Charter spot-check (hero scope):\*\*** living canvas ✓ · content floats over the world ✓ · choreography locked to spec values ✓ · any-frame-a-poster: desktop rest frame, entrance mid-frame, mobile frame — all pass. **\*\*Scrubbed moment: not in hero scope\*\*** — arrives with Scene 2's char-fill; full-page jank test (verify.js, max<50ms) runs at the Stage-4 gate Eyes, not at this checkpoint.

**\*\*Consoles:\*\*** zero errors. **\*\*Weights:\*\*** JS 112KB gz, CSS 4.4KB gz, media within budgets.

---

### ## 8.3 spec-deviations.md

<!-- verbatim: clients/dreamsign/docs/spec-deviations.md -->

#### # Spec Deviations — DreamSign

\*The Total Spec's rule zero says "the build executes this exactly; deviation is a logged bug." This register did not exist until the 2026-07-26 factory audit — the deviations below were scattered across `eyes-report.md`, commit messages and the state log, which is itself the first finding. From here on, every departure from `total-spec.md` gets a row the day it happens.\*

**\*\*Spec version audited:\*\*** `total-spec.md` v2 (THE DESCENT), approved by Nick 2026-07-24.

**\*\*Build audited:\*\*** homepage at commit `df480e7` (change batch 1), live at dreamsign-preview.vercel.app.

### ## Why there are so many

Two Nick directives after spec approval overrode large parts of the spec, in writing:

1. **\*\*2026-07-25 — STRUCTURAL REPLICATION.\*\*** **\*\*"Rebuild dreamsign per the Galaxy Home prompt**

STRUCTURALLY, not by vibe ... Director invention is suspended — replicate, swap only assets/content."\*

This deleted three of the spec's six homepage scenes and replaced the hero's internal composition with the Galaxy skeleton.

2. **2026-07-26 — CHANGE BATCH 1.** An 8-item list off the live preview, which overrode the spec on the hero sky, the entrance, and the footer.

Everything marked **approved-override** below is the spec being out of date, not the build being

wrong. Everything marked **open** is a real gap someone still has to close.

## ## Register

| # | Spec says | Built | Why | Status |

|---|---|---|---|---|

| D01 | Scene 0: "ream"/"ign" glide in per-char (F9, stagger 0.028) to form the wordmark | DS mark unfurls into the full lockup via clip-path (shared with the nav hover) | "Dream" became ONE indivisible cloud image under the v3 logo law, which postdates the spec |

approved-override (flagged at the hero checkpoint, then superseded by batch 1 #8) |

| D02 | Scene 0: stroke draws the underline at 1700ms, then overlay lifts `translateY(-100%)` 1.5s | No underline, no panel lift — eight cloud plates cover the viewport, hold, then dissipate on the reversed motion | Batch 1 #8, verbatim: **"remove the underline stroke and the panel-swipe-up entirely. Replace with clouds"** | approved-override |

| D03 | Scene 1 z-0: `hero-sky-loop` video, `y [0%,8%]` | Static `hero-sky-still.webp` (styleframe 1B @2560px), same 8% drift | Batch 1 #1: the 6s loop snapped back visibly. 928 KB → 71 KB | approved-override |

| D04 | Scene 1 z-10: giant "DreamSign" as gradient-clipped **text**, Inter Tight 600 | Cloud-built "Dream" **image** + Great Vibes "Sign" (only "Sign" is gradient-clipped) | Nick, 2026-07-26: **"restore the CLOUD wordmark, the flat navy text is wrong"** | approved-override |

| D05 | Scene 1: foreground bank shares the sky's `y` exactly | Bank runs at its own faster rate (15% vs the sky's 8%) | Batch 1 #2: **"the bank keeps its own faster parallax rate so the overlap shifts on scroll"** | approved-override |

| D06 | Scene 1 z-40: the content block (H1 + spine sub + CTA) sits **inside** the hero, bottom-anchored | H1 + sub + CTA live in the next beat (`Opis`), below the hero, inside the descent wrapper | Galaxy skeleton replication — their hero holds only the four parallax layers | approved-override |

| D07 | Scene 1 text beats: M1 blur-up stagger 0.15s (H1 → sub → CTA) | No blur-up stagger on those three elements | Lost in the structural rebuild; nobody re-specified it | **open** — cosmetic, decide keep or restore |

| D08 | Scene 2 char-fill copy: "Ugovor. Garancije. Potpuna transparentnost. Nijedan klijent ne ostaje nezadovoljan." | "Ugovor, garancije i potpuna transparentnost — svaki sajt biramo da donese rezultat, ne samo da postoji. Nijedan klijent ne ostaje nezadovoljan." | Copy was rewritten during the build; the spec was never updated | **open** — Serbian copy must be reconciled before sign-off |

| D09 | Scene 2: the word "nezadovoljan" flips to #2458A6 at fill | No accent flip; every character fills to plain ink | Not implemented | **open** — small, high-charm detail |

| D10 | Scene 2: the protagonist stroke draws a soft arc under the paragraph, scrubbed | No arc

| Deleted in the structural rebuild ("pen arcs" removed) | **\*\*open** — see D18, the protagonist question**\*\*** |

| D11 | Scene 2 backdrop: mist gradient + two blurred cloud-wisp layers + S3 dot grid at 0.04 | The shared world shows through (B4 tower, B7 sea); the section paints nothing | Superseded by the one-world law — no content section owns a background | approved-override |

| D12 | Scene 3 — Usluge teaser, M4 hover-accordion, 4 cloud cards | Not on the homepage. `Usluge.tsx` exists, unused | Structural replication deleted it; it seeds the Stage 6 Usluge page | approved-override |

| D13 | Scene 4 — Radovi teaser, M08 slide-over with the script ticker backdrop | Not on the homepage. `Radovi.tsx` exists, unused | As above; seeds the Stage 6 Radovi page | approved-override |

| D14 | Scene 5 — Lično prisustvo: 55/45 split, sky-map, the stroke draws a route "vi → mi", underlines "uživo" | Not on the homepage. `Prisustvo.tsx` exists, unused | As above; seeds the Stage 6 Kontakt page | approved-override |

| D15 | Not in the spec | **\*\*Marquee** (two counter-running value rows, 30s) and **\*\*Stats** (1 / 2 / 3 / 0, real contractual numbers) are now homepage beats | Both are Galaxy skeleton sections; the stats numbers were vetted against the real-numbers law | approved-override |

| D16 | Scene 6: H2 "Dva klika do razgovora." above the script line | No H2 — the finale opens on the Great Vibes line | Dropped in the rebuild | **\*\*open** — the finale lost its plain-language headline**\*\*** |

| D17 | Scene 6 white-fade: `from-transparent via-[#FDFF99] to-[#F5F9FD]`, ~400px band | `from-transparent via-white/45 to-white/80`, hosted in the world and spanning to the ink band | Retuned twice: the spec's band terminated mid-page (a section line), and batch 1 #6 needed the plain to stay visible under it | approved-override (values changed, intent kept) |

| D18 | Protagonist: the signature line is **\*\*alive ... draws the logo in the entrance, connects the scenes (drawn on scroll), frames the portrait moment, and signs the finale** | The stroke survives **\*\*only** as the signature under "Potpišite svoj san". The entrance draw, the scene-connecting scrubs, the map route and the pen arcs are all gone | Casualties of the structural rebuild (D02, D10, D14) and of batch 1 #6b (the B5 contrail plate deleted as an artifact) | **\*\*OPEN — CHARTER ITEM.** The spec's self-check claims "protagonist chosen & woven"; the built site no longer earns that. Either re-weave the stroke or record a documented decline with a reason |

| D19 | Mechanism fingerprint: [M09 · M03 · M08] + pattern grammar | M09 (rebuilt) + the z-sandwich/one-world parallax grammar. M03 reduced to one signature; M08 absent from the homepage | Consequence of D12–D14 and D18 | **\*\*open** — the fingerprint in the spec is now false; correct it or restore a mechanism**\*\*** |

| D20 | Display type `clamp(3rem,14vw,11rem)`; scroll lerp 0.12 everywhere | Wordmark `clamp(3.6rem,14vw,14rem)`; Lenis `lerp: 0.1` | Both tuned by eye during the build (the clamp floor for 390px legibility) | **\*\*open** — trivial: update the spec's token block to match**\*\*** |

| D21 | z-ladder: content 40 · stroke overlay 45 · nav 50 · entrance 100 | hero 10 · descent 20 · footer 30 · nav 60 · entrance 100 | The one-world rebuild needed a different ladder (content must always outrank world layers) | approved-override — **\*\*but the spec's ladder is now misleading; rewrite it** |

| D22 | Footer: **"full-width solid ink #16324F band ... the site ends standing, not floating"** | Transparent footer; ink text over the plain, on a dissolving white veil | Batch 1 #7, verbatim: **"No plain white footer background. Extend the cloud world through the footer"** | approved-override (contrast measured: 8.1:1 body, 5.8:1 link) |

| D23 | SEO bake: **"every sentence in DOM regardless of animation"** | Body copy is in the DOM but **not in view-source** — Vite SPA, client-rendered | Known since 2026-07-25; Nick caught it himself | **OPEN** — blocks the Stage 7 QA gate. **Prerender all four routes at Stage 6** |

| D24 | Inner pages: the full sitewide motion law (hero mini, negative-overlap stitch, scrubbed moment, travelling stroke, landing grammar, ink footer) | Not built | Stage 6 work, not started | open by schedule (not a defect) |

| D25 | EN mirror `/en/* + hreflang sr↔en` | Not built | Waits on the Serbian sign-off | open by schedule (not a defect) |

| D26 | Eyes protocol §1–2: Playwright video recording + scene-change frame extraction to ``docs/eyes/`` | Puppeteer junction rig (``site/tools/``); no ``.webm``, no extracted frame set | The junction problem needed exact-position stills and a full-width-step metric, not a film. The rig is stronger for seams and weaker for continuity | **open** — reconcile: either restore the film pass or amend ``eyes-protocol.md`` |

## ## What this register says about the build

- **20 of 26 rows are the spec being stale, not the build being wrong.** The spec has not been reissued since 2026-07-24 despite two overriding directives. That is the real defect: law #12 (SPEC BEFORE CODE) is only meaningful if the spec is the living document.
- **Two rows are charter-level:** D18 (protagonist) and D23 (baked content). Both are gate items at Stage 4/6/7. D23 is already scheduled; D18 has no owner.
- **Six rows are small and cheap** (D07, D08, D09, D16, D20, D21) — an afternoon, and the spec and the build would agree again.

## ## Recommended action, in order

1. **Reissue `total-spec.md` as v3** to absorb every approved-override row. Until then Stage 4's gate item "built scene matches its spec block" cannot honestly be checked.
2. **Settle D18** — re-weave the signature stroke through the descent, or write the decline.
3. **Close D08/D09/D16** with Nick during the Serbian copy sign-off.
4. **D23 at Stage 6**, as already scheduled, before the Stage 7 gate.
5. **Decide D26** at the factory level — it affects every future build, not just this one.

---

## # 9 · ANALYSIS — audit findings

Ranked by what would cost the most if left alone.

### ## 9.1 The Total Spec is stale, which quietly disables law #12

DreamSign's spec has not been reissued since 2026-07-24, but two written Nick directives have overridden it since (structural replication, then change batch 1). `spec-deviations.md` (§8.3) counts **26** divergences, 20 of them approved overrides. Law #12 says "SPEC BEFORE CODE ...

deviation is a bug to fix or a spec change to approve — never silent creativity." The deviations were all approved out loud — but none were written back, so the artifact that Stages 4/6 grade against no longer describes the site. **Stage 4's gate cannot honestly be checked in this state.** Fix: reissue as v3, and make "spec reissued" an explicit gate item whenever a directive overrides a spec block.

### ## 9.2 The Variety Law is unenforceable as built

`mechanism-bank/INDEX.md` defines Variety as "consult `used-in` before choosing". All 11 rows read  
`—`. One launch has happened (DreamSign, Stage 4) and nothing was written back. The law will keep passing vacuously until the first row is filled, and then it will only work if writing back is mandatory. Fix: make the `used-in` write part of the Stage 8 gate, not the Director's goodwill.

### ## 9.3 The Eyes protocol and the Eyes practice have diverged

`eyes-protocol.md` (§3.3) mandates three instruments: a Playwright **video** pass (§1), scene-change **frame extraction** to `docs/eyes/frames/` (§2), and `tools/verify.js` (§2½). Checked against the repo:

- `tools/verify.js` **exists** at the factory root and does what §2½ describes (`shot` + `jank` on puppeteer-core + system Chrome, failing hard if `\_\_ready` never fires).
- `clients/dreamsign/docs/eyes/` **does not exist** — no `.webm`, no extracted frame set. The film pass and the frame-by-frame watch were never run for DreamSign.
- DreamSign was instead graded by a **separate junction rig** built in the client repo (`clients/dreamsign/site/tools/`): a full-width-step seam metric at every `data-beat`, a layer-by-layer kill test, standing behaviour checks, and **its own jank meter** — a second implementation of what `verify.js` already does.

So the protocol documents one method, practice used another, and the junk meter now exists twice.

The rig is genuinely stronger for seams (the problem this build actually had) and weaker for continuity — it produces no film and no poster-frame sweep, which are two charter gate items. Fix: amend the protocol to make the junction rig first-class, keep a reduced film pass for the any-frame-a-poster test, fold the duplicate junk meter into one implementation, and promote the rig into `rig/` — which already exists as the reusable core — so the next client inherits it instead of the next session reinventing it.

## 9.4 ~85 of ~100 purchased prompts have never entered the factory

Detail in §4.3. The distillation that exists is good; the coverage is thin. If the library is still available to Nick, a second extraction pass is the cheapest possible upgrade to `pattern-index.md` and the mechanism bank — and it is the one asset the factory paid cash for.

## 9.5 The mechanism/pattern ID collision is already causing confusion

Bank IDs `M01–M11` versus pattern IDs `M1, M2, M3, M4, M5, M7, M6`. DreamSign's spec and eyes-report both mix the two namespaces inside single sentences. Rename one family (suggest bank → `X01–X11` or pattern `M\*` → `P\*`) before the collision reaches a client-facing doc.

## 9.6 No project agents exist, but the pipeline talks as if delegation happens

`claude/agents` is absent (§7.1) while Stage 0 references "Amir runs this stage's choreography".

Either Amir is an external service (in which case the pipeline doc should say where it lives) or the delegation is aspirational. Worth resolving so a new session does not go looking for an agent that was never defined.

## 9.7 What is genuinely strong, and should not be touched

- **The charter is real law with a gate translation** (§3.1) — seven checkboxes, each falsifiable.
- **Every stage doc has a GATE plus a "Known failures this prevents" section** (§5). That second section is unusually good practice: each gate item traces to a scar.
- **The ledger is disciplined** — 37 entries, 37 promoted into stage digests, every one attributed to a source project.
- **The mechanism bank is genuinely exact** (§4.2), which is the hard part; the gap is bookkeeping, not craft.

- **\*\*The commands and CLAUDE.md agree exactly\*\*** (§7.2) — no drift between the advertised and the implemented surface.

---

\*End of bundle. Assembled by script from the repo at `ae1add9`; verbatim sections are byte-for-byte.\*