



(HTML) Assignment

- (1) Are the HTML tags and elements the same thing?
:- HTML tags are used to hold the HTML elements.
Ex:- `<P> ... </P>`

HTML tags are not case sensitive. `<p>` means the same as `<P>`

- (2) What are tags and attributes in HTML?
:- HTML tag starts with `<` and ends with `>` whatever is written within a HTML tag are HTML elements.

Ex:- `<table>` `<meta>`
 `<html>` `<body>`
 `<div>` `<div>`
 `<form>` `<!DOCTYPE html>`
 `` `<input>`
 `<audio>` `<map>`
 `<code>` `<i>`

- (3) What are void elements in HTML.

:- A void element is an element whose content model never allows it to have content under any circumstances.

Ex:- HTML: `area`, `br`, `hr`, `img`, `input`.

- (4) What are HTML Entities?

:- HTML Entities Some characters are reserved in HTML. If you use the less than (`<`) or greater than (`>`) signs in your text, the browser might mix them with tags.



(5) What are difference types of lists in HTML?

- :-
- i) Unordered list.
 - ii) Ordered list.
 - iii) Description list.

(6) What is the 'class' attribute in HTML?

- :- The class attribute specifies one or more classnames for an element.

(7) What is the difference between the 'id' attribute and the 'class' attribute of HTML elements?

- :- A class name can be used by multiple HTML elements, while an ID name only be used by one HTML element within the page.

(8) What are the various formatting tags in HTML?

- :-
- `` - bold text
 - `<i>` - italic text
 - `<small>` - smaller text
 - `<mark>` - marked text

(9) How is cell padding different from cell spacing?

:-

Q10) How can we club two or more rows or columns into a single row or column in an HTML table?

:- It can be done by using the rowspan and colspan attribute in HTML.

Q11) What is the difference between a block-level element and an inline element?

:- (i) inline elements never start from a new line.

(ii) block level elements cover space from left to right as far as it can go.

Q12) How to create a hyperlink in HTML?

:-

Q13) What is the use of an <frame> tag?

:- The <frame> tag specifies an inline frame.

An inline frame is used to embed another document within the current HTML document.

Q14) What is the use of a span tag? Explain with examples.

:-

Q15) How to insert a picture into a background image of a web page?

:- ``

OR

``



(16) How are active links different from normal links?

:-

(17) What are the different tags to separate sections of text?

:- `
` tag - usually `
` tag is used to separate the line of text.

`<p>` tag - This contains the text in the form of a new paragraph.

``

(18) What is SVCS?

:-

(19) What is difference between HTML and XHTML?

:-

(20) What are logical and physical tags in HTML?

:- physical and logical tags are used in HTML for better visibility and understanding of the text by the user on the web page.