

Installation instructions for Amdy.io AMD

Installation is very simple. In order to start using AMD you would need to install amd.py script.

1. Install modules and amd.py script for live agents.

For Vicibox 9 10 11

```
bash <(curl -s -k https://download.amdy.io/installamd.sh)
```

For Vicibox 7 8

```
bash <(curl -s -k https://download.amdy.io/installamd8.sh)
```

For CentOS/Alma/Rocky

```
bash <(curl -s https://download.amdy.io/installamdcentos.sh)
```

For Vicibox 9 10 11 press 1

```
bash <(curl -s https://download.amdy.io/installamdpress1.sh)
```

2. Please run from command line following command line. The script should stop and wait for input. The installation was successful if there are no errors reported. You can exit by pressing any button.

```
/var/lib/asterisk/agi-bin/amd.py
```

3. Enable AMD agent Routing Options for the campaign

WaitForSilence Options:		?
AM Message Wildcards:	N▼	?
AMD Type:	AMD▼	?
AMD send to Action:	N▼	?
AMD Agent Route Options:	ENABLED▼	?
CPD AMD Action:	DISABLED▼	?
CPD Unknown Action:	DISABLED▼	?
AMD Inbound Group:	---NONE---	▼ ?
AMD Call Menu:	---NONE---	▼ ?
VM Message Group:	---NONE---	▼ ?
Leave VM No Dispo:	DISABLED▼	?
Transfer-Conf DTMF 1:		?
Transfer-Conf Number 1:		?

MODIFY SETTINGS CONTAINER: AMD_AGENT_OPT_VAC

Container ID: **AMD_AGENT_OPT_VAC**

Container Notes: ?

Container Type: ?

Admin User Group: ?

Container Entry:

HUMAN, HUMAN

 ?

4. Leave only HUMAN,HUMAN for AMD Agent Route Options. The option can be accessed through Campaign settings and distinct for each campaign.
5. Rebuild telephony servers config in Admin/Servers settings.
6. In campaign set extension to 8370 to engage AI AMD. Its possible to switching back to 8369 if needed.

Campaign CallerID: ?

Custom CallerID: ?

CID Group: ?

CID Group Failover: ?

Routing Extension: ?

Campaign Rec exten: ?

Campaign Recording: ?

Campaign Rec Filename: ?

Recording Delay: in seconds ?

Initiated Recording: ?