



SEE YOUR
WORLD
IN A BETTER
LIGHT!



PRODUCTS
AND TECHNICAL
CATALOG
2018
EDITION-01
www.goldmedalindia.com/lighting



WE LIGHT UP YOUR WORLD!

For years, we electrified your homes and offices with world-class electrical devices. We made you smile, with products that understood your future needs. We introduced you to the latest innovations in electrical fittings. Now, Goldmedal is proud to present to you LEDs that are light-years ahead of the competition. Products that are the absolute best in lighting systems. We promise to illuminate your world with the very best in finish, usability and power savings. To light up your world like never before.



The good is the enemy of great. At Goldmedal, we believe that this is especially true in case of product design. To settle for good is easy. It is clearly proved by the number of good products that we are surrounded by. It's the rare product that can be classified as truly *great*.

The journey of creating great products is not simple. The distance from good to great requires a quantum leap. A leap of imagination, faith, engineering and team work. It's therefore not a surprise to know that very few organizations choose to follow this path. For Goldmedal, it was never a choice. The decision was already made, as far back as in 1979. To discard everything that is just good and to always aim for great. The new range of LED lights from Goldmedal is an example of truly great lighting products. Lighting solutions that are better than anything else available.

Experience the difference. See your world in a better light.

CONTENTS

- | | | | | |
|---|---|---|---|---|
| 01
LED Panel Light 03-26
G-Task, Pixel, Lumix, Orcus,
G-Disk & Zolo | 02
LED Down Light 27-42
G-Glitz, Skylite
Apollo, Apollo Plus & Tesla | 04
COB Down Light 49-60
G-Max, G-Max Plus, G-Tilt & Pluto | 07
COB Spot Light 81-86
G-Spin, Starlite & G-Drop | 11
LED Strip Light 95-98
Crimson LED Strip, Citron LED Strip &
Clarion Rope Light |
| 03
LED Surface Light 43-48
Solitaire & Xylo | 05
Down Light 61-74
G-Twist (T1,T2,T3,T4, & T6), Zoom,
Zoom Plus, Febio & Simplio | 06
LED Down Light 75-80
G-Spiro, G-Dome, Atom, Oceano &
Oceano Plus | 08
Slim Panel Light 87-88
G-Sky - 2x2 Slim LED Panel Light | 12
Street & Flood Light 99-104
LED Street Light- Optimus & Omega
LED Flood Light - Xplora |
| | | | 09
LED Battens 89-92
Aura, Espirit, G-power, Stylus,
Magic Line, Vista & Matrix | |
| | | | 10
LED Lamp 93-94
Bloom Bulb & Genie Bulb | |



Welcome
to a brighter future



What's the number one driver of progress in a country of a billion plus people? Without doubt, it's the humungous amount of energy that is required to power its daily needs! Whether it is homes, offices, institutes, shopping malls or factories, the need for reliable energy will be the single biggest factor that decides the future of our glorious nation.

So how do we ensure that this need for power doesn't trip our pursuit for growth and progress? We at Goldmedal have been grappling with this question for years. Along with quality electrical products, we've identified LEDs as the definitive solution.

Consuming just 50% of the energy required by fluorescent lights to generate a similar amount of light, LEDs can dramatically reduce energy consumption. They also produce negligible heat. This reduces overall cooling costs, enabling efficient use of power.

The LED story gets even better. Because LEDs consume less power, they are also more economical to use. They are also easy to install, transport and recycle. And environment-friendly. You can dispose them safely without damaging the surroundings.

At Goldmedal, we see the immense benefits that LEDs can offer to the nation and the planet as a whole. We are thus investing in the very best in LED technology so that we can optimize its benefits in every possible way. Whether it's indoors or outdoors, for practical purposes or decorative use, Goldmedal LEDs are manufactured with the future in mind.

Welcome to this bright future.

Lighting your world.
Delighting your heart!



G-TASK LED PANEL LIGHT

The ultra-sleek G-Task LED panels infuse a dash of style in any setting. The device comes with in-built, detachable drivers that have connectors for effortless connections. These features make the G-Task extremely easy to install, replace and maintain. Its high-quality, full-aluminium body, brilliant luminosity and zero-flicker properties make the G-Task a delightful choice in every way!

SLIM PANEL *LIGHT*



G-TASK SLIM PANEL LIGHT

Features

- Detachable drivers • Modular design
- Die cast aluminium body • Connectors for easy connections
- High bright LEDs • In-built surge protection
- Anti-flickering



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

G-TASK - 8W Premium LED Panel - Round

GL91225WW	8W	3000K	>0.9	ø125x32	ø100	>83	120°
GL91225NW	8W	4000K	>0.9	ø125x32	ø100	>83	120°
GL91225CD	8W	6000K	>0.9	ø125x32	ø100	>83	120°

G-TASK - 12W Premium LED Panel - Round

GL91226WW	12W	3000K	>0.9	ø150x32	ø125	>83	120°
GL91226NW	12W	4000K	>0.9	ø150x32	ø125	>83	120°
GL91226CD	12W	6000K	>0.9	ø150x32	ø125	>83	120°

G-TASK - 18W Premium LED Panel - Round

GL91228WW	18W	3000K	>0.9	ø175x32	ø150	>83	120°
GL91228NW	18W	4000K	>0.9	ø175x32	ø150	>83	120°
GL91228CD	18W	6000K	>0.9	ø175x32	ø150	>83	120°

G-TASK - 25W Premium LED Panel - Round

GL91229WW	25W	3000K	>0.9	ø225x32	ø200	>83	120°
GL91229NW	25W	4000K	>0.9	ø225x32	ø200	>83	120°
GL91229CD	25W	6000K	>0.9	ø225x32	ø200	>83	120°

ITEM CODE	POWER	COL. TEMP	PF	OUT DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	---------------	---------	-----	------------

G-TASK - 8W Premium LED Panel - Square

GL92225WW	8W	3000K	>0.9	125x125x32	100x100	>83	120°
GL92225NW	8W	4000K	>0.9	125x125x32	100x100	>83	120°
GL92225CD	8W	6000K	>0.9	125x125x32	100x100	>83	120°

G-TASK - 12W Premium LED Panel - Square

GL92226WW	12W	3000K	>0.9	150x150x32	125x125	>83	120°
GL92226NW	12W	4000K	>0.9	150x150x32	125x125	>83	120°
GL92226CD	12W	6000K	>0.9	150x150x32	125x125	>83	120°

G-TASK - 18W Premium LED Panel - Square

GL92228WW	18W	3000K	>0.9	175x175x32	150x150	>83	120°
GL92228NW	18W	4000K	>0.9	175x175x32	150x150	>83	120°
GL92228CD	18W	6000K	>0.9	175x175x32	150x150	>83	120°

G-TASK - 25W Premium LED Panel - Square

GL92229WW	25W	3000K	>0.9	225x225x32	200x200	>83	120°
GL92229NW	25W	4000K	>0.9	225x225x32	200x200	>83	120°
GL92229CD	25W	6000K	>0.9	225x225x32	200x200	>83	120°

 >50% Energy saving over CFLs	 Zero Maintenance	 4 times more life over CFLs	 Zero Mercury
--	--	---	--

The slimmest model
in town!



PIXEL
SLIM PANEL LIGHT

PIXEL LED PANEL LIGHT

One of the thinnest LED panels in the world, the Pixel is an absolutely gorgeous piece of engineering. Adding to the appeal of the Pixel is the high grade powder coating around its full aluminum body that gives it a flawless appearance. With surge protection and high power factor, the Pixel finds easy application in both indoor and outdoor settings.

Features

- Extremely slim LED Panel • High power factor
- Surge protection upto 2.5KV • Die cast aluminium body
- High grade powder coating



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 3W Ultra Slim LED Panel - Round							
GL91216WW	3W	3000K	>0.6	ø90x13	ø80	>85	120°
GL91216NW	3W	4000K	>0.6	ø90x13	ø80	>85	120°
GL91216CD	3W	6000K	>0.6	ø90x13	ø80	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 6W Ultra Slim LED Panel - Round							
GL91217WW	6W	3000K	>0.9	ø120x13	ø110	>85	120°
GL91217NW	6W	4000K	>0.9	ø120x13	ø110	>85	120°
GL91217CD	6W	6000K	>0.9	ø120x13	ø110	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 12W Ultra Slim LED Panel - Round							
GL91218WW	12W	3000K	>0.9	ø172x13	ø160	>85	120°
GL91218NW	12W	4000K	>0.9	ø172x13	ø160	>85	120°
GL91218CD	12W	6000K	>0.9	ø172x13	ø160	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 15W Ultra Slim LED Panel - Round							
GL91219WW	15W	3000K	>0.9	ø190x13	ø180	>85	120°
GL91219NW	15W	4000K	>0.9	ø190x13	ø180	>85	120°
GL91219CD	15W	6000K	>0.9	ø190x13	ø180	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 18W Ultra Slim LED Panel - Round							
GL91220WW	18W	3000K	>0.9	ø225x13	ø210	>85	120°
GL91220NW	18W	4000K	>0.9	ø225x13	ø210	>85	120°
GL91220CD	18W	6000K	>0.9	ø225x13	ø210	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 3W Ultra Slim LED Panel - Square							
GL92216WW	3W	3000K	>0.6	90x90x13	80x80	>85	120°
GL92216NW	3W	4000K	>0.6	90x90x13	80x80	>85	120°
GL92216CD	3W	6000K	>0.6	90x90x13	80x80	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 6W Ultra Slim LED Panel - Square							
GL92217WW	6W	3000K	>0.9	120x120x13	110x110	>85	120°
GL92217NW	6W	4000K	>0.9	120x120x13	110x110	>85	120°
GL92217CD	6W	6000K	>0.9	120x120x13	110x110	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 12W Ultra Slim LED Panel - Square							
GL92218WW	12W	3000K	>0.9	172x172x13	160x160	>85	120°
GL92218NW	12W	4000K	>0.9	172x172x13	160x160	>85	120°
GL92218CD	12W	6000K	>0.9	172x172x13	160x160	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 15W Ultra Slim LED Panel - Square							
GL92219WW	15W	3000K	>0.9	190x190x13	180x180	>85	120°
GL92219NW	15W	4000K	>0.9	190x190x13	180x180	>85	120°
GL92219CD	15W	6000K	>0.9	190x190x13	180x180	>85	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
PIXEL - 18W Ultra Slim LED Panel - Square							
GL92220WW	18W	3000K	>0.9	225x225x13	210x210	>85	120°
GL92220NW	18W	4000K	>0.9	225x225x13	210x210	>85	120°
GL92220CD	18W	6000K	>0.9	225x225x13	210x210	>85	120°

All dimensions are in mm



We light up your world



More than just lights.
A world of delights.



LUMIX & ORCUS LED PANEL LIGHT

The Lumix is a high bright LED panel that can be used in both home as well as office environments. Available in round as well as square shapes, the Lumix can be fixed flush with the ceiling for that sleek, minimalistic look. Born with the genes of a marathon runner, the Orcus simply keeps going on and on. The secret to its longevity is a special metal heat sink that draws heat away from the LEDs. This efficiently enables the Orcus to outperform ordinary LEDs by a mile!

SLIM PANEL *LIGHT*



LUMIX
SLIM PANEL LIGHT



ORCUS
SLIM PANEL LIGHT

Features

- Extremely slim, elegant look • Die cast aluminium body
- Eco-friendly, energy saving • High grade powder coating
- High bright LEDs



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
LUMIX - 6W Slim LED Panel - Round							
GL91201WW	6W	3000K	>0.9	ø126x25	ø110	>85	115°
GL91201NW	6W	4000K	>0.9	ø126x25	ø110	>85	115°
GL91201CD	6W	6000K	>0.9	ø126x25	ø110	>85	115°



LUMIX - 12W Slim LED Panel - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91202WW	12W	3000K	>0.9	ø178x25	ø160	>85	115°
GL91202NW	12W	4000K	>0.9	ø178x25	ø160	>85	115°
GL91202CD	12W	6000K	>0.9	ø178x25	ø160	>85	115°



LUMIX - 15W Slim LED Panel - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91203WW	15W	3000K	>0.9	ø190x25	ø178	>85	115°
GL91203NW	15W	4000K	>0.9	ø190x25	ø178	>85	115°
GL91203CD	15W	6000K	>0.9	ø190x25	ø178	>85	115°



LUMIX - 18W Slim LED Panel - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91204WW	18W	3000K	>0.9	ø225x25	ø210	>85	115°
GL91204NW	18W	4000K	>0.9	ø225x25	ø210	>85	115°
GL91204CD	18W	6000K	>0.9	ø225x25	ø210	>85	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
LUMIX - 6W Slim LED Panel - Square							
GL92201WW	6W	3000K	>0.9	126x126x25	110x110	>85	115°
GL92201NW	6W	4000K	>0.9	126x126x25	110x110	>85	115°
GL92201CD	6W	6000K	>0.9	126x126x25	110x110	>85	115°



LUMIX - 12W Slim LED Panel - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92202WW	12W	3000K	>0.9	178x178x25	160x160	>85	115°
GL92202NW	12W	4000K	>0.9	178x178x25	160x160	>85	115°
GL92202CD	12W	6000K	>0.9	178x178x25	160x160	>85	115°



LUMIX - 15W Slim LED Panel - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92203WW	15W	3000K	>0.9	190x190x25	178x178	>85	115°
GL92203NW	15W	4000K	>0.9	190x190x25	178x178	>85	115°
GL92203CD	15W	6000K	>0.9	190x190x25	178x178	>85	115°



LUMIX - 18W Slim LED Panel - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92204WW	18W	3000K	>0.9	225x225x25	210x210	>85	115°
GL92204NW	18W	4000K	>0.9	225x225x25	210x210	>85	115°
GL92204CD	18W	6000K	>0.9	225x225x25	210x210	>85	115°

All dimensions are in mm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ORCUS - 5W LED Panel - Round							
GL91208WW	5W	3000K	>0.9	ø144x21	ø130	>85	115°
GL91208NW	5W	4000K	>0.9	ø144x21	ø130	>85	115°
GL91208CD	5W	6000K	>0.9	ø144x21	ø130	>85	115°



ORCUS - 8W LED Panel - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91209WW	8W	3000K	>0.9	ø144x21	ø130	>85	115°
GL91209NW	8W	4000K	>0.9	ø144x21	ø130	>85	115°
GL91209CD	8W	6000K	>0.9	ø144x21	ø130	>85	115°



ORCUS - 16W LED Panel - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91211WW	16W	3000K	>0.9	ø190x21	ø175	>85	115°
GL91211NW	16W	4000K	>0.9	ø190x21	ø175	>85	115°
GL91211CD	16W	6000K	>0.9	ø190x21	ø175	>85	115°



ORCUS - 22W LED Panel - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91213WW	22W	3000K	>0.9	ø235x21	ø220	>85	115°
GL91213NW	22W	4000K	>0.9	ø235x21	ø220	>85	115°
GL91213CD	22W	6000K	>0.9	ø235x21	ø220	>85	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ORCUS - 5W LED Panel - Square							
GL92208WW	5W	3000K	>0.9	144x144x21	130x130	>85	115°
GL92208NW	5W	4000K	>0.9	144x144x21	130x130	>85	115°
GL92208CD	5W	6000K	>0.9	144x144x21	130x130	>85	115°



ORCUS - 8W LED Panel - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92209WW	8W	3000K	>0.9	144x144x21	130x130	>85	115°
GL92209NW	8W	4000K	>0.9	144x144x21	130x130	>85	115°
GL92209CD	8W	6000K	>0.9	144x144x21	130x130	>85	115°



ORCUS - 16W LED Panel - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92211WW	16W	3000K	>0.9	190x190x21	175x175	>85	115°
GL92211NW	16W	4000K	>0.9	190x190x21	175x175	>85	115°
GL92211CD	16W	6000K	>0.9	190x190x21	175x175	>85	115°



ORCUS - 22W LED Panel - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92213WW	22W	3000K	>0.9	235x235x21	220x220	>85	115°
GL92213NW	22W	4000K	>0.9	235x235x21	220x220	>85	115°
GL92213CD	22W	6000K	>0.9	235x235x21	220x220	>85	115°



All dimensions are in mm

The perfect light.
In any setting.



G-DISC LED PANEL LIGHT

Encased in a fully polycarbonate body, the G-Disc is one of the lightest LED downlights you will come across. Along with in-built surge protection, the G-Disc also uses advanced in-built drivers that eliminates LED flicker thus making it the perfect choice for those engaged in productive activities. Available in square and round shapes, the G-Disc is modern, practical and truly innovative.



G-disc
SLIM PANEL LIGHT

Features

- In-built driver
- Light, polycarbonate body
- Anti-flicker LED light
- In-built surge protection
- High power factor



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DISC - 6W Slim LED Panel with inbuilt driver - Round							
GL91233WW	6W	3000K	>0.85	ø121x29	ø105	>80	115°
GL91233NW	6W	4000K	>0.85	ø121x29	ø105	>80	115°
GL91233CD	6W	6000K	>0.85	ø121x29	ø105	>80	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DISC - 12W Slim LED Panel with inbuilt driver - Round							
GL91234WW	12W	3000K	>0.85	ø171x29	ø155	>80	115°
GL91234NW	12W	4000K	>0.85	ø171x29	ø155	>80	115°
GL91234CD	12W	6000K	>0.85	ø171x29	ø155	>80	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DISC - 18W Slim LED Panel with inbuilt driver - Round							
GL91236WW	18W	3000K	>0.85	ø226x29	ø210	>80	115°
GL91236NW	18W	4000K	>0.85	ø226x29	ø210	>80	115°
GL91236CD	18W	6000K	>0.85	ø226x29	ø210	>80	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DISC - 6W Slim LED Panel with inbuilt driver - Square							
GL92233WW	6W	3000K	>0.85	121x121x29	105x105	>80	115°
GL92233NW	6W	4000K	>0.85	121x121x29	105x105	>80	115°
GL92233CD	6W	6000K	>0.85	121x121x29	105x105	>80	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DISC - 12W Slim LED Panel with inbuilt driver - Square							
GL92234WW	12W	3000K	>0.85	171x171x29	155x155	>80	115°
GL92234NW	12W	4000K	>0.85	171x171x29	155x155	>80	115°
GL92234CD	12W	6000K	>0.85	171x171x29	155x155	>80	115°

All dimensions are in mm

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DISC - 18W Slim LED Panel with inbuilt driver - Square							
GL92236WW	18W	3000K	>0.85	226x226x29	210x210	>80	115°
GL92236NW	18W	4000K	>0.85	226x226x29	210x210	>80	115°
GL92236CD	18W	6000K	>0.85	226x226x29	210x210	>80	115°



Everything you can
imagine. And a few
that you can't.



ZOLO LED PANEL LIGHT

Extremely slim and light-weight, the Zolo LED Panel with its high power factor is an excellent choice for stylish interiors. Its ultra-slim shape makes it suitable for both domestic as well as commercial use. Its in-built drivers makes it easy to install and maintain while the cost-savings, environment-friendly features and durability makes it the ideal choice for anyone looking for something new and inspiring!

Features

- Extremely slim panels • In-built driver
- Light, polycarbonate body • In-built surge protection
- High power factor

ZOLO
SLIM PANEL LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ZOLO - 3W Slim LED Panel with inbuilt driver - Round							
GL91240WW	3W	3000K	>0.6	ø86x28.5	ø75	>80	120°
GL91240NW	3W	4000K	>0.6	ø86x28.5	ø75	>80	120°
GL91240CD	3W	6000K	>0.6	ø86x28.5	ø75	>80	120°



ZOLO - 6W Slim LED Panel with inbuilt driver - Round							
	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91241WW	6W	3000K	>0.6	ø120x28.5	ø105	>80	120°
GL91241NW	6W	4000K	>0.6	ø120x28.5	ø105	>80	120°
GL91241CD	6W	6000K	>0.6	ø120x28.5	ø105	>80	120°



ZOLO - 10W Slim LED Panel with inbuilt driver - Round							
	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91242WW	10W	3000K	>0.9	ø145x28.5	ø130	>80	120°
GL91242NW	10W	4000K	>0.9	ø145x28.5	ø130	>80	120°
GL91242CD	10W	6000K	>0.9	ø145x28.5	ø160	>80	120°



ZOLO - 15W Slim LED Panel with inbuilt driver - Round							
	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91243WW	15W	3000K	>0.9	ø170x28.5	ø150	>80	120°
GL91243NW	15W	4000K	>0.9	ø170x28.5	ø150	>80	120°
GL91243CD	15W	6000K	>0.9	ø170x28.5	ø150	>80	120°



ZOLO - 20W Slim LED Panel with inbuilt driver - Round							
	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91244WW	20W	3000K	>0.9	ø225x28.5	ø205	>80	120°
GL91244NW	20W	4000K	>0.9	ø225x28.5	ø205	>80	120°
GL91244CD	20W	6000K	>0.9	ø225x28.5	ø205	>80	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ZOLO - 3W Slim LED Panel with inbuilt driver - Square							
GL92240WW	3W	3000K	>0.6	86x86x28.5	75x75	>80	120°
GL92240NW	3W	4000K	>0.6	86x86x28.5	75x75	>80	120°
GL92240CD	3W	6000K	>0.6	86x86x28.5	75x75	>80	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ZOLO - 6W Slim LED Panel with inbuilt driver - Square							
GL92241WW	6W	3000K	>0.6	120x120x28.5	105x105	>80	120°
GL92241NW	6W	4000K	>0.6	120x120x28.5	105x105	>80	120°
GL92241CD	6W	6000K	>0.6	120x120x28.5	105x105	>80	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ZOLO - 10W Slim LED Panel with inbuilt driver - Square							
GL92242WW	10W	3000K	>0.9	145x145x28.5	130x130	>80	120°
GL92242NW	10W	4000K	>0.9	145x145x28.5	130x130	>80	120°
GL92242CD	10W	6000K	>0.9	145x145x28.5	130x130	>80	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ZOLO - 15W Slim LED Panel with inbuilt driver - Square							
GL92243WW	15W	3000K	>0.9	170x170x28.5	150x150	>80	120°
GL92243NW	15W	4000K	>0.9	170x170x28.5	150x150	>80	120°
GL92243CD	15W	6000K	>0.9	170x170x28.5	150x150	>80	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ZOLO - 20W Slim LED Panel with inbuilt driver - Square							
GL92244WW	20W	3000K	>0.9	225x225x28.5	205x205	>80	120°
GL92244NW	20W	4000K	>0.9	225x225x28.5	205x205	>80	120°
GL92244CD	20W	6000K	>0.9	225x225x28.5	205x205	>80	120°

All dimensions are in mm

Elegance. The only beauty that never fades.



G-GLITZ & SKYLITE LED DOWN LIGHT

Crafted with precision to match high-end interiors, the G-Glitz and Skylite LED down lights are wonderful ways to illuminate spaces in residential as well as commercial premises. Their diffused optical lenses combined with high power factors ensure that they deliver flawless illumination all around while their perfectly contoured borders enable them to fit snugly and stylishly in any setting.



G-Glitz
LED DOWN LIGHT



skylite
LED DOWN LIGHT

G-Glitz Features

- In-built driver
- Light, polycarbonate body
- Anti-flicker LED light
- High lumen
- High power factor

Skylite Features

- High bright LED downlight
- Die cast aluminium body
- Heat sink for heat management
- High lumen
- High power factor



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-GLITZ - 6W Slim LED Down Light with inbuilt driver - Round							
GL91309WW	6W	3000K	>0.85	ø116x36	ø105	>80	120°
GL91309NW	6W	4000K	>0.85	ø116x36	ø105	>80	120°
GL91309CD	6W	6000K	>0.85	ø116x36	ø105	>80	120°



G-GLITZ - 12W Slim LED Down Light with inbuilt driver - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91310WW	12W	3000K	>0.85	ø166x36	ø155	>80	120°
GL91310NW	12W	4000K	>0.85	ø166x36	ø155	>80	120°
GL91310CD	12W	6000K	>0.85	ø166x36	ø155	>80	120°



G-GLITZ - 15W Slim LED Down Light with inbuilt driver - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91311WW	15W	3000K	>0.85	ø166x36	ø155	>80	120°
GL91311NW	15W	4000K	>0.85	ø166x36	ø155	>80	120°
GL91311CD	15W	6000K	>0.85	ø166x36	ø155	>80	120°



G-GLITZ - 18W Slim LED Down Light with inbuilt driver - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91312WW	18W	3000K	>0.85	ø212x36	ø210	>80	120°
GL91312NW	18W	4000K	>0.85	ø212x36	ø210	>80	120°
GL91312CD	18W	6000K	>0.85	ø212x36	ø210	>80	120°



G-GLITZ - 22W Slim LED Down Light with inbuilt driver - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91313WW	22W	3000K	>0.85	ø212x36	ø210	>80	120°
GL91313NW	22W	4000K	>0.85	ø212x36	ø210	>80	120°
GL91313CD	22W	6000K	>0.85	ø212x36	ø210	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-GLITZ - 6W Slim LED Down Light with inbuilt driver - Square							
GL92309WW	6W	3000K	>0.85	116x116x36	105x105	>80	120°
GL92309NW	6W	4000K	>0.85	116x116x36	105x105	>80	120°
GL92309CD	6W	6000K	>0.85	116x116x36	105x105	>80	120°



G-GLITZ - 12W Slim LED Down Light with inbuilt driver - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92310WW	12W	3000K	>0.85	166x166x36	155x155	>80	120°
GL92310NW	12W	4000K	>0.85	166x166x36	155x155	>80	120°
GL92310CD	12W	6000K	>0.85	166x166x36	155x155	>80	120°



G-GLITZ - 15W Slim LED Down Light with inbuilt driver - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92311WW	15W	3000K	>0.85	166x166x36	155x155	>80	120°
GL92311NW	15W	4000K	>0.85	166x166x36	155x155	>80	120°
GL92311CD	15W	6000K	>0.85	166x166x36	155x155	>80	120°



G-GLITZ - 18W Slim LED Down Light with inbuilt driver - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92312WW	18W	3000K	>0.85	212x212x36	210x210	>80	120°
GL92312NW	18W	4000K	>0.85	212x212x36	210x210	>80	120°
GL92312CD	18W	6000K	>0.85	212x212x36	210x210	>80	120°



G-GLITZ - 22W Slim LED Down Light with inbuilt driver - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92313WW	22W	3000K	>0.85	212x212x36	210x210	>80	120°
GL92313NW	22W	4000K	>0.85	212x212x36	210x210	>80	120°
GL92313CD	22W	6000K	>0.85	212x212x36	210x210	>80	120°

All dimensions are in mm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
SKYLITE - 12W Slim LED Down Light - Round							
GL91302WW	12W	3000K	>0.9	ø118x33	ø106	>85	115°
GL91302NW	12W	4000K	>0.9	ø118x33	ø106	>85	115°
GL91302CD	12W	6000K	>0.9	ø118x33	ø106	>85	115°



SKYLITE - 18W Slim LED Down Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91304WW	18W	3000K	>0.9	ø168x33	ø156	>85	115°
GL91304NW	18W	4000K	>0.9	ø168x33	ø156	>85	115°
GL91304CD	18W	6000K	>0.9	ø168x33	ø156	>85	115°



SKYLITE - 24W Slim LED Down Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91305WW	24W	3000K	>0.9	ø220x33	ø208	>85	115°
GL91305NW	24W	4000K	>0.9	ø220x33	ø208	>85	115°
GL91305CD	24W	6000K	>0.9	ø220x33	ø208	>85	115°



SKYLITE - 12W Slim LED Down Light - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92302WW	12W	3000K	>0.9	118x118x33	106x106	>85	115°
GL92302NW	12W	4000K	>0.9	118x118x33	106x106	>85	115°
GL92302CD	12W	6000K	>0.9	118x118x33	106x106	>85	115°



SKYLITE - 18W Slim LED Down Light - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92304WW	18W	3000K	>0.9	168x168x33	156x156	>85	115°
GL92304NW	18W	4000K	>0.9	168x168x33	156x156	>85	115°
GL92304CD	18W	6000K	>0.9	168x168x33	156x156	>85	115°

All dimensions are in mm

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
SKYLITE - 24W Slim LED Down Light - Square							
GL92305WW	24W	3000K	>0.9	220x220x33	208x208	>85	115°
GL92305NW	24W	4000K	>0.9	220x220x33	208x208	>85	115°
GL92305CD	24W	6000K	>0.9	220x220x33	208x208	>85	115°



Illumination that goes
on and on. And on.



APOLLO & APOLLO+ LED DOWN LIGHT

The Apollo and Apollo+ LED down lights, with their high grade, anti-glare diffusers, offer delightful color consistency and glare-free lighting in any setting. Delivering a higher quality of light, these down lights are ideal solutions for both residential and commercial use. Easy to install and available in both round and square shapes, the Apollo and Apollo+ not only maximizes your energy savings but also the elegance of your interiors.

Apollo
LED DOWN LIGHT

Features

- Recessed LED down light • Die cast aluminium body
- High grade, anti-glare diffuser • Surge protection
- High lumen • High power factor






Apollo+
LED DOWN LIGHT

Features

- Rimless, recessed LED down light • Die cast aluminium body
- High grade, anti-glare diffuser • Surge protection
- High lumen output • High power factor





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO - 10W LED Down Light - Round							
GL91318WW	10W	3000K	>0.95	ø120x50	ø112	>80	120°
GL91318NW	10W	4000K	>0.95	ø120x50	ø112	>80	120°
GL91318CD	10W	6000K	>0.95	ø120x50	ø112	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO - 15W LED Down Light - Round							
GL91319WW	15W	3000K	>0.95	ø154x54	ø146	>80	120°
GL91319NW	15W	4000K	>0.95	ø154x54	ø146	>80	120°
GL91319CD	15W	6000K	>0.95	ø154x54	ø146	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO - 20W LED Down Light - Round							
GL91320WW	20W	3000K	>0.95	ø175x54	ø167	>80	120°
GL91320NW	20W	4000K	>0.95	ø175x54	ø167	>80	120°
GL91320CD	20W	6000K	>0.95	ø175x54	ø167	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO - 10W LED Down Light - Square							
GL92318WW	10W	3000K	>0.95	110x110x50	100x100	>80	120°
GL92318NW	10W	4000K	>0.95	110x110x50	100x100	>80	120°
GL92318CD	10W	6000K	>0.95	110x110x50	100x100	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO - 15W LED Down Light - Square							
GL92319WW	15W	3000K	>0.95	145x145x53	137x137	>80	120°
GL92319NW	15W	4000K	>0.95	145x145x53	137x137	>80	120°
GL92319CD	15W	6000K	>0.95	145x145x53	137x137	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO - 20W LED Down Light - Square							
GL92320WW	20W	3000K	>0.95	170x170x54	160x160	>80	120°
GL92320NW	20W	4000K	>0.95	170x170x54	160x160	>80	120°
GL92320CD	20W	6000K	>0.95	170x170x54	160x160	>80	120°

All dimensions are in mm



We light up your world

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO+ - 10W Rimless LED Down Light - Round							
GL91326WW	10W	3000K	>0.95	ø105x40	ø97	>80	120°
GL91326NW	10W	4000K	>0.95	ø105x40	ø97	>80	120°
GL91326CD	10W	6000K	>0.95	ø105x40	ø97	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO+ - 15W Rimless LED Down Light - Round							
GL91327WW	15W	3000K	>0.95	ø137x40	ø128	>80	120°
GL91327NW	15W	4000K	>0.95	ø137x40	ø128	>80	120°
GL91327CD	15W	6000K	>0.95	ø137x40	ø128	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO+ - 20W Rimless LED Down Light - Round							
GL91328WW	20W	3000K	>0.95	ø158x40	ø150	>80	120°
GL91328NW	20W	4000K	>0.95	ø158x40	ø150	>80	120°
GL91328CD	20W	6000K	>0.95	ø158x40	ø150	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
APOLLO+ - 10W Rimless LED Down Light - Square							
GL92326WW	10W	3000K	>0.95	97x97x40	87x87	>80	120°
GL92326NW	10W	4000K	>0.95	97x97x40	87x87	>80	120°
GL92326CD	10W	6000K	>0.95				

Makes everything look
brighter & beautiful.



TESLA SLIM DOWN LIGHT

TESLA LED DOWN LIGHT

The Tesla is a slim down light that makes everything around look brighter and beautiful. Engineered to deliver exceptional colour rendering, the Tesla, with its high power factor produces superior light distribution which is a delight to the senses. Available in round and square shapes, these flawlessly crafted down lights are aesthetically and functionally delightful in every way.

Features

- Slim, elegant LED down light
- Die cast aluminium body
- High grade powder coating
- High lumen output
- High power factor



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
TESLA - 8W Slim LED Down Light - Round							
GL91249WW	8W	3000K	>0.9	ø120x27	ø109	>80	110°
GL91249NW	8W	4000K	>0.9	ø120x27	ø109	>80	110°
GL91249CD	8W	6000K	>0.9	ø120x27	ø109	>80	110°

TESLA - 15W Slim LED Down Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91251WW	15W	3000K	>0.9	ø172x27	ø159	>80	110°
GL91251NW	15W	4000K	>0.9	ø172x27	ø159	>80	110°
GL91251CD	15W	6000K	>0.9	ø172x27	ø159	>80	110°

TESLA - 22W Slim LED Down Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91253WW	22W	3000K	>0.9	ø227x27	ø214	>80	110°
GL91253NW	22W	4000K	>0.9	ø227x27	ø214	>80	110°
GL91253CD	22W	6000K	>0.9	ø227x27	ø214	>80	110°

TESLA - 8W Slim LED Down Light - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92249WW	8W	3000K	>0.9	120x120x27	109x109	>80	110°
GL92249NW	8W	4000K	>0.9	120x120x27	109x109	>80	110°
GL92249CD	8W	6000K	>0.9	120x120x27	109x109	>80	110°

TESLA - 15W Slim LED Down Light - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92251WW	15W	3000K	>0.9	172x172x27	159x159	>80	110°
GL92251NW	15W	4000K	>0.9	172x172x27	159x159	>80	110°
GL92251CD	15W	6000K	>0.9	172x172x27	159x159	>80	110°

All dimensions are in mm

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
TESLA - 22W Slim LED Down Light - Square							
GL92253WW	22W	3000K	>0.9	227x227x27	214x214	>80	110°
GL92253NW	22W	4000K	>0.9	227x227x27	214x214	>80	110°
GL92253CD	22W	6000K	>0.9	227x227x27	214x214	>80	110°



The magic of light.
The wonder of LED.



SOLITAIRE SURFACE LED LIGHT

Mounted on a classic frame, a Solitaire LED Panel is pure elegance in its simplicity. A surface panel, the Solitaire is a modular LED panel that can be fixed directly on walls or ceilings with minimum effort. The panels are designed to keep fasteners, drivers and other fixtures away from sight to ensure a pleasant, aesthetic appearance. Crafted with precision, the Solitaire is a wonderful way to illuminate residential as well as commercial spaces.

SOLITAIRE SURFACE LED LIGHT

Features

- Modular surface light • Sleek, screw-less fitting
- Die cast aluminium body • High grade powder coating
- High grade diffuser



SURFACE PANEL
LIGHT



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
SOLITAIRE - 6W Slim LED Surface Light - Round							
GL91401WW	6W	3000K	>0.9	ø92x23	NA	>85	120°
GL91401NW	6W	4000K	>0.9	ø92x23	NA	>85	120°
GL91401CD	6W	6000K	>0.9	ø92x23	NA	>85	120°

SOLITAIRE - 12W Slim LED Surface Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91402WW	12W	3000K	>0.9	ø140x23	NA	>85	120°
GL91402NW	12W	4000K	>0.9	ø140x23	NA	>85	120°
GL91402CD	12W	6000K	>0.9	ø140x23	NA	>85	120°


SOLITAIRE - 18W Slim LED Surface Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91404WW	18W	3000K	>0.9	ø192x23	NA	>85	120°
GL91404NW	18W	4000K	>0.9	ø192x23	NA	>85	120°
GL91404CD	18W	6000K	>0.9	ø192x23	NA	>85	120°

SOLITAIRE - 6W Slim LED Surface Light - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92401WW	6W	3000K	>0.9	92x92x23	NA	>85	120°
GL92401NW	6W	4000K	>0.9	92x92x23	NA	>85	120°
GL92401CD	6W	6000K	>0.9	92x92x23	NA	>85	120°

SOLITAIRE - 12W Slim LED Surface Light - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92402WW	12W	3000K	>0.9	140x140x23	NA	>85	120°
GL92402NW	12W	4000K	>0.9	140x140x23	NA	>85	120°
GL92402CD	12W	6000K	>0.9	140x140x23	NA	>85	120°

All dimensions are in mm

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
SOLITAIRE - 18W Slim LED Surface Light - Square							
GL92404WW	18W	3000K	>0.9	192x192x23	NA	>85	120°
GL92404NW	18W	4000K	>0.9	192x192x23	NA	>85	120°
GL92404CD	18W	6000K	>0.9	192x192x23	NA	>85	120°



EASY TO FIX. **BRILLIANT** TO USE.



Xylo
SURFACE LIGHT

XYLO SURFACE LED LIGHT

A gentle twist and the Xylo easily latches on to the ceiling, ready to illuminate its surroundings with a light that is pleasant and cool. A surface panel, the Xylo is a modular LED light that can be fixed directly on a wall or ceiling with minimum effort. With no fasteners, drivers or other visible fixtures, these LEDs are extremely elegant in appearance.



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

XYLO - 7W Slim LED Surface Light - Round

GL91409WW	7W	3000K	>0.9	85x47	NA	>85	120°
GL91409NW	7W	4000K	>0.9	85x47	NA	>85	120°
GL91409CD	7W	6000K	>0.9	85x47	NA	>85	120°



XYLO - 9W Slim LED Surface Light - Round

GL91410WW	9W	3000K	>0.9	110x47	NA	>85	120°
GL91410NW	9W	4000K	>0.9	110x47	NA	>85	120°
GL91410CD	9W	6000K	>0.9	110x47	NA	>85	120°



XYLO - 12W Slim LED Surface Light - Round

GL91411WW	12W	3000K	>0.9	135x47	NA	>85	120°
GL91411NW	12W	4000K	>0.9	135x47	NA	>85	120°
GL91411CD	12W	6000K	>0.9	135x47	NA	>85	120°



XYLO - 12W Slim LED Surface Light with PIR - Round

GL91412WW	12W	3000K	>0.9	135x47	NA	>85	120°
GL91412NW	12W	4000K	>0.9	135x47	NA	>85	120°
GL91412CD	12W	6000K	>0.9	135x47	NA	>85	120°




Features

- Modular surface light
- Sleek, screw-less fitting
- Can be fixed directly on wall/ceiling
- Detachable LED module
- High grade diffuser



Power to illuminate.
Passion to innovate.



G-MAX & G-MAX+ LED COB DOWN LIGHT

Focus the G-Max using its swivel mechanism and the down light directs an even flow of light towards the object of attention. The reflectors in these lights ensures very high light output and consistent distribution of light. The G-Max is constructed using high grade aluminum die-cast with superior powder coating for that sleek and sophisticated look.

G-maX

Features

- High bright COB down light • Heat sink for heat management
- Die cast aluminium body • High grade powder coating
- High lumen output

G-maX+

Features

- Can be recess or flush mounted • High bright COB down light
- Swivel mechanism to focus light • Heat sink for heat management
- Die cast aluminium body • High grade powder coating
- High lumen output

COB DOWN *LIGHT*



51 | 52 www.goldmedalindia.com/lighting

LEDs Lighting



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

G-MAX - 3W LED COB Down Light - Round

GL91648WW	3W	3000K	>0.5	ø65x29	ø55	>80	120°
GL91648NW	3W	4000K	>0.5	ø65x29	ø55	>80	120°
GL91648CD	3W	6000K	>0.5	ø65x29	ø55	>80	120°

G-MAX - 6W LED COB Down Light - Round

GL91649WW	6W	3000K	>0.5	ø85x29	ø75	>80	120°
GL91649NW	6W	4000K	>0.5	ø85x29	ø75	>80	120°
GL91649CD	6W	6000K	>0.5	ø85x29	ø75	>80	120°

G-MAX - 12W LED COB Down Light - Round

GL91650WW	12W	3000K	>0.9	ø105x29	ø95	>80	120°
GL91650NW	12W	4000K	>0.9	ø105x29	ø95	>80	120°
GL91650CD	12W	6000K	>0.9	ø105x29	ø95	>80	120°

G-MAX - 18W LED COB Down Light - Round

GL91652WW	18W	3000K	>0.9	ø115x38	ø105	>80	120°
GL91652NW	18W	4000K	>0.9	ø115x38	ø105	>80	120°
GL91652CD	18W	6000K	>0.9	ø115x38	ø105	>80	120°

G-MAX - 22W LED COB Down Light - Round

GL91653WW	22W	3000K	>0.9	ø135x38	ø125	>80	120°
GL91653NW	22W	4000K	>0.9	ø135x38	ø125	>80	120°
GL91653CD	22W	6000K	>0.9	ø135x38	ø125	>80	120°

All dimensions are in mm

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

G-MAX - 3W LED COB Down Light - Square

GL92648WW	3W	3000K	>0.5	65x65x29	ø55	>80	120°
GL92648NW	3W	4000K	>0.5	65x65x29	ø55	>80	120°
GL92648CD	3W	6000K	>0.5	65x65x29	ø55	>80	120°

G-MAX - 6W LED COB Down Light - Square

GL92649WW	6W	3000K	>0.5	85x85x29	ø75	>80	120°
GL92649NW	6W	4000K	>0.5	85x85x29	ø75	>80	120°
GL92649CD	6W	6000K	>0.5	85x85x29	ø75	>80	120°

G-MAX - 12W LED COB Down Light - Square

GL92650WW	12W	3000K	>0.9	105x105x29	ø95	>80	120°
GL92650NW	12W	4000K	>0.9	105x105x29	ø95	>80	120°
GL92650CD	12W	6000K	>0.9	105x105x29	ø95	>80	120°

G-MAX - 18W LED COB Down Light - Square

GL92652WW	18W	3000K	>0.9	115x115x38	ø105	>80	120°
GL92652NW	18W	4000K	>0.9	115x115x38	ø105	>80	120°
GL92652CD	18W	6000K	>0.9	115x115x38	ø105	>80	120°

G-MAX - 22W LED COB Down Light - Square

GL92653WW	22W	3000K	>0.9	135x135x38	ø125	>80	120°
GL92653NW	22W	4000K	>0.9	135x135x38	ø125	>80	120°
GL92653CD	22W	6000K	>0.9	135x135x38	ø125	>80	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 3W Tiltable LED COB Down Light - Round							
GL91691WW	3W	3000K	>0.5	ø65x29	ø55	>80	120°
GL91691NW	3W	4000K	>0.5	ø65x29	ø55	>80	120°
GL91691CD	3W	6000K	>0.5	ø65x29	ø55	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 6W Tiltable LED COB Down Light - Round							
GL91692WW	6W	3000K	>0.5	ø85x29	ø75	>80	120°
GL91692NW	6W	4000K	>0.5	ø85x29	ø75	>80	120°
GL91692CD	6W	6000K	>0.5	ø85x29	ø75	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 12W Tiltable LED COB Down Light - Round							
GL91693WW	12W	3000K	>0.9	ø105x29	ø95	>80	120°
GL91693NW	12W	4000K	>0.9	ø105x29	ø95	>80	120°
GL91693CD	12W	6000K	>0.9	ø105x29	ø95	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 18W Tiltable LED COB Down Light - Round							
GL91695WW	18W	3000K	>0.9	ø115x38	ø105	>80	120°
GL91695NW	18W	4000K	>0.9	ø115x38	ø105	>80	120°
GL91695CD	18W	6000K	>0.9	ø115x38	ø105	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 22W Tiltable LED COB Down Light - Round							
GL91696WW	22W	3000K	>0.9	ø135x38	ø125	>80	120°
GL91696NW	22W	4000K	>0.9	ø135x38	ø125	>80	120°
GL91696CD	22W	6000K	>0.9	ø135x38	ø125	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 3W Tiltable LED COB Down Light - Square							
GL92691WW	3W	3000K	>0.5	65x65x29	ø55	>80	120°
GL92691NW	3W	4000K	>0.5	65x65x29	ø55	>80	120°
GL92691CD	3W	6000K	>0.5	65x65x29	ø55	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 6W Tiltable LED COB Down Light - Square							
GL92692WW	6W	3000K	>0.5	85x85x29	ø75	>80	120°
GL92692NW	6W	4000K	>0.5	85x85x29	ø75	>80	120°
GL92692CD	6W	6000K	>0.5	85x85x29	ø75	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 12W Tiltable LED COB Down Light - Square							
GL92693WW	12W	3000K	>0.9	105x105x29	ø95	>80	120°
GL92693NW	12W	4000K	>0.9	105x105x29	ø95	>80	120°
GL92693CD	12W	6000K	>0.9	105x105x29	ø95	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 18W Tiltable LED COB Down Light - Square							
GL92695WW	18W	3000K	>0.9	115x115x38	ø105	>80	120°
GL92695NW	18W	4000K	>0.9	115x115x38	ø105	>80	120°
GL92695CD	18W	6000K	>0.9	115x115x38	ø105	>80	120°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-MAX+ - 22W Tiltable LED COB Down Light - Square							
GL92696WW	22W	3000K	>0.9	135x135x38	ø125	>80	120°
GL92696NW	22W	4000K	>0.9	135x135x38	ø125	>80	120°
GL92696CD	22W	6000K	>0.9	135x135x38	ø125	>80	120°

All dimensions are in mm

Make every moment
extraordinary.



G-TILT & PLUTO LED COB DOWN LIGHT

Want to focus your light at a different angle? The G-Tilt with its swivel head allows you to accurately point the light at the desired areas. The Pluto, on the other hand, is a focus light with clear lens. While the G-Tilt offers a wide beam angle, the Pluto directs a more focused beam of light on the object. All-metal devices, both, the G-Tilt and Pluto are extremely sleek and stylish in appearance.



G-Tilt Features

- Sleek, elegant COB
- Matt, diffused lens
- Wide angle tilt to focus light beam
- Die cast aluminium body
- High lumen output

Pluto Features

- High bright COB down light
- Matt, diffused lens
- Swivel mechanism to focus light
- Die cast aluminium body
- High lumen output



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-TILT - 3W LED COB Down Light - Round							
GL91600WW	3W	3000K	>0.9	ø55x25	ø45	>80	120°
GL91600NW	3W	4000K	>0.9	ø55x25	ø45	>80	120°
GL91600CD	3W	6000K	>0.9	ø55x25	ø45	>80	120°



G-TILT - 6W LED COB Down Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91601WW	6W	3000K	>0.9	ø85x25	ø75	>80	120°
GL91601NW	6W	4000K	>0.9	ø85x25	ø75	>80	120°
GL91601CD	6W	6000K	>0.9	ø85x25	ø75	>80	120°



G-TILT - 12W LED COB Down Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91602WW	12W	3000K	>0.9	ø125x25	ø110	>80	120°
GL91602NW	12W	4000K	>0.9	ø125x25	ø110	>80	120°
GL91602CD	12W	6000K	>0.9	ø125x25	ø110	>80	120°




G-tilt



Pluto

All dimensions are in mm

The world doesn't get
better by chance.
It does by change!



Do you change your LED lights every time you change your interiors? If only you could, you would say! That's no longer difficult or expensive if you've installed G-Twist LED lights. A modular unit, the G-Twist has a middle ring that frames the LED light attractively. By simply changing the middle ring, you can alter the look of your LED light to suit your interiors! There are five design options to choose from – each exciting in its own way. So now, there's no reason to hold back. Change the look, any time you feel!

Add a twist. Make light more interesting.



G-TWIST LED COB DOWN LIGHT

The G-Twist is an example of a simple idea made extraordinary by adding an innovation to it. A completely modular unit, the G-Twist enables you to detach the LED light from its base with a simple twist. It thus offers you unbelievable convenience and cost-efficiency. Along with easier replacement, the G-Twist helps you avoid damage to ceilings, switch between light types and even change the wattage. You can even change the middle frame to change the angle of the light beam. It's so simple yet so amazing!

SMART, INTELLIGENT, FLEXIBLE
MODULAR LIGHTS



G-TWIST

Features

- Modular concept, COB & SMD • Easy to replace LED module
- Extremely slim down light • Die cast aluminium body
- Anti-glare light • High lumen output
- Replaceable frames to customize angle of light
- Also available in colour changing module



63 | 64 www.goldmedalindia.com/lighting





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-TWIST T6 - 5W LED Down Light with Substitutable Head & Driver - Round							
GL91683WW	5W	3000K	>0.5	ø98x50	ø80	>80	60°
GL91683NW	5W	4000K	>0.5	ø98x50	ø80	>80	60°
GL91683CD	5W	6000K	>0.5	ø98x50	ø80	>80	60°



G-TWIST T6 - 10W LED Down Light with Substitutable Head & Driver - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91685WW	10W	3000K	>0.5	ø98x50	ø80	>80	60°
GL91685NW	10W	4000K	>0.5	ø98x50	ø80	>80	60°
GL91685CD	10W	6000K	>0.5	ø98x50	ø80	>80	60°



G-TWIST T6 - 15W LED Down Light with Substitutable Head & Driver - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91687WW	15W	3000K	>0.5	ø128x75	ø110	>80	60°
GL91687NW	15W	4000K	>0.5	ø128x75	ø110	>80	60°
GL91687CD	15W	6000K	>0.5	ø128x75	ø110	>80	60°



G-TWIST T6 - 24W LED Down Light with Substitutable Head & Driver - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91688WW	24W	3000K	>0.5	ø185x76	ø150	>80	60°
GL91688NW	24W	4000K	>0.5	ø185x76	ø150	>80	60°
GL91688CD	24W	6000K	>0.5	ø185x76	ø150	>80	60°



G-TWIST T6 - 5W LED Down Light with Substitutable Head & Driver - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92683WW	5W	3000K	>0.5	98x98x50	ø80	>80	60°
GL92683NW	5W	4000K	>0.5	98x98x50	ø80	>80	60°
GL92683CD	5W	6000K	>0.5	98x98x50	ø80	>80	60°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-TWIST T6 - 10W LED Down Light with Substitutable Head & Driver - Square							
GL92685WW	10W	3000K	>0.5	98x98x50	ø80	>80	60°
GL92685NW	10W	4000K	>0.5	98x98x50	ø80	>80	60°
GL92685CD	10W	6000K	>0.5	98x98x50	ø80	>80	60°

G-TWIST T6 - 15W LED Down Light with Substitutable Head & Driver - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92687WW	15W	3000K	>0.5	128x128x75	ø110	>80	60°
GL92687NW	15W	4000K	>0.5	128x128x75	ø110	>80	60°
GL92687CD	15W	6000K	>0.5	128x128x75	ø110	>80	60°

G-TWIST T6 - 24W LED Down Light with Substitutable Head & Driver - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92688WW	24W	3000K	>0.5	185x185x76	ø150	>80	60°
GL92688NW	24W	4000K	>0.5	185x185x76	ø150	>80	60°
GL92688CD	24W	6000K	>0.5	185x185x76	ø150	>80	60°

G-TWIST T6 - LED Down Light with Substitutable Head & Driver (Colour Changing) - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91684CT	7W	CCT	>0.5	ø98x75	ø80	>80	60°
GL91686CT	12W	CCT	>0.5	ø128x75	ø110	>80	60°

G-TWIST T6 - LED Down Light with Substitutable Head & Driver (Colour Changing) - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92684CT	7W	CCT	>0.5	98x98x75	ø80	>80	60°
GL92686CT	12W	CCT	>0.5	128x128x75	ø110	>80	60°

All dimensions are in mm

Life's beautiful. Don't miss a moment of it!



ZOOM+ COB DOWN LIGHT

Need to focus light on a particular task or a specific area in the room, the Zoom+ does the job better than anyone else. Mounted on a swivel mechanism, the Zoom+ enjoys perfect maneuverability that allows you to project the light at the perfect angle. Ruggedly built yet stylish in appearance, the Zoom+ can be easily mounted on walls as well as ceilings in domestic and commercial settings.




ZOOM⁺
COB DOWN LIGHT



Features

- High quality COB spotlight • Wide commercial application
- Useful in high end showrooms • Powder coated body
- Die cast aluminium body



ZOOM COB DOWN LIGHT

If you need a light that's as good as the Zoom+ but a little less directional, then you should opt for the Zoom LED light. It is similar to the Zoom+ in all respects except for its smaller swivel angle. With its rugged built and precisely finished, powder coated body, the Zoom will be the perfect fit in almost every setting. Both the Zoom and Zoom+ lights are wonderful options for subtly focusing just the right amount of light where you need!

ZOOM
COB DOWN LIGHT



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

ZOOM+ - 15W COB Trunk Spot Light

GL91838WW	15W	3000K	>0.9	ø96x96	ø85	>85	24°
GL91838NW	15W	4000K	>0.9	ø96x96	ø85	>85	24°
GL91838CT	15W	6000K	>0.9	ø96x96	ø85	>85	24°



ZOOM+ - 25W COB Trunk Spot Light

GL91839WW	25W	3000K	>0.9	ø114x109	ø105	>85	24°
GL91839NW	25W	4000K	>0.9	ø114x109	ø105	>85	24°
GL91839CD	25W	6000K	>0.9	ø114x109	ø105	>85	24°



ZOOM+ - 35W COB Trunk Spot Light

GL91840WW	35W	3000K	>0.9	ø140x136	ø125	>85	24°
GL91840NW	35W	4000K	>0.9	ø140x136	ø125	>85	24°
GL91840CD	35W	6000K	>0.9	ø140x136	ø125	>85	24°



ZOOM - 12W COB Down Light

GL91833WW	12W	3000K	>0.9	ø96x85	ø85	>85	24°
GL91833NW	12W	4000K	>0.9	ø96x85	ø85	>85	24°
GL91833CD	12W	6000K	>0.9	ø96x85	ø85	>85	24°



ZOOM - 20W COB Down Light

GL91834WW	20W	3000K	>0.9	ø114x100	ø105	>85	24°
GL91834NW	20W	4000K	>0.9	ø114x100	ø105	>85	24°
GL91834CD	20W	6000K	>0.9	ø114x100	ø105	>85	24°



ZOOM - 30W COB Down Light

GL91835WW	30W	3000K	>0.9	ø140x119	ø125	>85	24°
GL91835NW	30W	4000K	>0.9	ø140x119	ø125	>85	24°
GL91835CD	30W	6000K	>0.9	ø140x119	ø125	>85	24°



All dimensions are in mm





FABIO & SIMPLO DOWN LIGHT

The Fabio and Simplo not only put the spotlight on your decor, they are designed to be objects of desire on their own! The Fabio is a timeless design that can complement any style or expression. With its rich, black matte finish on the outside and golden hue on the inside, the Fabio is fabulous on the eye. The Simplo is an avant-garde spotlight that is exciting in its simplicity. Shaped like a water bubble, the Simplo can be the ideal choice for futuristic or even exotic settings. Both the Fabio and Simplo are lights that deserve a second look.

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

FABIO - 5W COB Down Light

GL91851WW	5W	3000K	>0.9	ø60x70	ø56	>80	23°
GL91851NW	5W	4000K	>0.9	ø60x70	ø56	>80	23°
GL91851CD	5W	6000K	>0.9	ø60x70	ø56	>80	23°



FABIO - 10W COB Down Light

GL91852WW	10W	3000K	>0.9	ø73x87	ø69	>80	23°
GL91852NW	10W	4000K	>0.9	ø73x87	ø69	>80	23°
GL91852CD	10W	6000K	>0.9	ø73x87	ø69	>80	23°



FABIO - 15W COB Down Light

GL91853WW	15W	3000K	>0.9	ø80x110	ø76	>80	23°
GL91853NW	15W	4000K	>0.9	ø80x110	ø76	>80	23°
GL91853CD	15W	6000K	>0.9	ø80x110	ø76	>80	23°



SIMPLO - 5W LED Down Light

GL91856WW	5W	3000K	>0.9	ø70x55	ø50	>80	120°
GL91856NW	5W	4000K	>0.9	ø70x55	ø50	>80	120°
GL91856CD	5W	6000K	>0.9	ø70x55	ø50	>80	120°



SIMPLO - 7W LED Down Light

GL91857WW	7W	3000K	>0.9	ø90x60	ø70	>80	120°
GL91857NW	7W	4000K	>0.9	ø90x60	ø70	>80	120°
GL91857CD	7W	6000K	>0.9	ø90x60	ø70	>80	120°



All dimensions are in mm

Inspired by the past.
Crafted for the future!



G-SPIRO LED DOWN LIGHT

Looks can be deceptive. The G-Spiro exemplifies this with a simple design that incorporates the very best in lighting technology and lighting efficiency, yet operates like a traditional light bulb. A modular design, the LED light can be fixed or removed with a classic twist! Timeless in its appeal, the G-Spiro is available in multiple colours that can be changed and installed any time you want!



G-spiro

LED DOWN LIGHT

Features

- Modular with replaceable LED module
- LED module available in multiple colours
- Twist to remove the LED module
- High quality, polycarbonate body
- High grade diffuser

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-SPIRO - 5W LED Down Light - Round							
GL91508CD	5W	6500K	>0.6	ø110x60	ø85	>85	100°
GL91508WW	5W	3000K	>0.6	ø110x60	ø85	>85	100°
GL91508RD	5W	RED	>0.6	ø110x60	ø85	>85	100°
GL91508BL	5W	BLUE	>0.6	ø110x60	ø85	>85	100°
GL91508GN	5W	GREEN	>0.6	ø110x60	ø85	>85	100°



G-dome
LED DOWN LIGHT



OCEANO
LED DOWN LIGHT



Atom
LED DOWN LIGHT



OCEANO⁺
LED DOWN LIGHT

The G-Dome, Oceano, Oceano+ and Atom are delightful downlights from Goldmedal. While the G-Dome is recessed mounted, the Oceano and Atom can be surface-mounted directly to a ceiling junction box. The in-built drivers ensure easy, hassle-free installation. All four LED down light have a superior finish and offer three colour temperatures to choose from: White, Warm White and Neutral White. The G-Dome, Oceano, Oceano+ and Atom are ideal solutions for both residential as well as commercial environments.



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DOME - 5W LED Down Light with inbuilt driver - Round							
GL91516WW	5W	3000K	>0.5	ø100x46	ø75	>80	115°
GL91516CD	5W	6500K	>0.5	ø100x46	ø75	>80	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DOME - 9W LED Down Light with inbuilt driver - Round							
GL91517WW	9W	3000K	>0.9	ø120x50	ø90	>80	115°
GL91517CD	9W	6500K	>0.9	ø120x50	ø90	>80	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DOME - 12W LED Down Light with inbuilt driver - Round							
GL91518WW	12W	3000K	>0.9	ø145x55	ø120	>80	115°
GL91518CD	12W	6500K	>0.9	ø145x55	ø120	>80	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DOME - 18W LED Down Light with inbuilt driver - Round							
GL91520WW	18W	3000K	>0.9	ø175x55	ø140	>80	115°
GL91520CD	18W	6500K	>0.9	ø175x55	ø140	>80	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ATOM - 3W LED Down Light - Round							
GL91500CD	3W	6000K	>0.5	ø110x50	ø70	>80	110°
GL91500WW	3W	3000K	>0.5	ø110x50	ø70	>80	110°
GL91500RD	3W	RED	>0.5	ø110x50	ø70	>80	110°
GL91500BL	3W	BLUE	>0.5	ø110x50	ø70	>80	110°
GL91500GN	3W	GREEN	>0.5	ø110x50	ø70	>80	110°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
ATOM - 5W LED Down Light - Round							
GL91502CD	5W	6000K	>0.5	ø110x50	ø70	>80	110°
GL91502WW	5W	3000K	>0.5	ø110x50	ø70	>80	110°
GL91502RD	5W	RED	>0.5	ø110x50	ø70	>80	110°
GL91502BL	5W	BLUE	>0.5	ø110x50	ø70	>80	110°
GL91502GN	5W	GREEN	>0.5	ø110x50	ø70	>80	110°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
OCEANO - 5W LED Down Light - Round							
GL91501CD	5W	6000K	>0.9	ø115x87	ø95	>85	115°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
OCEANO+ - 7W LED Down Light - Round							
GL91509CD	7W	6000K	>0.9	ø110x83	ø80	>80	115°

All dimensions are in mm

Live big. Dream more.
Shine bright.



G-SPIN SPOT DOWN LIGHT

The G-Spin, with its polycarbonate body, is a light weight spot light that can be used as accent lighting to highlight areas in any setting. Available in multiple sizes and wattages, it has a swivel mechanism that makes it easy to project the light on any object or architectural detail as required.



G-spin

Features

- Sleek, elegant spot light
- Swivel mechanism
- Matt, diffused lens
- Wide angle tilt to focus light beam
- Light, polycarbonate body



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-SPIN - 3W LED Spot Light - Round							
GL91640WW	3W	3000K	>0.5	ø75x45	ø55	>80	30°
GL91640NW	3W	4000K	>0.5	ø75x45	ø55	>80	30°
GL91640CD	3W	6500K	>0.5	ø75x45	ø55	>80	30°



G-SPIN - 6W LED Spot Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91641WW	6W	3000K	>0.5	ø90x45	ø75	>80	30°
GL91641NW	6W	4000K	>0.5	ø90x45	ø75	>80	30°
GL91641CD	6W	6500K	>0.5	ø90x45	ø75	>80	30°



G-SPIN - 12W LED Spot Light - Round							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL91642WW	12W	3000K	>0.5	ø140x59	ø120	>80	30°
GL91642NW	12W	4000K	>0.5	ø140x59	ø120	>80	30°
GL91642CD	12W	6500K	>0.5	ø140x59	ø120	>80	30°



G-SPIN - 3W LED Spot Light - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92640WW	3W	3000K	>0.5	75x75x45	ø55	>80	30°
GL92640NW	3W	4000K	>0.5	75x75x45	ø55	>80	30°
GL92640CD	3W	6500K	>0.5	75x75x45	ø55	>80	30°



G-SPIN - 6W LED Spot Light - Square							
ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
GL92641WW	6W	3000K	>0.5	90x90x45	ø75	>80	30°
GL92641NW	6W	4000K	>0.5	90x90x45	ø75	>80	30°
GL92641CD	6W	6500K	>0.5	90x90x45	ø75	>80	30°

All dimensions are in mm

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-SPIN - 12W LED Spot Light - Square							
GL92642WW	12W	3000K	>0.5	140x140x59	ø75mm	>80	30°
GL92642NW	12W	4000K	>0.5	140x140x59	ø75mm	>80	30°
GL92642CD	12W	6500K	>0.5	140x140x59	ø75mm	>80	30°



G-spin

COB DOWN LIGHT





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
STARLITE - 1W Mini COB Spot Light - Round							
GL91639CD	1W	6500K	>0.5	ø30x23	ø27	>80	60°
GL91639WW	1W	3000K	>0.5	ø30x23	ø27	>80	60°
GL91639RD	1W	Red	>0.5	ø30x23	ø27	>80	60°
GL91639BL	1W	Blue	>0.5	ø30x23	ø27	>80	60°
GL91639GN	1W	Green	>0.5	ø30x23	ø27	>80	60°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
STARLITE - 1W Mini COB Spot Light - Square							
GL92639CD	1W	6500K	>0.5	30x30x23	ø27	>80	60°
GL92639WW	1W	3000K	>0.5	30x30x23	ø27	>80	60°
GL92639RD	1W	Red	>0.5	30x30x23	ø27	>80	60°
GL92639BL	1W	Blue	>0.5	30x30x23	ø27	>80	60°
GL92639GN	1W	Green	>0.5	30x30x23	ø27	>80	60°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
STARLITE - 2W Mini COB Spot Light - Round							
GL91643CD	2W	6500K	>0.5	ø39x28	ø32	>80	60°
GL91643WW	2W	3000K	>0.5	ø39x28	ø32	>80	60°
GL91643RD	2W	Red	>0.5	ø39x28	ø32	>80	60°
GL91643BL	2W	Blue	>0.5	ø39x28	ø32	>80	60°
GL91643GN	2W	Green	>0.5	ø39x28	ø32	>80	60°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
STARLITE - 2W Mini COB Spot Light - Square							
GL92643CD	2W	6500K	>0.5	39x39x28	ø32	>80	60°
GL92643WW	2W	3000K	>0.5	39x39x28	ø32	>80	60°
GL92643RD	2W	Red	>0.5	39x39x28	ø32	>80	60°
GL92643BL	2W	Blue	>0.5	39x39x28	ø32	>80	60°
GL92643GN	2W	Green	>0.5	39x39x28	ø32	>80	60°

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
STARLITE - 3W Mini COB Spot Light - Round							
GL91644CD	3W	6500K	>0.5	ø36x28	ø33	>80	60°
GL91644WW	3W	3000K	>0.5	ø36x28	ø33	>80	60°
GL91644RD	3W	Red	>0.5	ø36x28	ø33	>80	60°
GL91644BL	3W	Blue	>0.5	ø36x28	ø33	>80	60°
GL91644GN	3W	Green	>0.5	ø36x28	ø33	>80	60°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
STARLITE - 3W Mini COB Spot Light - Square							
GL92644CD	3W	6500K	>0.5	36x36x28	ø33	>80	60°
GL92644WW	3W	3000K	>0.5	36x36x28	ø33	>80	60°
GL92644RD	3W	Red	>0.5	36x36x28	ø33	>80	60°
GL92644BL	3W	Blue	>0.5	36x36x28	ø33	>80	60°
GL92644GN	3W	Green	>0.5	36x36x28	ø33	>80	60°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
EYEBOLL - 2W LED Spot Light - Round							
GL91646CD	2W	6000K	>0.4	ø50x25	ø42	>80	120°
GL91646WW	2W	3000K	>0.4	ø50x25	ø42	>80	120°



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
G-DROP - 3W Mini COB Spot Light - Round							
GL91699CD	3W	6500K	>0.5	ø40x35	ø34	>80	50°
GL91699WW	3W	3000K	>0.5	ø40x35	ø34	>80	50°
GL91699RD	3W	Red	>0.5	ø40x35	ø34	>80	50°
GL91699BL	3W	Blue	>0.5	ø40x35	ø34	>80	50°
GL91699GN	3W	Green	>0.5	ø40x35	ø34	>80	50°



All dimensions are in mm



G-SKY | 2X2 SLIM LED PANEL LIGHT

G-SKY 2X2 SLIM LED PANEL LIGHT

A compact, ultra-light, high-quality LED panel, the G-Sky produces a large pool of high lumen light that is smooth and even in quality. Easy to install and constructed to last, the G-Sky is a solid fixture that can withstand the wear and tear associated with busy commercial areas. Although robustly built, the G-Sky panels create an ambience that is soft and delightful to experience.

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
-----------	-------	-----------	----	-----------	---------	-----	------------

SKYGLOW 2X2 - 36W Slim LED Panel Light - Square

GI90824NW	36W	4000K	>0.9	595x595	NA	>85	120°
GI90824CD	36W	6500K	>0.9	595x595	NA	>85	120°

SKYGLOW 2X2 - 40W Slim LED Panel Light - Square

GL90825NW	40W	4000K	>0.9	595x595	NA	>85	120°
GL90825CD	40W	6500K	>0.9	595x595	NA	>85	120°


SKYGLOW 2X2 - 45W Slim LED Panel Light - Square

GL90826NW	45W	4000K	>0.9	595x595	NA	>85	120°
GL90826CD	45W	6500K	>0.9	595x595	NA	>85	120°

All dimensions are in mm



The story of light.
Retold.



AURA ESPRIT G-POWER STYLUS MAGICLINE vista matrix

Applications

- Home
- Hospitality
- Institutes
- Warehouses
- Office Interiors
- General ambient lighting, furniture, under-cabinet, mirror sides & corridors

Specifications

- High efficiency, Energy saving
- Soft, glare-free light
- Directional light source
- Green lighting technology
- No UV & IR radiation
- Do not use in outdoor application
- Operating Temp: -10° C to +50° C
- Lamp voltage: 140-270V
- Rated frequency: 50/60 Hz

Advantages & Benefits

- Sleek & Aesthetically pleasing
- Ballast auto shut down in abnormal condition & end of lamp life
- Body made of fire retardant plastic FR grade; Non flammable & fire retardant
- Aesthetic end caps increases aesthetic look

LED BATTENS

These sleek LED Battens are the ideal replacement for existing fluorescent T5 fittings. Using a fraction of the power consumed by fluorescent tube lights, these LED lights can last up to three times longer. Available in multiple lengths, the LED T5 light fittings are easy to install as well as retrofit. Their slim form and impact-resistance housing leads to enhanced aesthetics and durability. Switch to LED Battens to minimize the impact of lights on the planet!

LEDs
Lighting





ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
MATRIX - 15W LED T5 - Aluminium Premium Batten					
GL90131WW	15W	3000K	>0.9	605x38	1490lm
GL90131CD	15W	6500K	>0.9	605x38	1490lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
MATRIX - 22W LED T5 - Aluminium Premium Batten					
GL90132WW	22W	3000K	>0.9	903x38	2230lm
GL90132CD	22W	6500K	>0.9	903x38	2230lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
MATRIX - 30W LED T5 - Aluminium Premium Batten					
GL90133WW	30W	3000K	>0.9	1250x38	3100lm
GL90133CD	30W	6500K	>0.9	1250x38	3100lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
MAGIC LINE - 9W LED T5 Batten					
GL90101WW	9W	3000K	>0.9	536x37	900lm
GL90101CD	9W	6500K	>0.9	536x37	900lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
MAGIC LINE - 18W LED T5 Batten					
GL90102WW	18W	3000K	>0.9	1136x37	1800lm
GL90102CD	18W	6500K	>0.9	1136x37	1800lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
G-POWER - 9W LED T5 Batten					
GL90106WW	9W	3000K	>0.9	555x37	950lm
GL90106CD	9W	6000K	>0.9	555x37	950lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
G-POWER - 18W LED T5 Batten					
GL90107WW	18W	3000K	>0.9	1155x37	1890lm
GL90107CD	18W	6000K	>0.9	1155x37	1890lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
STYLUS - 11W LED - Aluminium Batten					
GL90121WW	11W	2700K	>0.9	555x37	1100lm
GL90121CD	11W	6500K	>0.9	555x37	1100lm

All dimensions are in mm

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
STYLUS - 25W LED - Aluminium Batten					
GL90123WW	25W	3000K	>0.9	1157x37	2500lm
GL90123CD	25W	6500K	>0.9	1157x37	2500lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
VISTA - 10W LED T5 Batten					
GL90111WW	10W	2700K	>0.9	555x37	1000lm
GL90111CD	10W	6500K	>0.9	555x37	1000lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
VISTA - 20W LED T5 Batten					
GL90112WW	20W	2700K	>0.9	1136x37	2000lm
GL90112CD	20W	6500K	>0.9	1136x37	2000lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
AURA - 10W LED T5 Batten					
GL90116WW	10W	2700K	>0.9	555x37	1000lm
GL90116CD	10W	6500K	>0.9	555x37	1000lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
AURA - 20W LED T5 Batten					
GL90117WW	20W	2700K	>0.9	1136x37	2000lm
GL90117CD	20W	6500K	>0.9	1136x37	2000lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
ESPIRIT - 11W LED T5 - Aluminium Batten					
GL90126WW	11W	2700K	>0.9	555x37	1100lm
GL90126CD	11W	6500K	>0.9	555x37	1100lm



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	LUMENS
ESPIRIT - 22W LED T5 - Aluminium Batten					
GL90127WW	22W	2700K	>0.9	1136x37	2200lm
GL90127CD	22W	6500K	>0.9	1136x37	2200lm




BLOOM LED LAMP


STYLISH. EFFICIENT. DESIGNED TO LAST.




*Nearest incandescent bulb equivalent



Save 90% Energy




Not Suitable For Enclosed Down Lighters




Lasts Upto 15 Years At 4.5 Hours A Day



Not Suitable For Dimming And Electronic Switches



Wide Voltage Range 140v To 270v AC



Mercury Free

ITEM CODE	POWER	COL. TEMP	PF	LUMENS	CRI	BEAM ANGLE
BLOOM - 5W LED Lamp (B22/E27)						
GL91011WW	5W	3000K	>0.9	>400lm	>80	240°
GL91011NW	5W	4000K	>0.9	>400lm	>80	240°
GL91011CD	5W	6000K	>0.9	>400lm	>80	240°



BLOOM - 7W LED Lamp (B22/E27)						
GL91012WW	7W	3000K	>0.9	>580lm	>80	240°
GL91012NW	7W	4000K	>0.9	>580lm	>80	240°
GL91012CD	7W	6000K	>0.9	>580lm	>80	240°



BLOOM - 9W LED Lamp (B22/E27)						
GL91013WW	9W	3000K	>0.9	>740lm	>80	240°
GL91013NW	9W	4000K	>0.9	>740lm	>80	240°
GL91013CD	9W	6000K	>0.9	>740lm	>80	240°



BLOOM - 12W LED Lamp (B22/E27)						
GL91014WW	12W	3000K	>0.9	>1000lm	>80	240°
GL91014NW	12W	4000K	>0.9	>1000lm	>80	240°
GL91014CD	12W	6000K	>0.9	>1000lm	>80	240°



GENIE - 0.5W LED Lamp (B22/E27)						
GL91001BL	0.5W	Blue	-	NA	NA	240°
GL91001GN	0.5W	Green	-	NA	NA	240°
GL91001WH	0.5W	White	-	NA	NA	240°
GL91001RD	0.5W	Red	-	NA	NA	240°
GL91001YL	0.5W	Yellow	-	NA	NA	240°
GL91001OR	0.5W	Orange	-	NA	NA	240°



BLOOM LED LAMP

If you're looking to upgrade your light bulbs, make sure your choice is Bloom LED bulbs. These cool-looking bulbs are not only wonderful to look at, they are winners in every other department. The Bloom LEDs emit equal light as your fluorescent bulbs while lasting longer and using lesser energy. What's more, they fit into the same sockets. So why go back to fluorescents or halogens the next time. Switch to environment-friendly Bloom bulbs, every time!

All dimensions are in mm



The only limit is your imagination.



CRIMSON | CITRON LED STRIP LIGHTS

Features

- Dust resistant (IP20)
- Shock resistant
- Available in single as well as multi-coloured units
- Available in 5 metre strips

CRIMSON & CITRON LED STRIP LIGHT

The Crimson and Citron LED strip lights can increase the style quotient of your interiors with minimum investment of time, effort and money. Their ease of installation, along with the multiple choice of colours on offer, and flexibility of use make them an invaluable lighting asset in any setting. Safe for indoor as well as outdoor installations, these LED strip lights are best used on or under stairs, around vanity mirrors, under seating areas, desks, shelves – the only limit being your imagination!

Never-ending style.
In multiple colours.



CLARION LED ROPE LIGHT

The Clarion LED Rope Lights are similar to Crimson and Citron in terms of usage, brightness and colour options. With Clarion, you do not have to buy separate AC-to-DC converters; they are provided along with the lights. The Clarion can also be used in damp or wet areas as it is completely water-proof. Adding style and colour wherever they are used, you'll find the Clarion a smart and exciting solution for enhancing the ambience of any setting.


ITEM CODE	POWER	COL. TEMP	LENGTH (IN M.)	LED'S (PER M.)	LUMENS (PER LED)	IP RATING
CRIMSON 2835 - 20W LED Strip Light						
GL90701CD	20W	CDL	5	60	20	20
GL90701WW	20W	WW	5	60	20	20
GL90701BL	20W	BLUE	5	60	20	20
GL90701RD	20W	RED	5	60	20	20
GL90701GN	20W	GREEN	5	60	20	20
GL90701PN	20W	PINK	5	60	20	20



GL90707CD	60W	CDL	5	60	22	20
GL90707WW	60W	WW	5	60	22	20
GL90707BL	60W	BLUE	5	60	22	20
GL90707RD	60W	RED	5	60	22	20
GL90707GN	60W	GREEN	5	60	22	20
GL90707PN	60W	PINK	5	60	22	20



GL90712CD	-	CDL	50	60	22	65
GL90712WW	-	WW	50	60	22	65
GL90712BL	-	BLUE	50	60	22	65
GL90712RD	-	RED	50	60	22	65
GL90712GN	-	GREEN	50	60	22	65
GL90712PN	-	PINK	50	60	22	65



* to be used with pre-supplied AC/DC converter

Clarion Features

- Dust and water resistant (IP20/IP65)
- Shock resistant
- Direct plug-in to power point
- Available in single as well as multi-coloured units
- Available in 50 metre length



Step out in the night.
Without fear.



OPTIMUS & OMEGA LED STREET LIGHT

The Omega and Optimus LED street lights are the ideal replacements for outdated sodium vapour and halogen lights that are currently used in outdoor lighting. Whether it's street lighting, pathways or parking areas, the Omega and Optimus, with their clear, high grade lenses are capable of delivering superior visibility on the darkest of nights. In-built drivers and a housing constructed from high grade aluminium ensures that these lights perform efficiently in all types of weather.



Optimus | Omega

Features

- Clear, high grade lens • High surge protection
- IP65 rated, water proof • In-built drivers
- Sleek design
- Pressure die cast aluminium

LED STREET LIGHT

Omega



ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT DIA.	CRI	BEAM ANGLE
OPTIMUS - Street Light							
GL90801CD	20W	6500K	>0.9	320x115x60	NA	>85	120°
GL90802CD	30W	6500K	>0.9	370x135x65	NA	>85	120°
GL90803CD	50W	6500K	>0.9	415x175x65	NA	>85	120°
GL90804CD	80W	6500K	>0.9	515x200x90	NA	>85	120°
GL90805CD	100W	6500K	>0.9	640x230x90	NA	>85	120°

GL90809CD	20W	6500K	>0.9	320x120x45	NA	>85	120°
GL90810CD	30W	6500K	>0.9	360x150x50	NA	>85	120°
GL90811CD	50W	6500K	>0.9	415x170x50	NA	>85	120°
GL90812CD	80W	6500K	>0.9	580x230x70	NA	>85	120°
GL90813CD	100W	6500K	>0.9	680x270x70	NA	>85	120°



All dimensions are in mm





LED FLOOD LIGHTS

ITEM CODE	POWER	COL. TEMP	PF	DIMENSION	CUT OUT	CRI	BEAM ANGLE
XPLORA - Slim LED Flood Light							
GL90843CD	20W	6000K	>0.9	141x91x39	NA	>85	120°
GL90844CD	30W	6000K	>0.9	191x105x39	NA	>85	120°
GL90845CD	50W	6000K	>0.9	267x153x39	NA	>85	120°
GL90846CD	80W	6000K	>0.9	310x180x44	NA	>85	120°
GL90847CD	100W	6000K	>0.9	387x215x44	NA	>85	120°



Features

- Super Bright Light • In-built driver
- Weather, dust, water proof
- High efficiency • Precisely designed
- Uniform illumination



XPLORA SLIM LED FLOOD LIGHT

LED flood lights are a cost-efficient and environment-friendly way to illuminate outdoor areas like gardens, playgrounds, parks, stadiums, building facades, etc. Water and weather-proof, the Xplora LED Flood Lights are an ideal choice for lighting all types of large outdoor spaces. The super bright illumination, high quality finish and aesthetics makes it an equally good choice for indoor use. A high quality, durable device, the Xplora Flood Lights require low maintenance and offer significant cost benefits over a lifetime of use.

The smart way
to light up your world.



The LED lights by Goldmedal are designed to set new benchmarks in performance and aesthetics. Engineered for quick, cost-effective installation and easy retrofitting, these LED lights and panels are packed with features and benefits. All LED lights are also available in three basic colours: warm white, natural white and cool white. Select the colour that best suits your preference. Stylish in appearance, each of these lighting devices are durable enough to last years of use.

IS 15685(Part 2/Sec 13)



High CRI



PF>0.95



High Lumen



Mercury Free



Energy Saving



Ultra Slim



Power Saver



Compact

SHOWROOMS

MUMBAI

E-1, Laxmi Industrial Estate,
New Link Road,
Andheri West, Mumbai - 400053
Tel: +91-22-40031075
Email: info@goldmedalindia.com

KOLKATA

1/1B/4, Ramkrishna Naskar lane,
Kolkata - 700010, West Bengal
Tel: +91-33-23740039, 8336907040
Email: Kolkata@goldmedalindia.com

HYDERABAD

S-1, Ground Floor, Kalphakunja
Apartment 5-2-84/87, Jambagh,
Hyderabad-500095, Telangana
Tel: +91-40-24610722 / 9849172122
Email: gmhydsunil@yahoo.co.in

VIJAYAWADA

D.NO. 11-33-15, Tatakulavari Street,
Vijayawada-520 001, Andhra Pradesh
Tel: +91-866-6542000 / 8977574737
Email: vijayawada@goldmedalindia.com

CHANDIGARH

302/A, 3rd Floor, Elante Mall,
Chandigarh-160002, Punjab & Haryana
Tel: +91-9216122131
Email: info@virgomark.com

AHMEDABAD

401, Amrutlal Pole, Opp. Bank of Baroda,
Khadiya-Golwad, Ahmedabad-380001, Gujarat
Tel: +91-79-22155201
Email: ahmedabad@goldmedalindia.com

MUMBAI

1, Floor-GDR, Plot-157-161, Zaveri Bldg.
Shamaldas Gandhi Marg, Loharchawl,
Kalbadevi, Mumbai - 400002.
Tel: +91-22-39567558
Email: info@goldmedalindia.com

SILIGURI

International Market, 1st Floor,
Shop No.1, Sevoke Road, Pani Tanki More,
Beside Sky Duin, Siliguri-734001, West Bengal.
Tel: +91-9474588032
Email: ritesh.g@goldmedalindia.com

SECUNDERABAD

D. No. 7-3-693, Ground Floor, R.P. Road,
Secunderabad - 500003, Telangana.
Tel: +91-9490411665
Email: info@goldmedalindia.com

VIJAYAWADA

2nd Floor, PVP Mall, Mahatma Gandhi Rd,
Labbipet, Vijayawada-520010, Andhra Pradesh
Tel: +91-9885676400
Email: vijayawada@goldmedalindia.com

HUBBALLI

Umachagi Complex, Kopparikar Road, Hubballi,
Karnataka-580020
Tel: +91-0836-4258466

Email: bangalore@goldmedalindia.com

NOIDA

H-204, Sec-63
Noida, Uttar Pradesh - 201307
Tel: +91-120-4135901
Email: noida@goldmedalindia.com

BRANCHES

WEST

MUMBAI
Shop No.20, 3rd Floor, Old Hanuman
Lane, Dhanji Mulji Dela, Kalbadevi Road
Marine Line, Mumbai-400002,
Maharashtra. Tel: +91-22-39567558
info@goldmedalindia.com

EAST

KOLKATA
1/1B/4, Ram Krishna Naskar Lane
Beliaghata, Kolkata - 700010
West Bengal.
Tel: +91-8336907040
kolkata@goldmedalindia.com

MUMBAI

165/1315, Motilal Nagar - 1,
Goregaon (W), Mumbai-400046,
Maharashtra
Tel: +91-22-28723911
mumbai@goldmedalindia.com

PALGHAR

Bldg. No.5, Shah Industrial Estate,
Opp. Masjid, Mourya Naka, Sativali,
Vasai (E), Palghar-401208, Maharashtra
Tel: +91-22-42023026
mumbai@goldmedalindia.com

AHMEDABAD

401, Amrutlal Pole, Opp.
Bank of Baroda, Golwad, Khadia,
Ahmedabad-380001, Gujarat
Tel: +91-79-22155201
ahmedabad@goldmedalindia.com

PUNE

555/556, Shop No.3, Budhwar Peth,
Shaligram Prasad, Tapkir Galli,
Pune, Maharashtra - 411002
Tel: +91-9130368776
pune@goldmedalindia.com

BHOPAL

Sector A-85, Behind Anant Shree
Hospital, Indrapuri, Raisen Road,
Bhopal, Madhya Pradesh - 462021
Tel: +91-755-2580040
bhopal@goldmedalindia.com

JODHPUR

G-651/652 M.I.A, 2nd Phase,
Near Delhi Rajasthan Transport,
Jodhpur, Rajasthan - 342005
Tel: +91-291-3261955
rajasthan@goldmedalindia.com

LUCKNOW

E - 57, 1st Floor, Transport Nagar,
Lucknow - 226016, Uttar Pradesh
Tel: +91-522-4233136
lucknow@goldmedalindia.com

NOIDA

H-204, Sec-63
Noida, Uttar Pradesh - 201307
Tel: +91-120-4135901
noida@goldmedalindia.com

SOUTH

BENGALURU
No.7, G.K. Temple street,
Chickpet Cross, Bengaluru,
Karnataka - 560053
Tel: +91-80-41687799/41759977
bangalore@goldmedalindia.com

VIJAYAWADA

20-127/2, By Pass Road, Gollapudi,
Krishna District, Vijayawada - 521225,
Andhra Pradesh
Tel: +91-866-6542333/6542888
vijayawada@goldmedalindia.com

HYDERABAD

Central Warehouse Corporation
A2, P B No 34, Behind Gandhi Bhavan,
Nampally, Hyderabad - 500001,
Telangana
Tel: +91-40-29706099
hydteam@goldmedalindia.com

CHENNAI

92/6, Nattu Pillaiar Koil Street
Sowcarpet, Chennai,
Tamil Nadu - 600001
Tel: +91-44-49521008
chennai@goldmedalindia.com

NOTES

NOTES

Note:

Reprinting and photomechanical reproduction is permitted only with our express approval. The aim of this catalogue is to inform you without any legal binding. Due to limitations of printing, images and illustrations of the products displayed may not be entirely accurate in terms of their colours, dimensions and individual components. Goldmedal reserves the right to make any changes as it deems fit to improve the functionality and performance of these products. Unless otherwise specified, the products illustrated in this catalog have been designed by Goldmedal and are covered by one or more international patents.



For more information SMS
GWORLD to 56161

Goldmedal Electricals Pvt. Ltd.
Bldg. No.2,
Shripal Industrial Estate,
Valliv Road, Vasai East,
Palghar - 401208,
Maharashtra,
India.

www.goldmedalindia.com
info@goldmedalindia.com

Customer care toll free:
1800 209 0234




[www.facebook.com/
goldmedalindia](http://www.facebook.com/goldmedalindia)



[www.twitter.com/
goldmedalindia](http://www.twitter.com/goldmedalindia)



[www.youtube.com/
goldmedalelectricals](http://www.youtube.com/goldmedalelectricals)



20
18

PRODUCTS
AND TECHNICAL
CATALOG

EDITION-01

www.goldmedalindia.com/lighting



 **Goldmedal®**
LIGHTING AND LUMINAIRES



[www.facebook.com/
goldmedalindia](http://www.facebook.com/goldmedalindia)



[www.twitter.com/
goldmedalindia](http://www.twitter.com/goldmedalindia)



[www.youtube.com/
goldmedalelectricals](http://www.youtube.com/goldmedalelectricals)

