



					•	R				
					TheLight					
			LED Brand	<i>•••••••••••••••••••••••••••••••••••••</i>	THOLIGHT			Dealer List Pric	e	
	Product Name		LED Brand	Dimension	Cutout	Standard	RF Tunable		(0/1-10V)	
Image	& Code	Wattage	Color	(mm)	(mm)	(3 Years	White +	Triac	Analog	Dali Dimmable
			Temp. (CCT)			Warranty)	DIMMABLE	Dimmable	Dimmable	Dimmable
				PLATINUM	1 SERIES					
	1	7W		Ø 85 x 89(H)	Ø 75	2575/-	3335/-	3120/-	3765/-	6275/-
ANTI	PLATINUM-A	9W			-					-
	LFSL1091		LED	Ø 85 x 89(H)	Ø 75	2615/- 2765/-	3380/- 3390/-	3160/- 3300/-	3820/- 3945/-	5205/-
	Body Color	12W 15W	CREE	Ø 85 x 112(H)	Ø 75 Ø 75	2860/-	3990/-	3590/-	4065/-	5315/- 5395/-
	White / Black	18W	4000K	Ø 85 x 112(H)	Ø 100	3805/-	4920/-	4525/-	5055/-	6300/-
	Diack		3000K	Ø 115 x 140(H)	-			4990/-	-	•
	Reflector Color	24W	2700K	Ø 115 x 140(H)	Ø 100	4315/-	5090/-		5550/-	6635/-
	Titanium / Matt Silver	33W		Ø 140 x 169(H)	Ø 125	5345/-	6025/-	6010/-	6745/-	7625/-
	PLATINUM-B	40W		Ø 165 x 184(H)	Ø 150	7130/-	8420/-	8100/-	8865/-	11600/-
al Alde	LFSL1092 LFSL1092F	7W		Ø 62 x 81(H)	Ø 55	2060/-	2815/-	2600/-	3250/-	NA
Super Slim Fitting	SLIM FITTING Reflector Color Titanium / Matt Silver	9W	LED	Ø 62 x 81(H)	Ø 55	2090/-	2855/-	2640/-	3295/-	NA
White I will be a second of the second of th	PLATINUM-B	7W	CREE	Ø 85 x 89(H)	Ø 75	2575/-	3335/-	3120/-	3765/-	6275/-
ANTI-	LFSL1092	9W	4000K	Ø 85 x 89(H)	Ø 75	2615/-	3380/-	3160/-	3820/-	5205/-
	Body Color	12W	3000K	Ø 85 x 112(H)	Ø 75	2765/-	3390/-	3300/-	3945/-	5315/-
	White /	15W	2700K	Ø 85 x 112(H)	Ø 75	2860/-	3990/-	3590/-	4065/-	5395/-
	Black	18W		Ø 115 x 140(H)	Ø 100	3805/-	4920/-	4525/-	5055/-	6300/-
	Reflector Color	24W		Ø 115 x 140(H)	Ø 100	4315/-	5090/-	4990/-	5550/-	6635/-
Tiltable A	Titanium /	33W		Ø 140 x 169(H)	Ø 125	5345/-	6025/-	6010/-	6745/-	7625/-
Tiltable	Matt Silver	40W		Ø 165 x 184(H)	Ø 150	7130/-	8420/-	8100/-	8865/-	11600/-
ANTI-	PLATINUM-C LFSL1093	7W	LED	Ø 71 x 89(H)	Ø 76	2955/-	3710/-	3495/-	4140/-	6650/-
	Body Color White	9W	CREE	Ø 71 x 89(H)	Ø 76	2995/-	3760/-	3545/-	4200/-	5590/-
	Reflector Color Titanium /	12W	4000K 3000K 2700K	Ø 71 x 112(H)	Ø 76	3140/-	3765/-	3675/-	4325/-	5690/-
Trimless	Matt Silver	15W		Ø 71 x 112(H)	Ø 76	3240/-	4375/-	3970/-	4445/-	5775/-
AIT	PLATINUM-D LFSL1094	7W	LED	Ø 68 x 64(H)	Ø 60	1915/-	2675/-	2460/-	3105/-	5615/-
	Body Color White / Black	9W	CREE 4000K	Ø 68 x 64(H)	Ø 60	1945/-	2710/-	2495/-	3150/-	4540/-
	Reflector Color Titanium /	12W	3000K 2700K	Ø 68 x 87(H)	Ø 60	2105/-	2730/-	2640/-	3285/-	4655/-
	Matt Silver PLATINUM-E	15W 7W		Ø 68 x 87(H) Ø 96 x 68(H)	Ø 60 Ø 85	2190/-	3325/- 3175/-	2920/-	3395/- 3605/-	4725/- 6115/-
ANTI-	LFSL1095	9W		Ø 96 x 68(H)	Ø 85	2455/-	3220/-	3000/-	3655/-	5045/-
	Body Color	12W	LED	Ø 96 x 92(H)	Ø 85	2605/-	3235/-	3140/-	3790/-	5160/-
	White /	15W	CREE	Ø 96 x 92(H)	Ø 85	2700/-	3830/-	3430/-	3905/-	5230/-
	Black (Upto	18W	4000K	Ø 125 x 117(H)	Ø 110	3505/-	4620/-	4225/-	4755/-	6000/-
	33W)	24W	3000K	Ø 125 x 117(H)	Ø 110	4015/-	4785/-	4690/-	5250/-	6330/-
	Reflector Color	33W	2700K	Ø 145 x 138(H)	Ø 130	4725/-	5405/-	5390/-	6125/-	7010/-
Tiltable & Rotatble	Titanium / Matt Silver	40W		Ø 165 x 152(H)	Ø 150	6500/-	7795/-	7475/-	8235/-	10975/-
	PLATINUM-F	7W	LED	Ø 85 x 90(H)	Ø 75	1915/-	2675/-	2460/-	3105/-	5615/-
	LFSL1096	9W	CREE	Ø 85 x 90(H)	Ø 75	1945/-	2710/-	2495/-	3150/-	4540/-
AV R	Body Color	12W	4000К 3000К	Ø 85 x 113(H)	Ø 75	2105/-	2730/-	2640/-	3285/-	4655/-

Ø 85 x 113(H)

Ø 75

2190/-

3325/-

2920/-

3395/-

4725/-

Body Color White / Black

15W

3000К 2700К

				LIF #Be	TheLight	R				
Image	Product Name & Code	Wattage	Color Temp. (CCT)	Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable
	PLATINUM-G LFSL1097	7W		Ø 65 x 79(H)	Ø 55	1735/-	2495/-	2280/-	2925/-	NA
Super Slim Fitting	LFSL1097F SLIM FITTING	9W	LED CREE	Ø 65 x 79(H)	Ø 55	1760/-	2530/-	2310/-	2965/-	NA
ANTE:	PLATINUM-G	7W	4000K 3000K	Ø 75 x 83(H)	Ø 65	2260/-	3020/-	2800/-	3450/-	5960/-
	LFSL1097	9W	2700K	Ø 75 x 83(H)	Ø 65	2295/-	3060/-	2840/-	3500/-	4885/-
•	Body Color White /	12W		Ø 75 x 106(H)	Ø 65	2450/-	3075/-	2985/-	3630/-	5000/-
Pin Spot & Tiltable	Black	15W		Ø 75 x 106(H)	Ø 65	2540/-	3670/-	3270/-	3745/-	5070/-
	PLATINUM-H LFSL1098	7W		Ø 65 x 79(H)	Ø 55	1735/-	2495/-	2280/-	2925/-	NA
Super Slim Fitting	LFSL1098F SLIM FITTING	9W	LED CREE	Ø 65 x 79(H)	Ø 55	1760/-	2530/-	2310/-	2965/-	NA
ANT	PLATINUM-H	7W	4000K 3000K	Ø 75 x 83(H)	Ø 65	2260/-	3020/-	2800/-	3450/-	5960/-
	LFSL1098	9W	2700K	Ø 75 x 83(H)	Ø 65	2295/-	3060/-	2840/-	3500/-	4885/-
•	Body Color White /	12W		Ø 75 x 106(H)	Ø 65	2450/-	3075/-	2985/-	3630/-	5000/-
Oval Cut & Tiltable	Black	15W		Ø 75 x 106(H)	Ø 65	2540/-	3670/-	3270/-	3745/-	5070/-
ATT.	DI ATINUNA I	7W	LED	Ø 88 x 80(H)	Ø 75	1930/-	2685/-	2470/-	3115/-	5625/-
	PLATINUM-I LFSL1099	9W	CREE	Ø 88 x 80(H)	Ø 75	1955/-	2720/-	2505/-	3160/-	4550/-
	Body Color White	12W	4000K 3000K	Ø 88 x 101(H)	Ø 75	2115/-	2740/-	2650/-	3300/-	4665/-
Wall Washer		15W	2700K	Ø 88 x 101(H)	Ø 75	2205/-	3335/-	2930/-	3405/-	4735/-
	PLATINUM-J	7W 9W	LED	Ø 90 x 71(H) Ø 90 x 71(H)	Ø 80 Ø 80	2365/- 2400/-	3120/- 3165/-	2905/- 2950/-	3555/- 3605/-	6065/- 4995/-
0	LFSL1100	12W	CREE	Ø 90 x 94(H)	Ø 80	2555/-	3180/-	3090/-	3735/-	5105/-
	Body Color	15W	4000K	Ø 90 x 94(H)	Ø 80	2645/-	3780/-	3375/-	3850/-	5180/-
	White /	18W	3000K	Ø 110 x 116(H)	Ø 95	3050/-	4165/-	3770/-	4300/-	5545/-
All Side Adjustable	Black (Upto 15W)	24W	2700K	Ø 110 x 116(H)	Ø 95	3550/-	4325/-	4225/-	4785/-	5865/-
All Side Adjustable	,	33W 7W		Ø 130 x 139(H)	Ø 115	4320/-	5000/-	4985/-	5720/-	6605/-
Tight (1)	PLATINUM-K	9W	LED	SQ. 90 x 71(H) SQ. 90 x 71(H)	SQ. 80 SQ. 80	2365/- 2400/-	3120/- 3165/-	2905/- 2950/-	3555/- 3605/-	6065/- 4995/-
A COLOR	LFSL1101	12W	CREE	SQ. 90 x 94(H)	SQ. 80	2555/-	3180/-	3090/-	3735/-	5105/-
	Body Color	15W	4000K	SQ. 90 x 94(H)	SQ. 80	2645/-	3780/-	3375/-	3850/-	5180/-
	White /	18W	3000K	SQ. 110 x 116(H)	SQ. 95	3050/-	4165/-	3770/-	4300/-	5545/-
All Side Adjustable	Black (Upto 15W)	24W	2700K	SQ. 110 x 116(H)	SQ. 95	3550/-	4325/-	4225/-	4785/-	5865/-
All Side Adjustable	,	33W		SQ. 130 x 139(H)	SQ. 115	4320/-	5000/-	4985/-	5720/-	6605/-
TEN .	PLATINUM-L	14W		175 x 90 x 71(H)	165 x 80(H)	4575/-	6090/-	5655/-	6950/-	11970/-
a B	LFGL1102	18W	LED CREE	175 x 90 x 71(H)	165 x 80(H)	4640/-	6175/-	5740/-	7050/-	9825/-
	Bed 61	24W	5	175 x 90 x 94(H) 175 x 90 x 94(H)	165 x 80(H)	4955/- 5135/-	6205/- 7395/-	6025/- 6595/-	7315/- 7545/-	10055/- 10200/-
	Body Color White /	30W 36W	4000K	220 x 110 x 116(H)	165 x 80(H) 205 x 95(H)	5790/-	8020/-	7230/-	8290/-	10200/-
Till the state of	Black (Upto	48W	3000K 2700K	220 x 110 x 116(H)	205 x 95(H) 205 x 95(H)	6790/-	8335/-	8135/-	9260/-	11420/-
All Side Adjustable	30W)	66W		260 x 130 x 139(H)	245 x 115(H)	8335/-	9690/-	9665/-	11135/-	12900/-
		7W	150	Ø 88 x 85(H)	Ø 75	2175/-	2930/-	2715/-	3360/-	5870/-
	PLATINUM-M	9W	LED CREE	Ø 88 x 85(H) Ø 88 x 85(H)	Ø 75 Ø 75	2205/-	2930/-	2715/-	3410/-	4795/-
8	LFSL1110	12W	4000K	Ø 88 x 108(H)	Ø 75	2360/-	2970/-	2895/-	3545/-	4910/-
IP-54		15W	3000K 2700K	Ø 88 x 108(H)	Ø 75	2450/-	3580/-	3180/-	3655/-	4985/-
	I .	I	l .	, <i>,</i>	l .	•	· ·	•	l	l



				#Be	TheLight					
			LED Brand					Dealer List Pric	e	
Image	Product Name & Code	Wattage	Color Temp. (CCT)	Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable
		7W (Small)		NA	NA	285/-	NA	NA	NA	NA
(IIIIIIII)		(Small) 9W (Small)		NA	NA	285/-	NA	NA	NA	NA
CHARLE TO	Platinum	7W		NA	NA	220/-	NA	NA	NA	NA
	Accessories	9W	NA	NA	NA	220/-	NA	NA	NA	NA
	Honeycomb /	12W		NA NA	NA NA	220/- 220/-	NA NA	NA NA	NA NA	NA NA
	Soft Beam Lens	15W 18W		NA NA	NA NA	250/-	NA NA	NA NA	NA NA	NA NA
		24W		NA	NA	250/-	NA	NA	NA	NA
		33W		NA	NA	270/-	NA	NA	NA	NA
		40W		NA	NA	300/-	NA	NA	NA	NA
		7W	LED			50/-	NA	NA	NA NA	NA
* This additional Nett Rate is a	applicable for CRI	9W 12W	CREE			50/- 100/-	NA NA	NA NA	NA NA	NA NA
90 of Platinum se	ries.	15W	CKLL			100/-	NA NA	NA	NA NA	NA
_		18W	4000K			120/-	NA NA	NA	NA NA	NA
* No additional discount will	be given on the	24W	3000K			150/-	NA	NA	NA	NA
same.		33W	2700K			180/-	NA	NA	NA	NA
		40W				200/-	NA	NA	NA	NA
			1.0	D DOWN /	SPOTUG					
A		1	L	DOWN /	Jr OT LIG		ı	1	1	1
		12W	LED	Ø 105 x 59.5(H)	Ø 90	1960/-	2585/-	2495/-	3140/-	4510/-
	SKEW	15W	CREE	Ø 105 x 59.5(H)	Ø 90	2015/-	3125/-	2730/-	3200/-	4510/-
	LFSL1111A	24W	4000K 3000K 2700K	Ø 135 x 69.5(H)	Ø 120	3535/-	4210/-	4200/-	4750/-	5815/-
Asymmetric		28W	2700K	Ø 135 x 69.5(H)	Ø 120	3535/-	4210/-	4200/-	4935/-	5815/-
		7W		Ø78 x 55(H)	Ø 72	835/-	1660/-	1375/-	2020/-	4530/-
		10W	LED	Ø78 x 55(H)	Ø 72	895/-	NA 1000 /	1475/-	2165/-	3390/-
	DADILIC	12W	BRIDGELUX	Ø103 x 58(H)	Ø 98	970/-	1920/-	1505/-	2150/-	3520/-
1	RADIUS	15W	WILL	Ø103 x 58(H)	Ø 98	1025/-	2265/-	1740/-	2210/-	3645/-
	LFDL1077R	20W	WHT NWT	Ø153 x 58(H)	Ø 148	1375/- 1525/-	2815/- 2915/-	2030/- 2190/-	2560/- 2740/-	3805/- 3945/-
•		25W 30W	WWT	Ø153 x 58(H)	Ø 148		3385/-		3205/-	4090/-
		35W	1	Ø211 x 58(H) Ø211 x 58(H)	Ø 206 Ø 206	1805/- 1865/-	4110/-	2470/- 2870/-	3630/-	6370/-
EXTRA Discounting	SHARP LFSL1041R	10W	LED CREE NWT WWT	Ø70 x 69(H)	Ø 63	3350/-	NA	NA	NA	NA
		3W	LED CREE	Ф35 х 36(Н)	Ø 31	1000/-	NA	NA	NA	NA
	EVA LFSL1078R	9W	NWT WWT	Ф57 х 50(Н)	Ø 52	1110/-	1850/-	1655/-	2300/-	NA
		12W	VV VV I	Ф77 х 70(Н)	Ø 72	1395/-	2020/-	1930/-	2575/-	5090/-
		7W	LED CREE	Ø60 x 78(H)	Ø 50	985/-	1805/-	1545/-	2170/-	4590/-
	VISTA LFSL1046R	12W	WHT NWT	Ø70 x 94(H)	Ø 62	1220/-	1970/-	1780/-	2405/-	3725/-
		18W	wwt	Ø84 x 125(H)	Ø 75	1760/-	2905/-	2520/-	3030/-	4235/-
		6W	LED CREE	Ø80 x 80(H)	Ø72	1570/-	2630/-	2235/-	2880/-	5390/-
	RACE LFSL1007R	12W	NWT	Ø105 x 92(H)	Ø98	1805/-	2875/-	2480/-	3125/-	4495/-
		20W	WWT	Ø135 x 126(H)	Ø125	2905/-	4765/-	3785/-	4315/-	5565/-
	ASTRUM LFDL907A	7W	LED BRIDGELUX	Ø91 x 90 (H)	Ø83	1345/-	2355/-	1970/-	2595/-	3915/-
	( Inner Ring Black / Gold )	12W	NWT WWT	Ø91 x 90 (H)	Ø83	1625/-	2525/-	2140/-	2765/-	4085/-

#BeTheLight										
Image	Product Name & Code	Wattage	Color Temp. (CCT)	Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Pealer List Prio Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable
	DELON LFSL1037A	5W	LED BRIDGELUX NWT WWT	SQ. 52 x 69(H)	SQ. 48	1140/-	NA	NA	NA	NA
	DELON LFSL1037B	10W	LED BRIDGELUX NWT WWT	92(L)x52(W)x69(H)	88(L) x 48(W)	2025/-	NA	2450/-	3155/-	NA
	DELON LFSL1037C	15W	LED BRIDGELUX NWT WWT	132(L)×52(W)×69(H )	128(L) x 48(W)	2650/-	NA	3325/-	3835/-	5040/-
	DELON LFSL1037D	20W	LED BRIDGELUX NWT WWT	SQ. 92 x 69(H)	SQ. 88	3305/-	NA	3990/-	4500/-	5705/-
		2 x 2W = 4W		52 x 32 x 40(H)	47 x 27.5	840/-	NA	NA	NA	NA
		3 x 2W = 6W		62 x 32 x 40(H)	57 x 27.5	955/-	NA	NA	NA	NA
	MINI ANGEL	4 x 2W = 8W	LED OSRAM	52 x 52 x 40(H)	47 x 47	1315/-	NA	NA	NA	NA
	LFSL1050	6 x 2W = 12W	NWT WWT	108 x 32 x 40(H)	104 x 27.5	1495/-	NA	2030/-	2940/-	NA
		9 x 2W = 18W		71 x 71 x 40(H)	66 x 66	2250/-	NA	2420/-	3330/-	5535/-
		12 x 2W = 24W		204 x 32 x 40(H)	200 x 27.5	2660/-	NA	3185/-	3740/-	NA
	BEACON LFSL1042A	11W	LED BRIDGELUX NWT WWT	120(L)x55(W)x57(H )	110(L)×45(W)	4405/-	NA	5195/-	5650/-	6910/-
Rimless	BEACON LFSL1042B	11W	LED BRIDGELUX NWT WWT	207(L)x77(W)x66(H )	157(L)x80(W)	5680/-	NA	6830/-	7280/-	8540/-
	BEACON LFSS1043A	7W	LED BRIDGELUX NWT WWT	105(L)x38(W)x64(H )	NA	4555/-	NA	NA	NA	NA
Emited Stock  BYTRA  Discount	BEACON LFSS1043B	7W	LED BRIDGELUX NWT WWT	105(L)×38(W)×104( H)	NA	4885/-	NA	NA	NA	NA

#BeTheLight										
Image	Product Name & Code	Wattage	LED Brand  Color Temp. (CCT)	Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Pealer List Pric Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable
EMTRA Discourt	BOCK LFSL1008R	12W	LED CREE NWT WWT	Ø92 x 107(H)	Ø84	2550/-	3680/-	3280/-	3925/-	5295/-
EXTRA EXTRA	воск	12W	LED CREE NWT WWT	SQ.92 x 107(H)	SQ.84	2550/-	3680/-	3280/-	3925/-	5295/-
instead Store EXTRA	LFSL1008S	24W	LED CREE NWT WWT	175(L)x 92(W) x 107(H)	166(L)×84(W)	5510/-	7800/-	7005/-	8300/-	11035/-
	BOAST LFSL1006R HOUSING - WHITE	7W	LED CREE NWT WWT	Ø74 x 65(H)	Ø68	1135/-	1945/-	1675/-	2325/-	4835/-
EXTRA	REFLECTOR - WHITE / BLACK / COPPER / CHAMPAGNE GOLD	12W	LED CREE NWT WWT	Ø85 x 78(H)	Ø80	1325/-	2055/-	1860/-	2505/-	3875/-
			LE	D SPOT LIGH	IT (RIMLE	SS)				
Rimless	BEACON LFSL1042B	11W	LED BRIDGELUX NWT WWT	207(L)x77(W)x66(H )	157(L)x80(W)	5680/-	NA	6830/-	7280/-	8540/-
	LUMIX - A LFSL1045A	9W	LED BRIDGELUX NWT WWT	Ø124 x 111(H)	Ø 90	3090/-	NA	5040/-	5040/-	NA
	LUMIX - B LFSL1045B	18W	LED BRIDGELUX NWT WWT	Ø159 x 111(H)	Ø 125	5500/-	NA	9400/-	9400/-	NA
	LUMIX - C LFSL1045C	27W	LED BRIDGELUX NWT WWT	Ø169 x 111(H)	Ø 135	7820/-	NA	13670/-	13670/-	NA
	T	L	ED RECES	SSED WATER	PROOF S	POT LIGH	IT			
	ADAH LFDL1018R IP-54	2W	LED CREE	Ø45 x 45(H)	Ø40	1455/-	NA	NA	NA	NA
Aver	DINAL LFSL1022R IP-54	12W	LED CREE NWT WWT	Ø78 x 72(H)	Ø70	1985/-	2885/-	2500/-	3125/-	4445/-
	DINAL LFOD1022R IP-65	12W	LED CREE NWT WWT	Ø78 x 72(H)	Ø70	<b>2</b> 315/-	NA	NA	NA	NA



#### **LED CABINET SPOT LIGHT**



Image



**Product Name** 

& Code

Wattage









	SPOT LIGHT		SNOOT	LIGH	ITING HOOD	<u> </u>	RIMLESS	Α	CCESSORIES	
	ACE LFSL1084R	1W	LED OSRAM WHT NWT WWT	Ø25 x 38.5(H)	Ø20	830/-	NA	NA	NA	NA
	ACE LFSL1084C	SNOOT ACCESSORI ES	NA	With Fixture Size: Ø25 x 48.5(H)	Ø20	125/-	NA	NA	NA	NA
	ACE LFSL1084D	LIGHTING HOOD ACCESSORI ES	NA	With Fixture Size: Ø25 x 48.5(H)	Ø20	125/-	NA	NA	NA	NA
-0-	ACE LFSL1084E	RIMLESS ACCESSORI ES	NA	With Fixture Size: Ø50.5 x 38.5(H)	Ø33	380/-	NA	NA	NA	NA
	ACE LFSL1084F	4 Way Connector to connect 4 Lights	NA	Cable Length 1000mm	NA	405/-	NA	NA	NA	NA
	ACE LFSL1084G	Driver	NA	For 4 Pcs of LFSL1084R - 1W	NA	380/-	NA	NA	NA	NA
Tinu A	ZOHRAN LFDL1017R	2W	LED CREE NWT WWT	Ø40 x 32(H)	Ø36	1205/-	NA	NA	NA	NA
	DINA LFSL1020R (20° ~ 60°) (BEAM ANGLE ADJUSTABLE)	2.5W	LED CREE NWT WWT	Ø58 x 48(H)	Ø50	1310/-	NA	NA	NA	NA

<b>^</b>	LP	HÎ	R
	#Be	TheLight	

				#Be	TheLight					
			LED Brand					ealer List Pric	e	
Image	Product Name & Code	Wattage		Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable

### LED DISPLAY / SHOWCASE LIGHT







	620		6				* Prices m	entioned are	without 24V	Power Supply
	DAWNA LFJW639A	5W	LED CREE 3000K 4000K 5000K	110 x 71 x 37	NA	2305/-	NA	NA	NA	NA
	DAWNA LFJW639B	5W	LED CREE 3000K 4000K 5000K	228 x 101.5 x 37	NA	2435/-	NA	NA	NA	NA
	9-18VDC @ 350mA	For 1 Proc	luct-FULHAM	80(L) x 40(W) x 27(H)	NA	330/-	NA	NA	NA	NA
	DAWNA LFJW639C	3W	LED CREE 3000K 4000K 5000K	Ø10 x 200(H)	NA	2040/-	NA	NA	NA	NA
	DAWNA LFJW639D	3W	LED CREE 3000K 4000K 5000K	327 x 61.5 x 10	NA	2345/-	NA	NA	NA	NA
	9-18VDC @ 300mA	For 1 Proc	luct-FULHAM	80(L) x 40(W) x 27(H)	NA	330/-	NA	NA	NA	NA
<b>\$</b>	LFJW638A	NA	SINGLE CONNECTOR	NA	NA	565/-	NA	NA	NA	NA
1 11	LFJW638B	NA	DOUBLE CONNECTOR	NA	NA	1135/-	NA	NA	NA	NA
	ZIA LFJW636A	5W	LED CREE 3000K 4000K 5000K	53.5(L)x25.5(W)x56 (H)	NA	2515/-	NA	NA	NA	NA
	ZIA LFJW637A	5W	LED CREE 3000K 4000K 5000K	104(L) x 25(W) x 7(H)	NA	2470/-	NA	NA	NA	NA
	ZIA LFJW637B	4W	LED CREE 3000K 4000K 5000K	53(L) x 25(W) x 18(H)	NA	2680/-	NA	NA	NA	NA
	LFJW635		NA	300(L)	NA	1150/-	NA	NA	NA	NA
	A-B-C-F (Magnetic		NA NA	600(L)	NA NA	1770/-	NA NA	NA	NA NA	NA
	Track)		NA NA	900(L) 2000(L)	NA NA	2890/- 5280/-	NA NA	NA NA	NA NA	NA NA
		l	1	-550(2)		2230/	140	14/4	. VA	

				#Be	TheLight					
			LED Brand				0	Dealer List Pric	e	
Image	Product Name & Code	Wattage		Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable
	9-18VDC @ 350mA	NA	For 1 Product- FULHAM	80(L) x 40(W) x 27(H)	NA	330/-	NA	NA	NA	NA
MODEL: TIRANGO OFF	7-12VDC @ 700mA	NA	For 2 Product- FULHAM	80(L) x 40(W) x 27(H)	NA	330/-	NA	NA	NA	NA
OUTPUT FORMER TO A MATERIAL OF THE PROPERTY OF	LFPSMW083501 2T	35W	For 3-5 Product-	99(L) x 82(W) x 30(H)	NA	1375/-	NA	NA	NA	NA
	LFPSMW080501 2T	50W	For 6-10 Product-	99(L) x 82(W) x 30(H)	NA	1485/-	NA	NA	NA	NA
	LFPSMW090751 2T	75W	For 11-14 Product-	99(L) x 97(W) x 30(H)	NA	1780/-	NA	NA	NA	NA
	LFPSMW091001 2T	100W	MEANWELL	129(L) x 97(W) x 30(H)	NA	2000/-	NA	NA	NA	NA
Title	LFPSMW101501 2T	150W	For 15-24 Product-	159(L) x 97(W) x 30(H)	NA	2485/-	NA	NA	NA	NA
	LFPSMW112001	200W	MEANWELL	215(L) x 115(W) x	NA	3265/-	NA	NA	NA	NA

# LED MAGNETIC TRACK LIGHT



		<i>]</i>      <i> </i>					_			
		-4111	**	_		1	* Prices m	entioned are	without 24V I	Power Supply
	MARBUL LFTL931C	2W	LED OSRAM NWT WWT	34(L)x34(W)x55.5( H)	NA	1630/-	NA	Available	Available	Available
	MARBUL LFTL931D	6W	LED OSRAM NWT WWT	94(L)x34(W)x55.5( H)	NA	2455/-	NA	Available	Available	Available
	MARBUL LFTL931E	12W	LED OSRAM	165(L)x34(W)x55.5 (H)	NA	3020/-	NA	Available	Available	Available
HERRE	MARBUL LFTL931V	18W	NWT WWT	323(L)x34(W)x55.5 (H)	NA	4540/-	NA	Available	Available	Available
	MARBUL LFTL931F	10W	LED	320(L)x34(W)x56.5 (H)	NA	3630/-	NA	Available	Available	Available
	LFTL931S	20W	BRIDGELUX NWT	640(L)x34(W)x56.5 (H)	NA	6080/-	NA	Available	Available	Available
	MARBUL LFTL931G	30W	wwt	960(L)x34(W)x56.5 (H)	NA	8470/-	NA	Available	Available	Available
	MARBUL LFTL931T	12W	LED OSRAM NWT WWT	137(L) x 34(W) x 56.5(H)	NA	4255/-	NA	Available	Available	Available
	MARBUL LFTL931J	12W=6 x 2W	LED OSRAM	232(L)x34(W)x182( H)	NA	6345/-	NA	Available	Available	Available
MANNE	MARBUL LFTL931W	18W=12x 1.5W	NWT WWT	323(L)x34(W)x182( H)	NA	9855/-	NA	Available	Available	Available

_	•	R
	77	
#BeTh	eLight	

					#Be	TheLight								
LFTL931U   GW   NWT   WWT   B36 x 54(N)   NA   3935/- NA   Available   Avail	Image		Wattage	Color	(mm)		(3 Years	RF Tunable White +	Triac	(0/1-10V) Analog				
MARBUL   15W		LFTL931U	6W	NWT	Ø34 x 54(H)	NA	3935/-	NA	Available	Available	Available			
MARBUL   LFTL931 A/8/N			15W	NWT	Ø70 x 112(H)	NA	4595/-	NA	NA	NA	NA			
MARBUL   LFTL931 M				SUDEACE/			2305/-	NA	NA	NA	NA			
R = 2 MTR				RECESSED/	1000(L) x 40(W) x	NA	3850/-	NA	NA	NA	NA			
LFTL931L				TRACK	2000(L) x 40(W) x		7660/-	NA	NA	NA	NA			
LFIL931M	1	LFTL931L	NA NA		RECESSED KIT (1	NA	285/-	NA	NA	NA	NA			
LFTL931N	5 8	LFTL931M	NA			NA	630/-	NA	NA	NA	NA			
NA		LFTL931N	CONNECT USE WITH MALE & FEMALE PIN AT		L-65MM	NA	515/-	NA	NA	NA	NA			
LFTL9311 NA NA (CORNER CONNECTOR) NA 1935/- NA	:		NA	NA	I - CONNECTOR	NA	120/-	NA	NA	NA	NA			
LFTL9310 NA NA CONNECTOR NA 2175/- NA			NA	NA	(CORNER	NA	1935/-	NA	NA	NA	NA			
LFTL931Q NA NA TRACK COVER NA 430/- NA		LFTL931O	NA	NA		NA	2175/-	NA	NA	NA	NA			
LFTL931Q NA NA (PLASTIC) NA 430/- NA		LFTL931P	NA	NA		NA	2175/-	NA	NA	NA	NA			
LFTL931R NA NA POR SURFACE/PENDAN T TRACK)  24 V DC NON DIMMABLE CONSTANT VOLTAGE POWER SUPPLY – OSRAM  (Suitshle for Inbuilt with LETI 931R box)		LFTL931Q	NA	NA		NA	430/-	NA	NA	NA	NA			
(Suitable for Inhuilt with LETI 921R box)		LFTL931R			BOX (SUITABLE FOR SURFACE/PENDAN T TRACK)		-		NA	NA	NA			
LFPSOS010242 4T  24W  24V DC  130(L) x 41(W) x 31(H)  1 Amp  830/-  NA  NA  NA  NA  NA  NA  NA  NA  NA  N			24 V D	NON DIMM			/ER SUPPLY –	OSRAM						
LFPSOS020502 4T 24V DC 190(L) x 46(W) x 2 Amp 1370/- NA NA NA NA NA	7 Files		24W	24V DC		1 Amp	830/-	NA	NA	NA	NA			
	On the last		50W	24V DC		2 Amp	1370/-	NA	NA	NA	NA			

					TheLight	R					
Image	Product Name & Code	Wattage	LED Brand Color	Dimension (mm)	Cutout (mm)	Standard (3 Years	RF Tunable White +	Dealer List Prio	(0/1-10V) Analog	Dali	
	& Code		Temp. (CCT)	(111111)	(111111)	Warranty)	DIMMABLE	Dimmable	Dimmable	Dimmable	
TRIAC DIMMABLE CONSTANT VOLTAGE POWER SUPPLY (24V DC)											
Co Design	LFPSTD070362 4T	36W	24V DC	175(L)x44(W) x30(H)	1.5 Amp	3045/-	NA	NA	NA	NA	
5000 man	LFPSTD080752 4T	75W	24V DC	204(L)x62(W) x34(H)	3.15 Amp	6085/-	NA	NA	NA	NA	
	LFPSTD091502 4T	150W	24V DC	273(L)×57(W) ×37(H)	6.25 Amp	9130/-	NA	NA	NA	NA	
ANALOG DIMMABLE CONSTANT VOLTAGE POWER SUPPLY (24V DC) - MEANWELL											
	LFADM001040 24T	40W	24VDC	150(L)x53(W) x35(H)	1.67 Amp	3785/-	NA	NA	NA	NA	
	LFADM002060 24T	60W	24VDC	150(L)x53(W) x35(H)	2.5 Amp	4070/-	NA	NA	NA	NA	
10 10 10 10 10 10 10 10 10 10 10 10 10 1	LFADM003075 24T	75W	24VDC	180(L)x63(W) x35.5(H)	3.15 Amp	4570/-	NA	NA	NA	NA	
	LFADM004100 24T	100W	24VDC	199(L)x63(W) x35.5(H)	4 Amp	4985/-	NA	NA	NA	NA	
	LFADM005150 24T	150W	24VDC	219(L)x63(W) x35.5(H)	6.25 Amp	5425/-	NA	NA	NA	NA	
	LFADM006200 24T	200W	24VDC	244(L)x71(W) x37.5(H)	8.4 Amp	6650/-	NA	NA	NA	NA	
	LFADM007240 24T	240W	24VDC	244(L)x71(W) x37.5(H)	10 Amp	6970/-	NA	NA	NA	NA	
D	ALI DIMM	ABLE CO	ONSTANT	VOLTAGE P	OWER SU	JPPLY (24	IV DC) - N	1EANWEL	.L		
oro (See Chart San See See Co	LFDDM017075 24T	75W	24V DC	180(L)x63(W) x35.5(H)	3.15 Amp	5230/-	NA	NA	NA	NA	
	LFDDM019150 24T	150W	24V DC	219(L)x63(W) x35.5(H)	6.25 Amp	6420/-	NA	NA	NA	NA	
			NON D	IMMABLE [	DRIVER (2	4V DC)					
	LFPSMW0103 524T	35W	24V DC	99(L) x 82(W) x 30(H)	1.45 Amp	1220/-	NA	NA	NA	NA	
	024T	50W	24V DC	99(L) x 82(W) x 30(H)	2 Amp	1320/-	NA	NA	NA	NA	
	LFPSMW0207 524T LFPSMW0310	75W	24V DC	99(L) x 97(W) x 30(H)	3 Amp	1575/-	NA	NA	NA	NA	
C.	024T LFPSMW0615	100W	24V DC	129(L) x 97(W) x 30(H) 159(L) x 97(W) x	4 Amp	1780/-	NA	NA	NA	NA	
	024T LFPSMW0420	150W	24V DC	30(H) 215(L) x 115(W) x	6.25 Amp	2185/-	NA	NA	NA	NA	
	024T	200W	24V DC	30(H)	8.33 Amp	2990/-	NA	NA	NA	NA	
				D SURFACE	SPOT LIG	н					
TETH SURFACE LIGHT	SPOT LIGHT										
FUNNEL - LFSS1079 / LFSL1079											
	FUNNEL	12W	LED CREE	Ø81 x 110(L) x 150(H)	NA NA	2135/-	2840/-	2750/-	3395/-	4765/-	
	LFSS1079 A / B	18W	NWT	Ø81 x 110(L) x 150(H)	NA	2190/-	3480/-	2785/-	3515/-	4765/-	
	Body Color (White/Black)	30W	wwt	Ø94 x 137(L) x 165(H)	NA	3090/-	3880/-	4905/-	6855/-	5485/-	
	FUNNEL	12W	LED CREE	Ø81 x 100(L) x 140(H)	Ø 90	2205/-	2910/-	2820/-	3465/-	4835/-	
	LFSL1079 A / B	18W	NWT	Ø81 x 100(L) x 140(H)	Ø 90	2255/-	3550/-	3060/-	3590/-	4835/-	
	Body Color (White/Black)	30W	WWT	Ø94 x 100(L) x 150(H)	Ø 90	3150/-	3945/-	3930/-	4665/-	5550/-	

	•	B
#BeT	heLigi	nt

			LED Brand	#D6	TheLight		Dealer List Price		ce	
Image	Product Name & Code	Wattage	Color Temp. (CCT)	Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable
Total Control of the	FUNNEL	12W	LED CREE	Ø81 x 205(L) x 185(H)	NA	2395/-	3205/-	3115/-	NA	NA
	LFTL1079 A/B	18W	NWT	Ø81 x 205(L) x 185(H)	NA	2445/-	3845/-	3150/-	NA	NA
	Body Color (White/Black)	30W	wwt	Ø94 x 205(L) x 195(H)	NA	3415/-	4235/-	5260/-	NA	NA
	LFGA1079A	12W 18W	ACCESSORIES	Honeycomb	NA	85/- 85/-	NA NA	NA NA	NA NA	NA NA
		30W 12W				120/- 250/-	NA NA	NA NA	NA NA	NA NA
	LFGA1079B	18W 30W	ACCESSORIES	Snoot / Pin Hole	NA	250/- 315/-	NA NA	NA NA	NA NA	NA NA
	LFGA1079C	12W 18W	ACCESSORIES	Lighting hood / Wall Washer	NA	315/- 315/-	NA NA	NA NA	NA NA	NA NA
	30W					380/- 900/-	NA NA	NA NA	NA NA	NA NA
7		ACCESSORIES	Barn Door	NA	900/-	NA	NA	NA	NA	
97		30W				1060/-	NA	NA	NA	NA
O O Immed Stock EXTRA	DELON LFTL1037X	20W	LED BRIDGELUX NWT WWT	1 Circuit Track 86(L) x 86(W) x 186(H)	NA	4530/-	NA	5035/-	NA	NA
D D D Instead Store EXTIRA Discount	DELON LFTL1037X	30W	LED BRIDGELUX NWT WWT	1 Circuit Track 126(L) x 86(W) x 186(H)	NA	6535/-	NA	NA	NA	NA
EXTRA	DELON LFCL1037B	30W	LED BRIDGELUX NWT WWT	126(L) x 85(W) x 175(H)	NA	6520/-	NA	NA	NA	NA
D D Consideration of the Extra	DELON LFCL1037C	20W	LED BRIDGELUX NWT WWT	86(L) x 86(W) x 145(H)	NA	5070/-	NA	5585/-	NA	NA
EXTRA Discount	DELON LFSS1037C	5W	LED BRIDGELUX NWT WWT	44(L) x 44(W) x 400(H)	NA	1955/-	NA	NA	NA	NA
	LFXC054XXXX CWT	con	& Remote stroller + Dimmable)	145(L) x 48(W) x 19(H)	NA	800/-	NA	NA	NA	NA
	LFXC058XXXX CWT	controller	wall panel r (Wall Touch anel)	86(L) x 86(W) x 15(H)	NA	2000/-	NA	NA	NA	NA
• =	LFXC059XXXX CWT	mode cor	all panel scene ntroller (Wall h Panel)	86(L) x 86(W) x 15(H)	NA	2000/-	NA	NA	NA	NA
The state of the s	LFXC060XONO FFT	with LFXC	cts ON - OFF 054XXXXCWT emote 40V (5Amp)	111.5(L) x 42.5(W) x 27.5(H)	NA	1225/-	NA	NA	NA	NA

	#BeTheLight **												
				LED Brand		9.10	Dealer List Price						
	Image	Product Name & Code	Wattage	Color Temp. (CCT)	Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable		
	LED OFFICE LIGHT												
	LIGHTBAR												
								UP 8	DOWN				
V	LIGHTBAR LFOF1080 A / B Body Color (White / Black)		Total: 56W Up:12W Down: 24W (COB) Down: 20W (SMD)	LED-Up SMD : Bridgelux Down SMD : Osram Down COB : Bridgelux	1120(L) x 40(W) x 85(H)	NA	13135/-	NA	NA	NA	NA		
					ZODI	AC							
	REAL PROPERTY.	ZODIAC LFXPL1089B Body Color Black		Can be used maximum 5 spots	Ø600 x 31(H) x 1800 (Wire Length)	NA	9575/-	NA	NA	NA	NA		
		ZODIAC LFXPL1089C Body Color Black	(Empty Fixture )  Magnetic Ring Can be used maximum 10	Ø900 x 31(H) x 1800 (Wire Length)	NA	12690/-	NA	NA	NA	NA			
		ZODIAC LFXPL1089D Body Color Black		spots	Ø1200 x 31(H) x 1800 (Wire Length)	NA	16920/-	NA	NA	NA	NA		
		ZODIAC LFXPL1089A	6W	LED CREE 3000K	53(L) x 25(W) x 56(H)	NA	2585/-	NA	NA	NA	NA		
					ORB	IT							
<b>\</b>	NEW P	ORBIT LFXPL1088R Body Color White 50W		Ø 600 x 1500mm (Wire Length)	NA	14695/-	NA	NA	NA	NA			
-8			36W	SWITCH TUNABLE 3000K-4000K	Ø 900 x 1800mm (Wire Length)	NA	18790/-	NA	NA	NA	NA		
			50W		Ø 1200 x 1800mm (Wire Length)	NA	27385/-	NA	NA	NA	NA		

#BeTheLight											
Image	Product Name & Code	Wattage	Color Temp. (CCT)	Dimension (mm)	Cutout (mm)	Standard (3 Years Warranty)	RF Tunable White + DIMMABLE	Pealer List Prio Triac Dimmable	(0/1-10V) Analog Dimmable	Dali Dimmable	
LUNAR											
TREM	LUNAR LFXPL1087R	30W	LED OSRAM	Ø 380 x 38(H) x 1500mm (Wire Length)	NA	13135/-	NA	NA	NA	NA	
	Body Color White	38W	TUNABLE 3000K-4000K	Ø 600 x 38(H) x 1500mm (Wire Length)	NA	26270/-	NA	NA	NA	NA	
			LED IN	DOOR LIGH	Γ / TABLE	LAMP					
	CANEL LFIF1082	зw	LED CREE WWT	Ø 29 x 125(H) (with driver junction box 160(H)mm)	NA	2095/-	NA	NA	NA	NA	
Lamined Store & EXTENS AND DESCRIPTION	PHAROS LFDK1044 Tunable DIMMABLE	7W	LED EPISTAR 2500K+ 3500K+ 4500K	100(L) x 60(W) x 100(H)	NA	NA	6090/-	NA	NA	NA	
				LED FOO	T LIGHT						
	ARCHER LFFT1085R	1W	LED OSRAM WWT	Ø 25 x 35 (H)	Ø 20	1075/-	NA	NA	NA	NA	
	ORIEL LFFT1086R	3W	LED OSRAM WWT	Ø 45 x 26 (H)	Ø 35	1600/-	NA	NA	NA	NA	
			24V DC (	COB FLEXIBL	E LED ST	RIP LIGHT	•				
	LFFS1121X	7W	LED EPISTAR DRIVER MEANWELL 4000K 3000K	Length - 5Mtr x Width - 5mm	IP - 20	865/-	NA	NA	NA	NA	
	LFFS1121X	10W	LED EPISTAR DRIVER MEANWELL 6500K 4000K 3000K	Length - 5Mtr x Width - 8mm	IP - 20	665/-	NA	NA	NA	NA	
	LFAC1121A	10W	Straight Joiner	NA	IP - 20	70/-	NA	NA	NA	NA	
	LFAC1121B	10W	L - Joiner	NA	IP - 20	160/-	NA	NA	NA	NA	
	LFAC1121C	10W	Main Power cable to connect Powersupply	NA	IP - 20	105/-	NA	NA	NA	NA	
	LFAC1121D	10W	Loop in - Loop out wire	NA	IP - 20	175/-	NA	NA	NA	NA	



## **Warranty Policy**

1. Warranty: - Warranty will be provided for product on basis of WIRE LABEL/ BATCH CODE. Product without wire label reference image shown below will be treated as OUT OF WARRANTY and customer will have to pay repair charges for the same. Damaged or tampered products will be considered as OUT OF WARRANTY. Warranty is valid on LED Light and LED driver only if purchased together. If the customer sells the product without wire label due to non-branding in that case warranty will be void no excuses will be considered. Lafit reserves the rights to conclude the result of the product to be considered as guarantee or warranty. 1, 2 & 3 years warranty on manufacturing defect of products also depending on the category of the product.

LFSL926R01240M

COB COLOR: NEUTRAL WHITE

MFG DATE: 0319

Warrenty Voids If This Label Is Missing


COB MAKE: CREE

DRIVER:CC 300mA,40VDC(PH

POWER: 12W

**BODY: WHITE+WHITE** 

**IP20** 



- 3. Replacement & Repairs: Products with inbuilt drivers, driver on board products, Panels & below 3w will be replaced piece to piece. In case of Driver failure in other products it will be replaced with spare drivers. If LED/COB/PCB is not working then it will be replaced with new LED/COB/PCB. No home service for repairs will be provided to any customer.
- 4. Return Policy: Return material will not be accepted unless the goods are DEFECTIVE and under warranty. Customer should return faulty material on immediate basis so that we can repair it and send back within two or three days. Outstation customers should send material on weekly basis or maximum in 15 days interval, with proper list of products. Samples will be given on non-returnable basis only.



- 5. **Packing:** Customer should send material along with documentation for repair with appropriate **PACKING/PROTECTION** so that product won't get damage during transportation.
- 6. **Defective Pickup:** -Customer should give prior information of faulty material so that we can arrange **FREE** pickup; wherever possible. Rejected/rework material will be picked up by our Company at **COMPANY'S COST**. Through our **Fedex surface service A/c no. 984729618**
- 7. **Notes:** -If any issue/physical damage/mismatch occurs in dispatched material, customer should inform within a **day of receipt** of material. Customized order products will be on 100% advance basis and material will not be returned unless for repair purpose only. Outsource drivers / power supply supplied as per customers requirement will not be taken back unless it is defective and under warranty.

#### **Disclaimer**

- 1. Prices are subject to change without prior notice.
- 2. GST rates are additional.
- 3. Lafit reserves the right to discontinue any product from its collection at any time and without prior notice. It can be arranged if there is bulk quantity requirement.
- 4. Lafit also reserves the right to make technical and photometric modifications as well as to change any parts, details or finish deemed suitable for improvement purpose or due to commercial and construction requirement.
- 5. Lafit in any case will try to do everything in its power to ensure all data and information herein are correct and up-to-date, yet shall not be accountable if, regardless of proof reads, there should be inaccuracy or errors.
- 6. All disputes are subject to Mumbai Jurisdiction Only.
- 7. Product dimension and colour may vary from that shown in the catalogue.



TO GET MORE LATEST UPDATES ON NEXT LEVEL PRODUCTS AND TECHNOLOGY

FOLLOW US AND #BeTheLight



## LAFIT LIGHTING PVT LTD

225, Adhyaru Industrial Estate, New Sun Mill Compound, Sitaram Jadhav Marg, Lower Parel, Mumbai (MH) 400013 - INDIA

> Customer Care +91 8879665865 contact@lafitlighting.com