Ketan D Vora, DO, P.C.

INITIAL INTAKE SHEET					
	(wc) Ni	F LIEN ~			
Thorn	Limn		OS-20-21		
Patient Name:	<u> </u>	M F DOA:	anded: A / L		
	ge: Height: <u>5° (</u> _/SH R/KN L/KN R/	Weight: / H			
•		Low-back	np want warm		
R/Wri			y:%		
Type of Injury: MVA Work-Ro		or trauma: Y / N	.,.		
Asymptomatic prior to accident:	Y / N HISTORY DI PAR	ortrauma. 1 / N	9		
Pain in:					
Other 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	park a a manin	e When he att his s	Som cotti		
PedestrianBicyclist	MotorcyclistBus pass	sDriverFront Pass	_Rear Pass		
Vehicle hit: Rear	Front Driver-side fro	ont Driver side rear	Passenger side front		
Passenger side	rear T-Boned Drive	er side T-Bone Passenger s Y / N Police at So	ide		
Airbags deployed: Y / N	EMS Arrived:	Y / N Police at So	cene: Y / N		
Went to Hospital: Y / N Ho	espital name:	CA	Amb. Car		
PMH: None Diabetes HTN H	LD Astrima Cardiac Higiold	UA			
Meds: None /Pain meds\PRN					
Drug Allergy: Y /(N)		-			
Soc. His: Smake Y / N	ppd Alcohel Y (N) Re	creational Drugs Y 🕼 🚄	7		
PT/Chiro: () / N Duration:	Weeks/Months/Years	Relief: Good <i>[</i> Lit	/		
*****	s Stand: W Nmins		mins		
Unable to: Garden	Play sports Drive Lif	•	Reach overhead		
Laundry Shopping	Errands Kneel Sq	uat Stairs Jog Exercise			
PRESENT COMPLAINTS:					
R SH Pain/10	L<u>SH</u> Pain ⊘y /10	<u>R KN</u> Pain	<u>LKN</u> Pain/10		
Constant Intermittent	Constant Intermittent	Constant Intermittent	Constant Intermittent		
Stiff Weak Pop Click	Stiff Weak Pop Click	Stiff Weak	Stiff Weak		
Reach overhead Y / N	Reach overhead Y / N	Diff rising from chair(Y) N	Diff rising from chair Y / N		
Reach back Y / N	Reach back Y / N	Diff w/ stairs / CV/N	Diff w/ stairs Y/N		
Unable to sleep at night	Unable to sleep at night	Clieb Pop Buckl Wock	Click Pop Buckl Lock		
Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice	Imp w/ Rest Med (PT) Ice	Imp w/ Rest Med PT Ice		
R HIP Pain/10	L HIP Pain/10	R ANK Pain/10	<u>L ANK</u> Pain/10		
Constant Intermit Lock	Constant Intermit Lock	Constant Intermittent	Constant Intermittent		
Pain w/ stand walk climb	Pain w/ stand walk climb	Pain w/ stand walk climb	Pain w/ stand walk climb		
Standing from sitting	Standing from sitting	Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice		
Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice				
	•				
R WRI Pain/10	<u>L WRI</u> Pain/10	<u>R ELB</u> Pain/10	<u>LELB</u> Pain/10		
Constant Intermittent	Constant Intermittent	Constant Intermittent	Constant Intermittent		
Weak Numb Tingle	Weak Numb Tingle	Weak Numb Tingle	Weak Numb Tingle		
Pain w/ lift carry drive	Pain w/ lift carry drive	Pain w/ lift carry drive	Pain w/ lift carry drive		
Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice		
1,11					
Other Complaints:					

<u>ROS</u>:

General: Fevers chills night sweats weight gain weight loss HEENT: Double vision eye pain eye red. hearing loss earache ear ringing nose bleeds sore throat hoarseness Endocrine: Cold intolerance appetite changes hair changes Skin: Clear no rashes or lesions Neuro: Headaches dizziness vertigo tremors Respiratory: Wheezing coughing shortness of breath difficulty breathing Cardiovascular: Chest pain murmurs irregular heart rate hypertension GI: Nausea vomiting diarrhea constipation jaundice change in bowel habits GU: Blood in urine painful urination loss of bladder control urinary retention Hematology: Active bleeding bruising anemia blood clotting disorders Psychiatric: Anxiety change in sleep pattern depression suicidal thoughts **PHYSICAL EXAMINATION:** CSPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L Pain w/ neck bend lift carry Impoves w/ Rest Med PT Ice ROM: Flex. ____/45 Ext. ____/45 R Lat Flex. ____/45 L Lat Ext. ____/45 Rot ____/60 LSPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L Pain w/ stand walk sit bend Impoves w/ Rest Med PT Ice ROM: Flex. _____/80 Ext. _____/25 R Lat Flex. _____/35 L Lat Ext. _____/45 Sac Hip Flex _____/45 R/SH: Swelling/Tender to palp → Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula Swelling / Tender to paip -> Supraspinate ...,

Heat Erythema Crepitus Deformity

Drop Arm Cross-Over Empty Can Yergason Deltoid Atrophy

---incoment Lift off test Hawkins ROM: Abd. ____/180 Add. ____/45 For Flex. ____/180 Ext. ____/60 IR ____/90 ER ____/90 IR: sacrum mid back _____no motor or sensory deficit L/SH: Swelling/Tender to palp→ Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula Deformity Crepitus Heat Erythema Drop Arm Cross-Over Empty Can Yergason Deltoid Atrophy
O'Brien's Impingement Lift off test Hawkins ROM: Abd. ____/180 Add. ____/45 For Flex. ____/180 Ext. ____/60 IR ____/90 ER ____/90 no motor or sensory deficit IR: sacrum mid back R /KN: Swelling / Tender along → Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa Heat Swelling Erythema Crepitus Deformity
McMurray Lachmans Pat. fem. grind Ant. draw Post. draw ROM: Flexion 110/130 Extension 0/5 _Stable varus/valgus ___no motor or sensory deficit L/KN: Swelling / Tender along → Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa Heat Swelling Erythema Crepitus Deformity McMurray Lachmans Pat. fem. grind Ant. draw Post. draw ROM: Flexion _____/130 Extension_____/5 ___Stable varus/valgus _____no motor or sensory deficit **R/HIP**: Swelling /Hematoma / Effusion / bruise ______ Trendelenburg +ve -ve Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful. ROM: Abd. ____/45 Add. ____/35 Flex. ____/120 Ext. ___/30 IR ____/45 ER ____/45 <u>L/HIP</u>: Swelling /Hematoma / Effusion / bruise ______ Trendelenburg +ve - ve Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful. ROM: Abd. ____/45 Add. ____/35 Flex. ____/120 Ext. ____/30 IR ____/45 ER ____/45

R/ANK: Swell/Hemato/ brui Tenderness to palpation → ROM: Dorsi flexion/2 L/ANK: Swell/Hemato/ brui Tenderness to palpation → ROM: Dorsi flexion/2	Med. aspect Lat. aspect O Plantar flex/50 se → Ant. Post. Lat. Ma Med. aspect Lat. aspect.	et. ROM: Full Limited Inversion/15 Evers alleo Ant Draw +ve - ve ROM: Full Limited	and painful. sion/15 Inv Stress +ve - ve I and painful.
R /WRI: Pain to palp. → Ulr		hoid/5 grip strength S	Swell Erythema Bruise
Tinel +ve -ve Phalen		au /20 Illnor day	/20
ROM: Flexion/80 E			
<u>L/WRI</u> : Pain to palp. → Ulr	nar styl. Distal rad. Scapl	noid/5 grip strength S	well Erythema Bruise
Tinel +ve - ve Phalen	+ve -ve		
ROM: Flexion/80 E	xtension/70 Radial d	ev/20 Ulnar dev	/30
R/ELB: Swell Erythema B Varus +ve -ve Valgus ROM: Flexion/150	+ve -ve Tinel +ve -	ve	Ned Epi Lat Epi Ole Pro
			- J Ent I at Ent Ola Dea
L/ELB: Swell Erythema Bi			eu chi fat chi nie Pro
Varus +ve -ve Valgus			
ROM: Flexion/150	Extension/150 Supin	/90 Pron/90	
Dx:			
Right Shoulder	Left Shoulder	Right Knee	Left Knee
SAR 011A Partial rot cuff tear	S46 012A Partial rot cuff tear	S83 241A Med Men, tear	S83,242A Med. Men. tear

S46.011A Partial rot cuff tear M75,121 Complete rot cuff tear M24.811 Internal derangement M75.01 Adhesive Capsulitis M75.81 Shoulder tendinitis S43.431A Labral tear S43.431A SLAP tear M75.41 Impingement M65.811 Tenosynovitis M75.51 Bursitis M75.21 Bicipital tendinitis M25.511 Pain S49.91XA Injury \$46,101A Biceps tendon tear M24.10 Glenoid chondr defect M94.211 Chondromal, glen/HH M67.211 Hypertroph. synovitis M89.311 AC joint hypertrophy M24.011 Loose Bodies M25.311 Shoulder instability M19.011 Primary osteoarthritis M25.411 Joint Effusion

S46.012A Partial rot cuff tear M75.122 Complete rot cuff tear M24.812 Internal derangement M75.02 Adhesive Capsulitis M75.82 Shoulder tendinitis S43.432A Labral tear S43.432A SLAP tear M75.42 Impingement M 65.812 Tenosynovitis M75.52 Bursitis M 75,22 Bicipital Tendinitis M25.512 Pain S49.92XA Injury S46.102A Biceps tendon tear M24,10 Glenoid chondr defect M94.212 Chondromal, glen/HH M67.212 Hypertroph. synovitis M89.312 AC joint hypertrophy M24.012 Loose Bodies M25.312 Shoulder instability M19.012 Primary osteoarthritis M25.412 Joint Effusion

S83.241A Med. Men. tear S83,281A Lat, Men. tear M23.91 Internal derangement S83.519A ACL tear S83.511A ACL sprain S83,411 MCL sprain M94.261 Chondromalacia \$83.31XA Tear artic, cartilage M22.2X1 PF chondral injury M25.461 Joint effusion 1 M12.569 Trauma, arthropathy S80.911A Injury M25.561 Pain 🗸 M65.161 Synovitis M23.40 Loose body in knee M24.10 Chondral lesion M93.261 Osteochondral lesion M17.11 Osteoarthritis M24.661 Adhesions M67.51 Medial plica M25.761 Osteophyte M70.41 Prepatellar bursitis

S83.282A Lat. Men. tear M23.92 Internal derangement S83.519A ACL tear S83,512A ACL sprain S83.412A MCL sprain M94.262 Chondromalacia \$83,32XA Tear artic, cartilage M22.2X2 PF chondral injury M25,462 Joint effusion M12.569 Trauma, arthropathy y S80.912A Injury M25,562 Pain M65.162 Synovitis M23.40 Loose body in knee M24.10 Chondral lesion M93.262 Osteochondral lesion M17.12 Osteoarthritis M24.662 Adhesions M67.52 Medial plica M25.762 Osteophyte M70.42 Prepatellar bursitis

light Wrist	Left Wrist	Right Elbow	Left Elbow
Spine	L Spine		
an:			
Imaging studies and clin All treatment options dis	cussed with the patient. ory and muscle relaxant me		
Recommend steroid inj. f	or pain mgmt. R/SH L R/WRI	./SH R/KN L/KN R/ L/WRI R/ELB L/EL	HIP L/HIP R/ANK L/ANK B CSpine LSpine
MRI ordered R /SH R /ELB	L/SH R/KN L/KN L/ELB C Spine L Sp	R/HIP L/HIP R/ANK nine	L/ANK R/WRI L/WRI
Follow up in\	Weeks / Months / PRN.		/ANK R/WRI L/WRI

_____ W/C authorization needed prior to Sx

Patient consents to _____ Sx.

V Patient scheduled for R/SH L/SH R/KN L/KN Surgery on ____ 9/21/52

___Med Clearance needed prior to Sx.