



Manhattan  
Brooklyn  
Queens  
Bronx  
Long Island

Exam requested by:  
MOHAMMAD ISLAM MD  
40-24 82ND ST  
ELMHURST NY 11373

**SITE PERFORMED: JACKSON HEIGHTS**  
**SITE PHONE: (718) 544-5151**

**Patient:** CARDENAS, NILSON  
**Date of Birth:** 03-31-1955  
**Phone:** (646) 267-1162  
**MRN:** 15282583R **Acc:** 1023859906  
**Date of Exam:** 07-27-2022

**EXAM: MRI RIGHT SHOULDER WITHOUT CONTRAST**

**HISTORY:** Shoulder pain. Status post motor vehicle accident.

**TECHNIQUE:** Multiplanar, multi-sequence MRI of the right shoulder was obtained on a 3T scanner according to standard protocol.

**COMPARISON:** None.

**FINDINGS:**

**BONE MARROW:** No fracture or avascular necrosis.

**ACROMIOCLAVICULAR JOINT:** Mild osteoarthritis.

**BURSITIS:** Mild to moderate bursitis.

**ROTATOR CUFF TENDONS:** Rotator cuff tendinosis with a moderate grade articular sided partial thickness tear of the supraspinatus tendon with the torn tendon fibers retracted 12 mm medially series 7 image 12. Is also a low-grade concealed interstitial delaminating partial thickness tear along the anterior fibers. There is a moderate grade partial thickness tear of the infraspinatus tendon with intrasubstance delamination series 5 image 7, series 7 image 15. Low to moderate grade partial-thickness tear of the subscapularis tendon series 5 image 8, series 3 image 15.

**BICEPS:** Mild tenosynovitis. No visualized tear. No subluxation or dislocation at the bicipital pulley.

**GLENOHUMERAL JOINT:** No focal cartilage lesion. No joint effusion or intra-articular bodies.

**LABRAL LIGAMENOUS COMPLEX:** Superior labral anterior posterior tear extending to the anterior labrum series 7 image 14, series 3 image 13, series 8 image 12.

**ROTATOR INTERVAL:** Unremarkable.

**CORACOCROMIAL AND CORACOCALAVICULAR LIGAMENTS:** Intact. No visualized tears.

**MUSCLES:** Normal signal characteristics and bulk without edema or atrophy.

**QUADRILATERAL SPACE:** Normal without masses.

**IMPRESSION:**

Rotator cuff tendinosis with a moderate grade partial thickness tear of the supraspinatus tendon with the torn tendon fibers retracted 12 mm medially.

Low to moderate grade partial thickness tear of the subscapularis tendon.

Low-grade partial-thickness tear with intrasubstance delamination of the infraspinatus tendon.

---

**Confidential**

Tel: 212-772-3111 - Fax: 212-734-5832 - [www.lenoxhillradiology.com](http://www.lenoxhillradiology.com)



Manhattan  
Brooklyn  
Queens  
Bronx  
Long Island

Continued: Page 2 of 2  
**Patient:** CARDENAS, NILSON  
**Date of Birth:** 03-31-1955

Mild AC joint osteoarthritis with mild to moderate bursitis.

Superior labral anterior posterior tear extending to the anterior labrum.

Mild biceps tenosynovitis without biceps tendon tear.

Thank you for the opportunity to participate in the care of this patient.

DARREN M BUONO MD - *Electronically Signed: 07-31-2022 12:23 PM*  
**Physician to Physician Direct Line is:**

---

**Confidential**

Tel: 212-772-3111 - Fax: 212-734-5832 - [www.lenoxhillradiology.com](http://www.lenoxhillradiology.com)