Ketan D Vora, DO, P.C.

INITIAL INTAKE SHEET

	(WC) NF	LIEN	1
Patient Namo: <u>Jerwaine</u>	2 callains	(M) F DOA:_	2/4/2024
DOB: 12719 Age			nded: R / L
Chief Complaint: R/SH L/		ib L∕ Elb R/ Hip L∕ Hi _l	o R/Ank (L/Ank)
· · · · · · · · · · · · · · · · · · ·	Nri Neck Mid-back	Low-back	
Type of Injury: MVA Work-Reis	ted Working: Y	N Degree of Disability	:%
-11		trauma: Y there was	1-0-
Pain in: Ot 15 a	socurity of	rcer a puddle	top on top of
Other: the stars		coped into it	& frew dem
the star	5 on his	back-	D D
PedestrianBicyclist	MotorcyclistBus pass.		Rear Pass
TOINGIO III.	Front Driver-side from		Passenger side front
Passenger side re	ar T-Boned Driver		
Airbags deployed: Y / N	EMS Arrived:	Y/ N Police at Sci	X- Amb Car
Went to Hospital: N Hos PMH: None Diabetes HTN HLI			
1/ 1/01-1/4	SX - 10 2021		
Meds: None /Pain meds PRN	Eliquis		
Drug Allergy: Y / N			
	ppd Alcohol Y N Red	creational Drugs Y (N)	
PT/Chiro: (Y) N Duration:	Weeks Months Years	Relief: Good Littl	
Walk: Y / Nblocks		Sit Y TN	mins
Unable to: Garden	elay sports Drive Lift		Reach overhead
Laundry Shopping	Errands Kneel Squ	uat Stairs og Exercise	
PRESENT COMPLAINTS:	_		
R SH Pain/10	LSH Pain/10	RKN Pain/10	<u>L KN</u> Pain/10
Constant Intermittent	Constant Intermittent	Constant Intermittent	Constant Intermittent
Stiff Weak Pop Click	Stiff Weak Pop Click	Stiff Weak	Stiff Weak
Reach overhead Y / N	Reach overhead Y / N	Diff rising from chair Y / N	Diff rising from chair Y / N
Reach back Y / N	Reach back Y / N	Diff w/ stairs Y / N	Diff w/ stairs Y/N
Unable to sleep at night	Unable to sleep at night	Click Pop Buckl Lock	Click Pop Buckl Lock
Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice
			SIPaturosus
R HIP Pain/10	L HIP Pain/10	RANK Pain/10	LANK Pain -/10
Constant Intermit Lock	Constant Intermit Lock	Constant Intermittent	Constant Intermittent
Pain w/ stand walk climb	Pain w/ stand walk climb	Pain w/ stand walk climb	Pain w stand walk climb
	Standing from sitting	Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT ce
Standing from sitting Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice		4) Arthroscopy
Imp w/ nest wed 11 ice	mp w nest wear i lee		
R WRI Pain/10	L WRI Pain/10	RELB Pain/10	<u>L ELB</u> Pain/10
Constant Intermittent	Constant Intermittent	Constant Intermittent	Constant Intermittent
Weak Numb Tingle	Weak Numb Tingle	Weak Numb Tingle	Weak Numb Tingle
Pain w/ lift carry drive	Pain w/ lift carry drive	Pain w/ lift_carry_drive	Pain w/ lift carry drive
Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice	Imp w/ Rest Med PT Ice
mip w/ nest wed it ice			

<u>ROS</u>:

HEENT: Double vision eye pain eye red. hearing loss earache ear ringing nose bleeds sore throat hoarseness Endocrine: Cold intolerance appetite changes hair changes Skin: Clear no rashes or lesions Neuro: Headaches dizziness vertigo tremors Respiratory: Wheezing coughing shortness of breath difficulty breathing Cardiovascular: Chest pain murmurs irregular heart rate hypertension GI: Nausea vomiting diarrhea constipation jaundice change in bowel habits GU: Blood in urine painful urination loss of bladder control urinary retention Hematology: Active bleeding bruising anemia blood clotting disorders Psychiatric: Anxiety change in sleep pattern depression suicidal thoughts PHYSICAL EXAMINATION: C SPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L Pain w/ neck bend lift carry Impoves w/ Rest Med PT Ice ROM: Flex. _____/45 Ext. _____/45 R Lat Flex. _____/45 L Lat Ext. _____/45 Rot _____/60 LSPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L Pain w/ stand walk sit bend Impoves w/ Rest Med PT Ice ROM: Flex. ____/80 Ext. ____/25 R Lat Flex. ____/35 L Lat Ext. ____/45 Sac Hip Flex ____/45 R/SH: Swelling /Tender to palp → Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula Erythema Crepitus Heat Deformity Drop Arm Cross-Over Empty Can Yergason Deltoid Atrophy O'Brien's Impingement Lift off test Hawkins ROM: Abd. ____/180 Add. ____/45 For Flex. ____/180 Ext. ____/60 IR ____/90 ER ____/90 IR: sacrum mid back ____no motor or sensory deficit L/SH: Swelling/Tender to palp→ Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula Crepitus Heat Erythema Deformity Drop Arm Cross-Over Empty Can Yergason Deltoid Atrophy O'Brien's Impingement Lift off test Hawkins ROM: Abd. ____/180 Add. ____/45 For Flex. ____/180 Ext. ____/60 IR ____/90 ER ____/90 IR: sacrum mid back no motor or sensory deficit **R /KN:** Swelling / Tender along → Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa Heat Swelling Erythema Crepitus Deformity McMurray Lachmans Pat. fem. grind Ant. draw Post. draw ROM: Flexion _____/130 Extension_____/5 ___Stable varus/valgus ____no motor or sensory deficit L'KN: Swelling / Tender along → Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa Swelling Erythema Crepitus Deformity Heat McMurray Lachmans Pat. fem. grind Ant. draw Post. draw ROM: Flexion _____/130 Extension_____/5 ___Stable varus/valgus _____no motor or sensory deficit **R/HIP**: Swelling /Hematoma / Effusion / bruise ______ Trendelenburg +ve - ve Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful. ROM: Abd. ____/45 Add. ____/35 Flex. ____/120 Ext. ____/30 IR ____/45 ER ____/45 <u>L/HIP</u>: Swelling /Hematoma / Effusion / bruise ______ Trendelenburg +ve -ve Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful. ROM: Abd. ____/45 Add. ____/35 Flex. ____/120 Ext. ____/30 IR ____/45 ER ____/45

General: Fevers chills night sweats weight gain weight loss

			3	
R /ANK: Swell /Hemato/ brui	ise → Ant. Post. Lat. Ma	alleo Ant Draw +ve - ve	Inv Stress +ve -ve	
——— Tenderness to nalnation →	Med. aspect Lat. aspec	t. ROM: Full Limited	l and painful.	
ROM: Dorei flevion /2	0 Plantar fley /50	Inversion /15 Ever	l and painful. sion/15	•
DOIST HEXION72	o Hantai next	111 O 151011	Joseph Med-We	į
L/ANK : Swell/Hemato/brui	$se \rightarrow Ant$. Post. Lat. Ma	illeo Ant Draw +ve -ve	Inv Stress +ve -ve	
Tenderness to palpation →	Med. aspect Lat. aspect	ROM: Full Limite	dand painful. Stoff 1025	
ROM: Dorsi flexion 2_/2	0 Plantar flex. 20/50	Inversion <u>5</u> /15 Ever	sion <u>5</u> /15	1
			strength 4	_
R/WRI : Pain to palp. → Uli	nar styl. Distal rad. Scapl	noid/5 grip strength	Swell Erythema Bruise	
Tinel +ve -ve Phalen	+ve -ve			
ROM: Flexion /80 E	extension/70 Radial d	ev. /20 Ulnar dev.	/30	
	nar styl. Distal rad. Scaph			
		ioid/o grip sa origar v	Won Livenoma Braids	
		av /90 Ulbordov	/20	
KUIVI: Flexion/80 E	extension/70 Radial d	ev720	/30	
D/FID: Curall Engthsma E	Bruise Deltoid atrophy	/E muco otron Tondor -> 1	Mod Eni Lat Eni Olo Pro	
-			Med Epi Lat Epi Ole 110	
•	+ve -ve Tinel +ve -v			
ROM: Flexion/150	Extension/150 Supin.	/90 Pron/90		
L/ELB: Swell Erythema B:	ruise Deltoid atrophy	_/5 musc stren Tender -> N	/led Epi Lat Epi Ole Pro	
Varus +ve -ve Valgus	+ve -ve Tinel +ve -v	ve	٠	
	Extension/150 Supin			
Dx:				
Right Shoulder	Left Shoulder	Right Knee	Left Knee	
S46.011A Partial rot cuff tear	S46.012A Partial rot cuff tear	S83.241A Med. Men. tear	S83.242A Med. Men. tear	
M75.121 Complete rot cuff tear	M75.122 Complete rot cuff tear	S83.281A Lat. Men. tear	S83.282A Lat. Men. tear	
M24.811 Internal derangement	M24.812 Internal derangement	M23.91 Internal derangement	M23.92 Internal derangement	
M75.01 Adhesive Capsulitis	M75.02 Adhesive Capsulitis	S83.519A ACL tear	S83.519A ACL tear	
M75.81 Shoulder tendinitis	M75.82 Shoulder tendinitis	S83.511A ACL sprain	S83.512A ACL sprain	
S43.431A Labral tear	S43.432A Labral tear	S83.411 MCL sprain	S83.412A MCL sprain	
S43.431A SLAP tear	S43.432A SLAP tear	M94.261 Chondromalacia	M94.262 Chondromalacia	
M75.41 Impingement	M75.42 Impingement	S83.31XA Tear artic. cartilage	S83.32XA Tear artic. cartilage	
M65.811 Tenosynovitis	M 65.812 Tenosynovitis	M22.2X1 PF chondral injury	M22.2X2 PF chondral injury	
M75.51 Bursitis	M75.52 Bursitis	M25.461 Joint effusion	M25.462 Joint effusion	
M75.21 Bicipital tendinitis	M 75.22 Bicipital Tendinitis	M12.569 Trauma. arthropathy	M12.569 Trauma. arthropathy y	
M25.511 Pain	M25.512 Pain	S80.911A Injury	S80.912A Injury	
S49.91XA Injury	S49.92XA Injury	M25.561 Pain	M25.562 Pain	
S46.101A Biceps tendon tear	S46.102A Biceps tendon tear	M65.161 Synovitis	M65,162 Synovitis	

M23.40 Loose body in knee

M93.261 Osteochondral lesion

M24.10 Chondral lesion

M17.11 Osteoarthritis

M24.661 Adhesions

M67.51 Medial plica

M25.761 Osteophyte

M70.41 Prepatellar bursitis

M23.40 Loose body in knee

M93.262 Osteochondral lesion

M24.10 Chondral lesion

M17.12 Osteoarthritis

M24.662 Adhesions

M67.52 Medial plica

M25.762 Osteophyte

M70.42 Prepatellar bursitis

M24.10 Glenoid chondr defect

M94.212 Chondromal, glen/HH

M67.212 Hypertroph. synovitis

M89.312 AC joint hypertrophy

M25.312 Shoulder instability

M19.012 Primary osteoarthritis

M24.012 Loose Bodies

M25.412 Joint Effusion

M24.10 Glenoid chondr defect

M94.211 Chondromal, glen/HH

M67.211 Hypertroph. synovitis

M89.311 AC joint hypertrophy

M25.311 Shoulder instability

M19.011 Primary osteoarthritis

M24.011 Loose Bodies

M25.411 Joint Effusion

Right Hip	Left Hip	Right Ankle	Left Ankle
ուծու աև	pote mp		pain stiffres
			pain stiffres
			SIP HITTOUSE
i la Minine	Left Wrist	Right Elbow	Left Elbow
ight Wris t	Feir Antier	ingiit Liboti	
			-
Spine	L Spine		
lan:			
lmaging studies	and clinical examinations wer	e reviewed with the patient.	
All treatment op	tions discussed with the patier	nt.	
continue_anti-in	flammatory and muscle relaxar	nt medications PRN	of him strengthenin
Start or continue	Physical Therapy	Start have si	etching strengtheur
	roid inj. for pain mgmt. R/SI		/HIP L/HIP R/ANK L/ANK
		WRI L/WRI R/ELB L/E	LB C Spine L Spine
tientAccept	s Refuses.		· · · · · · · · · · · · · · · · · · ·
•		(N R/HIP L/HIP R/ANK	L/ANK R/WRI L/WRI
MRI ordered	R/SH L/SH R/KN L/k R/ELB <u>L/</u> ELB C Spine	L Spine	E/AIRI II/WWW E/WWW
Follow up in	1-6 (Weeks) Months / PRN	-	
<u> </u>		R/HIP L/HIP R/ANK (L	Z/ANK R/WRI L/WRI
 =		Spine L/HIP H/ANK	ANN HAVIN EAVIN
	/LLB L/LLB Gopine L	opino	
	387	(D.,	Cy often robob or
Proceed w/ Sx			
Proceed w/ Sx		tProceed with V/C authorization needed prior to	Sx after rehab on o Sx
Proceed w/ Sx Med Clearance			