

**AMI****American Medical Initiatives**

30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ALEXANDER, TAVAREZ	EXAM DATE:	05/25/2022 6:27 PM
STUDY DESCRIPTION:	MRI ANKLE WITHOUT CONTRAST (JOINT)	MRN:	ALET66689
DOB:	06/08/1991	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY	C/O RT ANKLE PAIN DUE TO MVA	GENDER	M

MAGNETIC RESONANCE IMAGING OF RIGHT ANKLE WITHOUT CONTRAST
HISTORY: Complains of right ankle pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right ankle was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.

LIGAMENTS:

TIBIO-FIBULAR SYNDESMOTIC: The lower syndesmotic ligaments are intact.

ANTERIOR TALOFIBULAR: The anterior talofibular ligament is intact.

POSTERIOR TALOFIBULAR: Hyperintense signal of the fibular attachment of the posterior talofibular ligament noted compatible with a partial tear.

CALCANEOFIBULAR LIGAMENT: The posterior calcaneofibular ligament is intact.

DELTOID LIGAMENT COMPLEX: The deltoid ligament-complex is intact.

TENDONS:

ACHILLES: The Achilles tendon is intact.

PERONEAL: The peroneal tendon is intact.

MEDIAL FLEXOR: The medial flexor tendon is intact.

ANTERIOR EXTENSOR TENDON: The anterior extensor tendon is intact.

MUSCLES: There is no intramuscular edema or fatty muscle atrophy.

**AMI****American Medical Initiatives**

30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ALEXANDER, TAVAREZ	EXAM DATE:	05/25/2022 6:27 PM
STUDY DESCRIPTION:	MRI ANKLE WITHOUT CONTRAST (JOINT)	MRN:	ALET66689
DOB:	06/08/1991	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY	C/O RT ANKLE PAIN DUE TO MVA	GENDER	M

PLANTAR FASCIA: The plantar fascia is intact.

CARTILAGE/SUBCHONDRAL BONE: The cartilage of the tibiotalar, subtalar, talonavicular, and calcaneocuboid joints is intact.

SYNOVIUM /JOINT FLUID: No synovial thickening or joint effusion.

SINUS TARSI: Normal.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

Partial tear of the fibular attachment of the posterior talofibular ligament.

Digitally Signed By: Imam, Nalayer

Digitally Signed Date: 05/27/2022 12:36 PM