



QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qrlnewhydepark@yahoo.com

PATIENT:	FINDLEY, OMAR	EXAM DATE:	18-Oct-2022 9:00 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST LT	MRN:	FINO1107
DOB:	13-Aug-1978	REFERRING PHYSICIAN:	Jurkovich, Michael M.D.
CLINICAL HISTORY:	NF left shoulder PAIN DUE TO MVA	GENDER:	M

MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: Normal marrow signal. Subtle bone marrow edema noted at supraspinatus attachment of humeral head.

ROTATOR CUFF:

SUPRASPINATUS: Mild interstitial tear of length 8mm at the attachment of the supraspinatus tendon.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.



QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qrlnewhydepark@yahoo.com

PATIENT:	FINDLEY, OMAR	EXAM DATE:	18-Oct-2022 9:00 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST LT	MRN:	FINO1107
DOB:	13-Aug-1978	REFERRING PHYSICIAN:	Jurkovich, Michael M.D.
CLINICAL HISTORY:	NF left shoulder PAIN DUE TO MVA	GENDER:	M

AC JOINT: Intact.

BICEPS TENDON: Intact long-head of the biceps tendon.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

1. Subtle bone marrow edema noted at supraspinatus attachment of humeral head.
2. Mild Interstitial tear of length 8mm at the attachment of the supraspinatus tendon.

Digitally Signed By: Izzo, Joseph

Digitally Signed Date: 20-Oct-2022 10:53 AM