

UK Sinha Physician, P.C.
102-31 Jamaica Ave.
Richmond Hill, NY 11418

DURANT INITIAL

INITIAL INTAKE SHEET

(WC) NF LIEN

Patient Name: REID, LATAYIA M **(F)** DOA: 03/31/2022
 DOB: 11/15/1981 Age: 40 Height: _____ Weight: _____ Handed: R L
 Chief Complaint: R/SH L/SH R/KN **(L/KN)** R/Elb L/Elb R/Hip L/Hip R/Ank L/Ank
R/Wri L/Wri Neck Mid-back Low-back
 Type of Injury: MVA Work-Related Working: Y / **(N)** Degree of Disability: 100 %
 Asymptomatic prior to accident: Y / N History of prior trauma: Y / N
 Pain in: _____
 Other: _____

Pedestrian Bicyclist Motorcyclist Bus pass. Driver Front Pass. Rear Pass
 Vehicle hit: Rear Front Driver-side front Driver side rear Passenger side front
Passenger side rear T-Boned Driver side T-Bone Passenger side
 Airbags deployed: Y / N EMS Arrived: Y / N Police at Scene: Y / N
 Went to Hospital: Y / N Hospital name: _____ Amb. Car _____
 PMH: None Diabetes HTN HLD Asthma Cardiac Thyroid CA _____
 PSH: None _____

Meds: None / Pain meds PRN _____
 Drug Allergy: Y / N _____
 Soc. Hs: Smoke Y / N _____ppd Alcohol Y / N Recreational Drugs Y / N
 PT/Chiro: Y / N Duration: _____ Weeks/Months/Years Relief: Good Little None
 Walk: Y / N _____blocks Stand: Y / N _____mins Sit Y / N _____mins
 Unable to: Garden Play sports Drive Lift Childcare Carry Reach overhead
Laundry Shopping Errands Kneel Squat Stairs Jog Exercise

PRESENT COMPLAINTS:

RSH Pain ____/10 Constant Intermittent Stiff Weak Pop Click Reach overhead Y / N Reach back Y / N Unable to sleep at night Imp w/ Rest Med PT Ice	LSH Pain ____/10 Constant Intermittent Stiff Weak Pop Click Reach overhead Y / N Reach back Y / N Unable to sleep at night Imp w/ Rest Med PT Ice	RKN Pain ____/10 Constant Intermittent Stiff Weak Diff rising from chair Y / N Diff w/ stairs Y / N Click Pop Buckl Lock Imp w/ Rest Med PT Ice	LKN Pain <u>10</u> /10 Constant Intermittent Stiff Weak Diff rising from chair Y / N Diff w/ stairs Y / N Click Pop Buckl Lock Imp w/ Rest Med PT Ice
--	--	--	---

RHIP Pain ____/10 Constant Intermittent Lock Pain w/ stand walk climb Standing from sitting Imp w/ Rest Med PT Ice	LHIP Pain ____/10 Constant Intermittent Lock Pain w/ stand walk climb Standing from sitting Imp w/ Rest Med PT Ice	RANK Pain ____/10 Constant Intermittent Pain w/ stand walk climb Imp w/ Rest Med PT Ice	LANK Pain ____/10 Constant Intermittent Pain w/ stand walk climb Imp w/ Rest Med PT Ice
---	---	---	---

RWRI Pain ____/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice	LWRI Pain ____/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice	RELB Pain ____/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice	LELB Pain ____/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice
---	---	---	---

Other Complaints: _____

ROS:

General: Fevers chills night sweats weight gain weight loss
 HEENT: Double vision eye pain eye red. hearing loss earache ear ringing nose bleeds sore throat hoarseness
 Endocrine: Cold intolerance appetite changes hair changes
 Skin: Clear no rashes or lesions
 Neuro: Headaches dizziness vertigo tremors
 Respiratory: Wheezing coughing shortness of breath difficulty breathing
 Cardiovascular: Chest pain murmurs irregular heart rate hypertension
 GI: Nausea vomiting diarrhea constipation jaundice change in bowel habits
 GU: Blood in urine painful urination loss of bladder control urinary retention
 Hematology: Active bleeding bruising anemia blood clotting disorders
 Psychiatric: Anxiety change in sleep pattern depression suicidal thoughts

PHYSICAL EXAMINATION:

C SPINE: Pain Sharp Shoot Burn Constant Intermittent Numb Tingling Radiates to R L
 Pain w/ neck bend lift carry Improves w/ Rest Med PT Ice
 ROM: Flex. ___/45 Ext. ___/45 R Lat Flex. ___/45 L Lat Ext. ___/45 Rot ___/60

L SPINE: Pain Sharp Shoot Burn Constant Intermittent Numb Tingling Radiates to R L
 Pain w/ stand walk sit bend Improves w/ Rest Med PT Ice
 ROM: Flex. ___/80 Ext. ___/25 R Lat Flex. ___/35 L Lat Ext. ___/45 Sac Hip Flex ___/45

R/SH: Swelling/Tender to palp → Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula
 Heat Erythema Crepitus Deformity
 Drop Arm Cross-Over Empty Can Yergason Deltoid Atrophy
 O'Brien's Impingement Lift off test Hawkins
 ROM: Abd. ___/180 Add. ___/45 For Flex. ___/180 Ext. ___/60 IR ___/90 ER ___/90
 IR: sacrum mid back ___ no motor or sensory deficit

L/SH: Swelling/Tender to palp → Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula
 Heat Erythema Crepitus Deformity
 Drop Arm Cross-Over Empty Can Yergason Deltoid Atrophy
 O'Brien's Impingement Lift off test Hawkins
 ROM: Abd. ___/180 Add. ___/45 For Flex. ___/180 Ext. ___/60 IR ___/90 ER ___/90
 IR: sacrum mid back ___ no motor or sensory deficit

R /KN: Swelling/Tender along → Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa
 Heat Swelling Erythema Crepitus Deformity
 McMurray Lachmans Pat. fem. grind Ant. draw Post. draw
 ROM: Flexion 20/130 Extension 3/5 Stable varus/valgus X no motor or sensory deficit
L/KN: Swelling/Tender along → Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa
 Heat Swelling Erythema Crepitus Deformity
 McMurray Lachmans Pat. fem. grind Ant. draw Post. draw
 ROM: Flexion ___/130 Extension ___/5 Stable varus/valgus ___ no motor or sensory deficit

R/HIP: Swelling/Hematoma/Effusion/bruise _____ Trendelenburg +ve -ve
 Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful.
 ROM: Abd. ___/45 Add. ___/35 Flex. ___/120 Ext. ___/30 IR ___/45 ER ___/45
L/HIP: Swelling/Hematoma/Effusion/bruise _____ Trendelenburg +ve -ve
 Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful.

ROM: Abd. ___/45 Add. ___/35 Flex. ___/120 Ext. ___/30 IR ___/45 ER ___/45

R/ANK: Swell/Hemato/bruise → Ant. Post. Lat. Malleo Ant Draw +ve -ve Inv Stress +ve -ve
Tenderness to palpation → Med. aspect Lat. aspect ROM: Full Limited and painful.

ROM: Dorsi flexion ___/20 Plantar flex. ___/50 Inversion ___/15 Eversion ___/15

L/ANK: Swell/Hemato/bruise → Ant. Post. Lat. Malleo Ant Draw +ve -ve Inv Stress +ve -ve
Tenderness to palpation → Med. aspect Lat. aspect ROM: Full Limited and painful.

ROM: Dorsi flexion ___/20 Plantar flex. ___/50 Inversion ___/15 Eversion ___/15

R/WRI: Pain to palp. → Ulnar styl. Distal rad. Scaphoid ___/5 grip strength Swell Erythema Bruise
Tinel +ve -ve Phalen +ve -ve

ROM: Flexion ___/80 Extension ___/70 Radial dev. ___/20 Ulnar dev. ___/30

L/WRI: Pain to palp. → Ulnar styl. Distal rad. Scaphoid ___/5 grip strength Swell Erythema Bruise
Tinel +ve -ve Phalen +ve -ve

ROM: Flexion ___/80 Extension ___/70 Radial dev. ___/20 Ulnar dev. ___/30

R/ELB: Swell Erythema Bruise Deltoid atrophy ___/5 musc stren Tender → Med Epi Lat Epi Ole Pro
Varus +ve -ve Valgus +ve -ve Tinel +ve -ve

ROM: Flexion ___/150 Extension ___/150 Supin. ___/90 Pron. ___/90

L/ELB: Swell Erythema Bruise Deltoid atrophy ___/5 musc stren Tender → Med Epi Lat Epi Ole Pro
Varus +ve -ve Valgus +ve -ve Tinel +ve -ve

ROM: Flexion ___/150 Extension ___/150 Supin. ___/90 Pron. ___/90

Dx:

Right Shoulder	Left Shoulder	Right Knee	Left Knee
S46.011A Partial rot cuff tear	S46.012A Partial rot cuff tear	S83.241A Med. Men. tear	S83.242A Med. Men. tear
M75.121 Complete rot cuff tear	M75.122 Complete rot cuff tear	S83.281A Lat. Men. tear	S83.282A Lat. Men. tear
M24.811 Internal derangement	M24.812 Internal derangement	M23.91 Internal derangement	M23.92 Internal derangement
M75.01 Adhesive Capsulitis	M75.02 Adhesive Capsulitis	S83.519A ACL tear	S83.519A ACL tear
M75.81 Shoulder tendinitis	M75.82 Shoulder tendinitis	S83.511A ACL sprain	S83.512A ACL sprain
S43.431A Labral tear	S43.432A Labral tear	S83.411 MCL sprain	S83.412A MCL sprain
S43.431A SLAP tear	S43.432A SLAP tear	M94.261 Chondromalacia	M94.262 Chondromalacia
M75.41 Impingement	M75.42 Impingement	S83.31XA Tear artic. cartilage	S83.32XA Tear artic. cartilage
M65.811 Tenosynovitis	M 65.812 Tenosynovitis	M22.2X1 PF chondral injury	M22.2X2 PF chondral injury
M75.51 Bursitis	M75.52 Bursitis	M25.461 Joint effusion	M25.462 Joint effusion
M75.21 Bicipital tendinitis	M 75.22 Bicipital Tendinitis	M12.569 Trauma. arthropathy	M12.569 Trauma. arthropathy y
M25.511 Pain	M25.512 Pain	S80.911A Injury	S80.912A Injury
S49.91XA Injury	S49.92XA Injury	M25.561 Pain	M25.562 Pain
S46.101A Biceps tendon tear	S46.102A Biceps tendon tear	M65.161 Synovitis	M65.162 Synovitis
M24.10 Glenoid chondr defect	M24.10 Glenoid chondr defect	M23.40 Loose body in knee	M23.40 Loose body in knee
M94.211 Chondromal, glen/HH	M94.212 Chondromal, glen/HH	M24.10 Chondral lesion	M24.10 Chondral lesion
M67.211 Hypertroph. synovitis	M67.212 Hypertroph. synovitis	M93.261 Osteochondral lesion	M93.262 Osteochondral lesion
M89.311 AC joint hypertrophy	M89.312 AC joint hypertrophy	M17.11 Osteoarthritis	M17.12 Osteoarthritis
M24.011 Loose Bodies	M24.012 Loose Bodies	M24.661 Adhesions	M24.662 Adhesions
M25.311 Shoulder instability	M25.312 Shoulder instability	M67.51 Medial plica	M67.52 Medial plica
M19.011 Primary osteoarthritis	M19.012 Primary osteoarthritis	M25.761 Osteophyte	M25.762 Osteophyte
M25.411 Joint Effusion	M25.412 Joint Effusion	M70.41 Prepatellar bursitis	M70.42 Prepatellar bursitis

chondral fissure
meniscocapsular sprain
Hofa fat pad impingement

Right Hip	Left Hip	Right Ankle	Left Ankle
Right Wrist	Left Wrist	Right Elbow	Left Elbow
C Spine	L Spine		

Plan:

☒ Recommend steroid inj. for pain mgmt. R/SH L/SH R/KN L/KN R/HIP L/HIP R/ANK L/ANK
R/WRI L/WRI R/ELB L/ELB C Spine L Spine

Patient ☐ Accepts ☒ Refuses.

☐ Brace ordered R/SH L/SH R/KN L/KN R/HIP L/HIP R/ANK L/ANK R/WRI L/WRI
R/ELB L/ELB

☐ MRI ordered R/SH L/SH R/KN L/KN R/HIP L/HIP R/ANK L/ANK R/WRI L/WRI
R/ELB L/ELB C Spine L Spine

☒ Follow up in 12-14 Weeks / Months / PRN.

☒ Discussed R/SH L/SH R/KN L/KN R/HIP L/HIP R/ANK L/ANK R/WRI L/WRI
R/ELB L/ELB C Spine L Spine

☒ Proceed w/ Sx ☐ Wants to think about it ☐ Proceed with _____ Sx after rehab on _____

☐ Med Clearance needed prior to Sx. ☒ W/C authorization needed prior to Sx

☒ Patient consents to L/K Sx.

☒ Patient scheduled for R/SH L/SH R/KN L/KN Surgery on _____

A. H. Quirk