UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

October 05, 2022

Office seen at: P.R. Medical, P.C. 79-09B Northern Boulevard Jackson Heights, NY 11372 Phone# (718) 507-1438

Re: Ortigoza, Maria

DOB: 05/27/1975 DOA: 05/07/2022

FOLLOW-UP NOTE

CHIEF COMPLAINT: Follow up of right shoulder, right knee, and right hip pain.

HISTORY OF PRESENT ILLNESS: The patient presents today in followup with continued pain in the right shoulder, right knee, and right hip.

ADL CAPABILITIES: The patient states that she can walk for 1/2 block. She can stand for 5 minutes before she has to sit. She can sit for 5 minutes before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that she is unable to do the following activities: driving, lifting heavy objects, carrying heavy objects, reaching overhead, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

PRESENT COMPLAINTS: Right shoulder: Right shoulder pain is 7/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain.

Right knee: Right knee pain is 2-3/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has no difficulty rising from a chair and has no difficulty going up and down stairs.

Right hip: Right hip pain is asymptomatic.

PHYSICAL EXAMINATION: The right shoulder reveals tenderness to palpation over AC joint and proximal biceps tendon. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Negative

Ortigoza, Maria October 05, 2022 Page 2 of 3

O'Brien test. Negative impingement sign. Negative Lift-off test. Negative Hawkins test. Range of motion, as per goniometer, abduction 160/180 degrees, adduction 40/45 degrees, forward flexion 120/180 degrees, extension 50/60 degrees, internal rotation 80/90 degrees, and external rotation 80/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

The right knee reveals tenderness along the superior pole of patella, inferior pole of the patella. There is no heat, erythema or deformity appreciated. There is swelling and crepitus appreciated. Negative McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 120/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the right lower extremity.

The right hip is asymptomatic.

DIAGNOSTIC TESTING: MRI of the right shoulder, done on 06/16/2022, shows tendinosis changes are seen at the supraspinatus and infraspinatus tendons. A midsubstance tear is seen at the anterior labrum at the lower aspect. MRI of the right knee, done on 07/14/2022, shows an interstitial tear of the ACL is noted, as described. There is no attenuation or laxity. MRI of the right hip, done on 08/30/2022, shows tendinopathy changes are seen at the insertions of the gluteus maximum and gluteus medius tendons. There is no evidence of bone bruise or fracture.

ASSESSMENT:

- 1. M24.811 Internal derangement, right shoulder.
- 2. M75.01 Adhesive capsulitis, right shoulder.
- 3. M25.511 Pain, right shoulder.
- 4. S49.91XA Injury, right shoulder.
- 5. M23.91 Internal derangement, right knee.
- 6. \$83.519A Partial anterior cruciate ligament tear, right knee.
- 7. M12.569 Traumatic arthropathy, right knee.
- 8. S80.911A Injury, right knee.
- 9. M25.561 Pain, right knee.

PLAN:

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for right shoulder, right knee, and right hip.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for right shoulder, right knee, and right hip 3 days/week.
- 6. Follow up in 4 weeks.

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current

Ortigoza, Maria October 05, 2022 Page 3 of 3

symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

U.K. Sinha, MD, MS (Ortho), FAAOS Board Certified Orthopedic Surgeon

apendo & Jink

UKS/AEI