

UK Sinha Physician, P.C.

102-31 Jamaica Ave.
Richmond Hill, NY 11418
Ph: 718-480-1130 Fax: 718-480-1132

September 09, 2022

Office seen at:

Liberty Rhea Ranada Ebarle PT PC
14 Bruckner Blvd
Bronx, NY 10454
Phone# (718) 402-5200

Re: Calzado-Cruz, Amado
DOB: 11/13/1969
DOA: 06/17/2022

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Left shoulder pain.

HISTORY OF PRESENT ILLNESS: A 52-year-old right-hand dominant male involved in an accident on 06/17/2022. The patient was cooking when a ceiling collapsed on him caused by a water leak on 06/17/2022. The EMS arrived on the scene. The patient was transported via ambulance to North Central Bronx Hospital and was treated and released the same day. The patient presents today complaining of left shoulder pain sustained in an accident. The patient was attending physical therapy for the last 2.5 months with little relief.

WORK HISTORY: The patient is currently not working.

PAST MEDICAL HISTORY: Noncontributory. There is no previous history of trauma.

PAST SURGICAL HISTORY: Noncontributory.

DRUG ALLERGIES: NO KNOWN DRUG ALLERGIES.

MEDICATIONS: The patient is taking pain medications p.r.n.

SOCIAL HISTORY: The patient is a nonsmoker. The patient drinks alcohol socially. The patient does not use recreational drugs.

ADL CAPABILITIES: The patient states that he can walk for 1/2 block. He can stand for 5 minutes before he has to sit. He can sit for 5 minutes before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states

that he is unable to do the following activities: play sports, lifting heavy objects, carrying heavy objects, reaching overhead, laundry, shopping, running errands, and exercising.

PRESENT COMPLAINTS: Left shoulder: Left shoulder pain is 10/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is able to reach overhead, able to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest and physical therapy.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing.

Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits.

GU: No blood in urine, painful urination, loss of bladder control or urinary retention.

Hematology: No active bleeding, bruising, anemia or blood clotting disorders.

Psychiatric: No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 5 feet 11 inches, weight is 180 pounds, and BMI is 25.1. The left shoulder reveals tenderness to palpation over supraspinatus tendon region, AC joint, and proximal biceps tendon. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Positive cross-over test. Positive empty can test. Positive Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Positive Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 110/180 degrees, adduction 35/45 degrees, forward flexion 120/180 degrees, extension 40/60 degrees, internal rotation 40/90 degrees, and external rotation 55/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

DIAGNOSTIC TESTING: MRI of the left shoulder, done on 09/02/2022, shows possible Hill-Sachs deformity. X-ray correlation may be helpful. Impingement and outlet syndrome. Attenuation of cuff tendons. Cuff tendinosis and tendinitis. Synovitis, patulous axillary pouch of the inferior left glenohumeral ligament. Axillary lymph node. Hypoplastic labrum and biceps tendon.

ASSESSMENT:

1. M24.812 Internal derangement, left shoulder.
2. M75.02 Adhesive Capsulitis, left shoulder.
3. M75.82 Shoulder tendinitis, left shoulder.
4. M75.42 Impingement, left shoulder.
5. M65.812 Tenosynovitis, left shoulder.

6. M25.512 Pain, left shoulder.
7. S49.92XA Injury, left shoulder.
8. M25.412 Joint effusion, left shoulder.
9. Outlet syndrome, left shoulder.
10. Hill-Sachs deformity, left shoulder.

PLAN:

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for left shoulder.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for left shoulder 3 days/week.
6. Recommend steroid injections with pain management for left shoulder. The patient refuses due to side effects.
7. Discussed left shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
8. The patient needs medical clearance prior to surgery. Will find out about proceeding without clearance. No medical issues.
9. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other left shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
10. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
11. All the benefits and risks of the left shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
12. All the questions in regard to the procedure were answered.
13. The patient verbally consents for the arthroscopy of left shoulder and the patient will be scheduled for left shoulder surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
14. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.


CAUSALITY: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

A handwritten signature in black ink, consisting of a large, stylized 'S' shape with a horizontal line extending to the right.

Mellita Shakhmurov, PA-C

MS/AEI

A handwritten signature in black ink, featuring a cursive 'U.K. Sinha' with a large, stylized 'S' at the end.

U.K. Sinha, MD, MS (Ortho), FAAOS
Board Certified Orthopedic Surgeon