



Community Medical Imaging

ACR Accredited Facility
159-16 Union Tpke • Fresh Meadows, NY 11366
Tel: 718-275-1010 • Fax: 718-591-3300

AJOY K. SINHA, M.D.
79-09 B NORTHERN BLVD
JACKSON HEIGHTS, NY 11372

PATIENT: MICHELLE DEL PILAR
DOB: 09/01/2006
DOS: 05/02/2022
CHART #: 24482
EXAM: MRI OF THE LEFT ANKLE WITHOUT CONTRAST

HISTORY: Posterior.

TECHNIQUE: Multiplanar MR imaging of the left ankle was performed without contrast on Hitachi open MRI unit.

Sagittal T1 and fat suppressed weighted images, axial proton density T1 and STIR weighted images and coronal STIR and T2 images of the ankle were obtained without IV contrast.

COMPARISON: None.

Additional sanitizing / safety protocols recommended by the CDC were performed.

FINDINGS: The Achilles tendon is intact.

The plantar fascia is unremarkable. The plantar musculature is within normal limits. There is trace fluid at the subtalar joint. There is no osteochondral defect. There is no ankle mortise widening.

There is no bone bruise. The Lisfranc joint is unremarkable.

The proximal metatarsals are within normal limits.

There is slight thinning of the anterior talofibular ligament medially. The remainder of the lateral ligaments are unremarkable.

Deep and superficial portions of the deltoid ligament are intact.

There is a focal contusion anterolateral to the lateral malleolus.

IMPRESSION:

1. A FOCAL CONTUSION IS NOTED ANTEROLATERAL TO THE LATERAL MALLEOLUS.



Community Medical Imaging

ACR Accredited Facility
159-16 Union Tpke • Fresh Meadows, NY 11366
Tel: 718-275-1010 • Fax: 718-591-3300

PATIENT: MICHELLE DEL PILAR

DOB: 09/01/2006

DOS: 05/02/2022

CHART #: 24482

EXAM: MRI OF THE LEFT ANKLE WITHOUT CONTRAST

PAGE 2

2. A PARTIAL-THICKNESS TEAR OF THE ANTERIOR TALOFIBULAR LIGAMENT IS SEEN MEDIALY. THERE IS NO BONE BRUISE OR FRACTURE.

Thank you for referring this patient to us.

Andrew McDonnell, MD

Neuroradiologist

Diplomate, American Board of Radiology

AM/man/pr D: 05/02/2022

E-Sig By A. McDonnell, MD on 05/03/2022 06:52:16