## UK Sinha Physician, P.C. 102-31 Jamaica Ave. Richmond Hill, NY 11418

INITIAL INTAKE SHEET

_	WC 🗸	VE LIEN			
Asymptomatic prior to accident	Age: 40 Height:C L/SH R/KN L/KN F L/Wri Neck Mid-back -Related Working: \	M F DOA  e'O Weight: 197  VEIb L'Elb R'Hip L'  Low-back	Handed: 'R P Hip R/ Ank L/ Ank ity:		
Pain in: Other:					
Odiet					
Pedestrian Bicyclist Motorcyclist Bus pass. Driver Front Pass. Rear Pass  Vehicle hit: Rear Front Driver-side front Driver side rear Passenger side front  Passenger side rear T-Boned Driver side T-Bone Passenger side  Airbags deployed: Y N EMS Arrived N Police at Scene N N  Went to Hospital: Y / W Hospital name:  PMH: None Diabetes HTN HLD Asthma Cardiac Thyroid CA					
PSH:None					
Meds: None /Pain meds PBN  Drug Allergy: Y / N  Soc. His: Smoke Y / N ppd Alcohol Y N Recreational Drugs Y N PT/Chiro: Y N Duration: Weaks /Months/Years Relief: Good Little None  Welk: Y N blocks Stand: Y N mins Sit Y N mins  Unable to: Garden Nay-sperts Drive Lift Childcare Garny Reactioverhead  Laundry Shopping Errands Kneel Squat Stairs Jog Exercise  PRESENT COMPLAINTS:					
RSH Pain /10 Constant Intermittent Stiff Weak Rop Click Reach overhead / N Reach back / N	LSH Pain/10 Constant Intermittent Stiff Weak Pop Click Reach overhead Y / N Reach back Y / N	RKN Pain/10 Constant Intermittent Stiff Weak Diff rising from chair Y / N Diff w/ stairs Y / N	Diff w/ stairs Y / N		
Unable to sleep at night Imp w/ Rest Med PT) Ice	Unable to sleep at night Imp w/ Rest Med PT Ice	Click Pop Buckl Lock Imp w/ Rest Med PT Ice	Click Pop Buck! Lock Imp w/ Rest Med PT Ice		
R HIP Pain/10 Constant Intermit Lock Pain w/ stand walk climb Standing from sitting Imp w/ Rest Med PT Ice	LHIP Pain/10 Constant Intermit Lock Pain w/ stand walk climb Standing from sitting Imp w/ Rest Med PT Ice	RANK Pain/10 Constant Intermittent Pain w/ stand walk climb Imp w/ Rest Med PT Ice	LANK Pain/10 Constant Intermittent Pain w/ stand walk climb Imp w/ Rest Med PT Ice		
RWRI Pain/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice	LWRI Pain/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice	RELB Pain/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice	LELB Pain/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice		

Other Complaints:\_

```
ROS:
  General: Fevers chills night sweats weight gain weight loss
  HEENT: Double vision eye pain eye red. hearing loss earache ear ringing nose bleeds sore throat hoarseness
  Endocrine: Cold intolerance appetite changes hair changes
  Skin: Clear no rashes or lesions
 Neuro: Headaches dizziness vertigo tremors
 Respiratory: Wheezing coughing shortness of breath difficulty breathing
 Cardiovascular: Chest pain murmurs irregular heart rate hypertension
 GI: Nausea vomiting diarrhea constipation jaundice change in bowel habits
 GU: Blood in urine painful urination loss of bladder control urinary retention
 Hematology: Active blaeding bruising anemia blood clotting disorders
 Psychiatric: Anxiety change in sleep pattern depression suicidal thoughts
 PHYSICAL EXAMINATION:
 CSPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L
 Pain w/ neck bend lift carry Impoves w/ Rest Med PT Ice
 ROM: Flex.____/45 Ext. ____/45 R Lat Flex. ____/45 L Lat Ext. ____/45 Rot ____/60
 LSPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L
 Pain w/ stand walk sit bend Impoves w/ Rest Med PT Ice
 ROM: Flex.____/80 Ext. ____/25 R Lat Flex. ____/35 L Lat Ext. ____/45 Sac Hip Flex ____/45
 R/SH: Swelling Frender to palp -> Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula
        Heat Erythema Crepites
Drop Arm Cross-Over Empty Cen
                                                               Deformity
                                                           Zergason Deltoid Atrophy
___ Kawkins ____
ROM: Abd. 70/180 Add. 7/45 For Flex. 8/180 Ext. 4/60 IR 60/90 ER 5/90 IR: secrem mid back no motor or sensory deficit
L/SH: Swelling/Tender to palp-> Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula
                                                               Deformity
                                        Crepitus
      Heat
                      Ervthema
                                                            Yergason Deltoid Atrophy
                                         Empty Can
       Drop Arm
                      Cross-Over
                       Impingement Lift off test
                                                               Hawkins
       O'Brien's
                                          For Flex. ____/180 Ext. ____/60 IR ____/90 ER ____/90
ROM: Abd. ____/180 Add. ____/45
                                      __no motor or sensory deficit
      sacrum mid back
R /KN: Swelling / Tender along → Med joint line Lat joint line Sup. patella Inf. Patella
                                                                                              Pop. fossa
                                                           Crepitus Deformity
                      Swelling
                                      Erythema
                                                           Ant. draw Post. draw
                                      Pat. fem. grind
        McMurray Lachmans
ROM: Flexion _____/130 Extension_____/5 __Stable varus/valgus ____no motor or sensory deficit
L/KN: Swelling / Tender along -> Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa
                                     Erythema Crepitus Deformity
        Heat
                      Swelling
                                                           Ant. draw Post. draw
        McMurray Lachmans Pat. fem. grind
ROM: Flexion _____/130 Extension_____/5 ___Stable varus/valgus _____no motor or sensory deficit
R/HIP: Swelling /Hematoma / Effusion / bruise _______ Trendelenburg +ve -ve Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful. ROM: Abd. ____/45 Add. ____/35 Flex. ____/120 Ext. ___/30 IR ____/45 ER ____/45
<u>L/HIP</u>: Swelling /Hematoma / Effusion / bruise ______ Trendelenburg +ve -ve Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful.
```

ROM: Abd/45 Add/35 Flex R/ANK: Swell /Hemato/ bruise $\rightarrow$ Ant. Post. Lat. Tenderness to palpation $\rightarrow$ Med. aspect Lat. asp ROM: Dorsi flexion/20 Plantar flex/50 L/ANK: Swell /Hemato/ bruise $\rightarrow$ Ant. Post. Lat. I Tenderness to palpation $\rightarrow$ Med. aspect Lat. aspect ROM: Dorsi flexion/20 Plantar flex/50	Malleo Ant Draw +ve - ve ect. ROM: Full Limited Inversion15 Ever Walleo Ant Draw +ve - ve t. ROM: Full Limite	Inv Stress +ve -ve i and painful. sion/15 Inv Stress +ve -ve d and painful.			
R /WRI: Pain to palp. → Ulnar styl. Distal rad. Scattinel +ve -ve Phalen +ve -ve ROM: Flexion/80 Extension/70 Radial L/WRI: Pain to palp. → Ulnar styl. Distal rad. Scattinel +ve -ve Phalen +ve -ve	dev/20 Ulnar dev phoid/5 grip strength \$	/30 Swell Erythema Bruise			
ROM: Flexion					
Right Shoulder S48.011A Partial rot cuff tear M75.121 Complete rot cuff tear M75.121 Complete rot cuff tear M75.01 Adhesive Capsulitis M75.01 Adhesive Capsulitis M75.02 Adhesive Capsulitis M75.02 Adhesive Capsulitis M75.03 Adhesive Capsulitis M75.03 Adhesive Capsulitis M75.04 Labral tear S43.4318 Labral tear S43.4318 Labral tear S43.432A Labral tear M75.41 Impingement M65.811 Tenosynovitis M75.51 Bursitis M75.51 Bursitis M75.52 Bicipital Tendinitis M25.511 Pain S49.91XA Injury S46.101A Biceps tendon tear M24.10 Glenoid chondr defect M94.211 Chondromal, glen/HH M67.211 Hypertroph, synovitis M89.311 AC joint hypertrophy M24.011 Loose Bodies M25.311 Shoulder instability M19.011 Primary osteoarthritis M25.411 Joint Effusion		Left Knee S83.242A Med. Men. tear S83.282A Lat. Men. tear M23.92 Internal derangement S83.519A ACL tear S83.512A ACL sprain S83.412A MCL sprain M94.262 Chondromalacia S83.32XA Tear artic. cartilage M22.2X2 PF chondral injury M25.462 Joint effusion M12.569 Trauma. arthropathy y S80.912A Injury M25.562 Pain M65.162 Synovitis M23.40 Loose body in knee M24.10 Chondral lesion M93.262 Osteochondral lesion M17.12 Osteoarthritis M24,662 Adhesions M67.52 Medial plica M25.762 Osteophyte M70.42 Prepatellar bursitis			

Right Hip	Left Hip	Right Ankle	Left Ankle
Right Wrist	Left Wrist	Right Elbow	Left Elbow
C Spine	L Spine		
Plan: Recommend steroid ir Patient Accepts Brace ordered R/S R/E	Refuses.  H L/SH R/KN L/	L/SH R/KN L/KN R/ WRI L/WRI R/ELB L/E KN R/HIP L/HIP R/ANK	•
MRI ordered R /SH	I L/SH R/KN L/K	N R/HIP L/HIP R/ANK LSpine	L/ANK R/WRI L/WRI
Discussed R/SH R/ELB	-	Spine	/ANK R/WRI L/WRI
Med Clearance neede	d prior to SxW	/C authorization needed prior to	Sx
-	IHVEDV	17/t	