UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

September 14, 2022

Office seen at: Alignment Chiropractic P.C. 4720 Avenue N Brooklyn, NY 11234 Phone# (718) 258-7800

Re: Jafarov, Garri DOB: 12/09/1978 DOA: 06/30/2022

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Left shoulder, neck, and low-back pain.

HISTORY OF PRESENT ILLNESS: A 33-year-old right-hand dominant male involved in a motor vehicle accident on 06/30/2022. The patient was a driver and was wearing a seatbelt. The vehicle was struck on the rear side. The airbags did not deploy. The EMS arrived on the scene. The police were called to the scene of the accident. The patient went to the hospital the next day. The patient was transported via ambulance Coney Island Hospital and was treated and released the same day. The patient presents today complaining of left shoulder, neck, and low-back pain sustained in the motor vehicle accident. The patient was attending physical therapy 5 times a week with little relief.

WORK HISTORY: The patient is currently working fulltime as a taxi driver.

PAST MEDICAL HISTORY: Noncontributory. There is no previous history of trauma.

PAST SURGICAL HISTORY: Noncontributory.

DRUG ALLERGIES: NO KNOWN DRUG ALLERGIES.

MEDICATIONS: The patient is taking Tylenol and Motrin.

SOCIAL HISTORY: The patient is a smoker. The patient does not drink alcohol. The patient does not use recreational drugs.

ADL CAPABILITIES: The patient states that he can walk for 2 blocks. He can stand for 10 minutes before he has to sit. He can sit for 10 minutes before needing to change positions

Jafarov, Garri September 14, 2022 Page 2 of 3

secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: garden, play sports, lifting heavy objects, carrying heavy objects, laundry, kneeling, squatting, negotiating stairs, and exercising.

PRESENT COMPLAINTS: Left shoulder: Left shoulder pain is 8/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing,

nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing. Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits. **GU**: No blood in urine, painful urination, loss of bladder control or urinary retention.

Hematology: No active bleeding, bruising, anemia or blood clotting disorders. **Psychiatric:** No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 5 feet 8 inches, weight is 240 pounds, and BMI is 36.5. The left shoulder reveals tenderness to palpation over supraspinatus tendon region. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Positive O'Brien test. Negative impingement sign. Negative Lift-off test. Negative Hawkins test. Range of motion, as per goniometer, abduction 140/180 degrees, adduction 40/45 degrees, forward flexion 150/180 degrees, extension 50/60 degrees, internal rotation 80/90 degrees, and external rotation 80/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

DIAGNOSTIC TESTING: MRI of the left shoulder, done on 08/09/2022, shows partial tear of the distal aspect of the infraspinatus tendon along the articular surface. Tenosynovitis of the long head of the biceps tendon. Fluid in the subcoracoid bursa.

ASSESSMENT:

- 1. S46.012A Partial rotator cuff tear, left shoulder.
- 2. M24.812 Internal derangement, left shoulder.
- 3. M75.02 Adhesive capsulitis, left shoulder.
- 4. M75.42 Impingement, left shoulder.
- 5. M25.512 Pain, left shoulder.
- 6. S49.92XA Injury, left shoulder.

PLAN:

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for left shoulder.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for left shoulder 3 days/week.
- 6. Discussed left shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
- 7. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other left shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
- 8. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
- 9. All the benefits and risks of the left shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
- 10. All the questions in regard to the procedure were answered.
- 11. The patient verbally consents for the arthroscopy of left shoulder and the patient will be scheduled for left shoulder surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
- 12. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

U.K. Sinha, MD, MS (Ortho), FAAOS

Board Certified Orthopedic Surgeon

apendo & Jink

UKS/AEI