

UK Sinha Physician, P.C.

102-31 Jamaica Ave.

Richmond Hill, NY 11418

Ph: 718-480-1130 Fax: 718-480-1132

usinhaorthopedics@gmail.com

June 9, 2022

Office seen at:

Gordon C Davis Medical PC

1611 East New York Ave

Brooklyn, NY 11212

Phone# (718) 566-0022

Re: Jackson, Andrew

DOB: 05/25/1962

DOA: 02/08/2022

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Left shoulder pain.

HISTORY OF PRESENT ILLNESS: A 59-year-old right-hand dominant male involved in a motor vehicle accident on 02/08/2022. The patient was a front passenger and was wearing a seatbelt. The vehicle was struck on the front driver side. The airbags did not deploy. The EMS arrived on the scene. The police were called to the scene of the accident. The patient was transported via ambulance to SUNY Downstate Medical Center and was treated and released the same day. The patient presents today complaining of left shoulder pain sustained in the motor vehicle accident. The patient was attending physical therapy for the last 3 months with no relief.

WORK HISTORY: The patient is currently not working.

PAST MEDICAL HISTORY: Noncontributory.

PAST SURGICAL HISTORY: Noncontributory.

DRUG ALLERGIES: NO KNOWN DRUG ALLERGIES.

MEDICATIONS: The patient is taking pain medications p.r.n.

SOCIAL HISTORY: The patient smokes one-half packs of cigarettes per day. The patient drinks alcohol socially.

ADL CAPABILITIES: As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: play sports, lifting heavy objects, carrying, laundry, and exercising.

PRESENT COMPLAINTS: Left shoulder: Left shoulder pain is 8/10, described as intermittent, sharp, stabbing, dull, achy pain. Worse with range of motion and improves with rest. The patient is unable to reach overhead. Able to reach behind the back and unable to sleep at night due to pain.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing.

Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits.

GU: No blood in urine, painful urination, loss of bladder control or urinary retention.

Hematology: No active bleeding, bruising, anemia or blood clotting disorders.

Psychiatric: No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 5 feet 10 inches, weight is 160 pounds, and BMI is 23. The left shoulder reveals tenderness to palpation over supraspinatus tendon region. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Positive cross-over test. Positive empty can test. Positive Yergason test. Negative deltoid atrophy. Positive O'Brien test. Positive impingement sign. Positive Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 130/180 degrees, adduction 30/45 degrees, forward flexion 125/180 degrees, extension 40/60 degrees, internal rotation 55/90 degrees, and external rotation 50/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

DIAGNOSTIC TESTING: MRI of the left shoulder, done on 03/25/2022, shows interstitial tear at the confluence of the supraspinatus and infraspinatus tendon insertions superimposed on supraspinatus, infraspinatus, and subscapularis tendinitis. Evidence of rotator cuff impingement secondary to moderate acromioclavicular joint disease, subacromial spurring, and thickening of the coracoacromial ligament. Associated subdeltoid/subacromial bursitis. Tenosynovitis of the extra-articular long head of the biceps tendon. Tear of the superior glenoid labrum anterior to posterior (SLAP tear).

ASSESSMENT:

1. S46.012A Partial rotator cuff tear, left shoulder.
2. M24.812 Internal derangement, left shoulder.
3. M75.82 Shoulder tendinitis, left shoulder.
4. S43.432A Superior labrum anterior posterior tear, left shoulder.

5. M75.42 Impingement, left shoulder.
6. M65.812 Tenosynovitis, left shoulder.
7. M75.52 Bursitis, left shoulder.
8. M25.512 Pain, left shoulder.
9. S49.92XA Injury, left shoulder.
10. M89.312 Acromioclavicular joint hypertrophy, left shoulder.
11. M25.412 Joint effusion, left shoulder.

PLAN:


1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for left shoulder.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for left shoulder 3 days/week.
6. Recommend steroid injections with pain management for left shoulder. The patient refuses due to side effects.
7. Discussed left shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
8. The patient needs medical clearance prior to surgery.
9. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other left shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
10. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
11. All the benefits and risks of the left shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
12. All the questions in regard to the procedure were answered.
13. The patient verbally consents for the arthroscopy of left shoulder and the patient will be scheduled for left shoulder surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
14. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

CAUSALITY: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

Mellita Shakhmurov, PA-C

MS/AEI

A handwritten signature in black ink, appearing to read "U.K. Sinha", written over a horizontal line.

U.K. Sinha, MD, MS (Ortho), FAAOS
Board Certified Orthopedic Surgeon