



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	LORAND, JULIO	EXAM DATE:	06/30/2022 2:20 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	LORJ70041
DOB:	06/29/1977	REFERRING PHYSICIAN:	Qureshi, Adnan
CLINICAL HISTORY:	C/O RT SHOULDER PAIN DUE TO MVA	GENDER:	M

MAGNETIC RESONANCE IMAGING OF RIGHT SHOULDER WITHOUT CONTRAST

HISTORY: Complaints of right shoulder pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right shoulder was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

ROTATOR CUFF:

SUPRASPINATUS: There is an interstitial tear for a length of 19 mm at the attachment of the supraspinatus tendon.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: Mild fluid in subacromial-subdeltoid bursa compatible with bursitis or may be seen with full thickness rotator cuff tear.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint arthrosis.



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	LORAND, JULIO	EXAM DATE:	08/30/2022 2:20 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	LORJ70041
DOB:	06/29/1977	REFERRING PHYSICIAN:	Qureshi, Adnan
CLINICAL HISTORY:	C/O RT SHOULDER PAIN DUE TO MVA	GENDER:	M

BICEPS TENDON: Intact long-head of the biceps tendon.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

1. Interstitial tear for a length of 19 mm at the attachment of the supraspinatus tendon.
2. Mild fluid in subacromial-subdeltoid bursa compatible with bursitis.
3. AC joint arthrosis.

Digitally Signed By: Imam, Naiyer
Digitally Signed Date: 07/01/2022 10:12 PM