

**AMI****American Medical Initiatives**

30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	LOGGINS, ISAAC	EXAM DATE:	03/16/2022 10:28 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	LOGI60159
DOB:	07/31/1992	REFERRING PHYSICIAN:	Qureshi, Adnan
CLINICAL HISTORY	PAIN IN LT. SHOULDER AFTER WORK ACCIDENT INJURY	GENDER	M

MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Pain in left shoulder after work accident injury.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

ROTATOR CUFF:

SUPRASPINATUS: There is a partial-thickness undersurface tear of the supraspinatus tendon.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint hypertrophy may contribute to rotator cuff impingement.

**AMI****American Medical Initiatives**

30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	LOGGINS, ISAAC	EXAM DATE:	03/16/2022 10:28 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	LOGI60159
DOB:	07/31/1992	REFERRING PHYSICIAN:	Qureshi, Adnan
CLINICAL HISTORY	PAIN IN LT. SHOULDER AFTER WORK ACCIDENT INJURY	GENDER	M

BICEPS TENDON: Intact long-head of the biceps tendon.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: A small synovial cyst noted in the superior subscapular recess.

NEUROVASCULAR STRUCTURES: Normal in course and caliber

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

1. Partial-thickness undersurface tear of the supraspinatus tendon.
2. AC joint hypertrophy may contribute to rotator cuff impingement.
3. Small synovial cyst in the superior subscapular recess.

Digitally Signed By: Imam, Naiyer
Digitally Signed Date: 03/19/2022 10:02 AM