

30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:

BALDERA, LORENA

EXAM DATE:

04/30/2022 5:10 PM

STUDY

MRI KNEE WITHOUT CONTRAST

MRN:

BALL65147

DESCRIPTION:

(TOINT)

DOB:

CLINICAL

HISTORY

11/28/1996

REFERRING PHYSICIAN: Qureshi, Adnan

LT KNEE PAIN DUE TO MVA

GENDER

MAGNETIC RESONANCE IMAGING OF THE LEFT KNEE WITHOUT IV CONTRAST

HISTORY: Left knee pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left knee was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.

LIGAMENTS:

ANTERIOR CRUCIATE: The anterior cruciate ligament is intact. POSTERIOR CRUCIATE: The posterior cruciate ligament is intact. MEDIAL COLLATERAL LIGAMENT: The medial collateral ligament is intact. LATERAL COLLATERAL LIGAMENT: The lateral collateral ligament is intact.

JOINT SPACES:

MEDIAL COMPARTMENT: Intact medial meniscus and articular cartilage. LATERAL COMPARTMENT: Intact lateral meniscus and articular cartilage. PATELLOFEMORAL COMPARTMENT: Articular cartilage intact.

SYNOVIUM/JOINT FLUID: There is no joint effusion.

MUSCLES: There is edema along the myofascial planes of the partially imaged medial head of the gastrocnemius muscle consistent with myofascial strain.



30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

BALDERA, LORENA EXAM DATE: 04/30/2022 5:10 PM STUDY MRI KNEE WITHOUT CONTRAST BALL65147 MRN: (JOINT) DESCRIPTION: DOB: 11/28/1996 REFERRING Qureshi, Adnan

PHYSICIAN:

GENDER

CLINICAL LT KNEE PAIN DUE TO MVA **HISTORY**

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

EXTENSOR MECHANISM: The quadriceps tendon is intact. The patellar tendon is intact.

PERIPHERAL SOFT TISSUES: Significant edema noted in the prepatellar region compatible with trauma sequelae.

PLICAE: No plicae demonstrated.

IMPRESSION:

PATIENT:

- 1. Edema along the myofascial planes of the partially imaged medial head of the gastrocnemius muscle consistent with myofascial strain.
- 2. Significant edema in the prepatellar region compatible with trauma sequelae.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 05/11/2022 11:41 PM