

# UK Sinha Physician, P.C.

102-31 Jamaica Ave.  
Richmond Hill, NY 11418  
Ph: 718-480-1130 Fax: 718-480-1132

---

July 5, 2022

Office seen at:

Merrick Medical PC  
243-51 Merrick Blvd  
Rosedale, NY 11422  
Phone# (718) 413-5499

Re: Reid, Michelle  
DOB: 11/04/1970  
DOA: 06/08/2022

## INITIAL ORTHOPEDIC CONSULT EXAMINATION

**CHIEF COMPLAINT:** Right knee pain.

**HISTORY OF PRESENT ILLNESS:** A 51-year-old right-hand dominant female involved in a motor vehicle accident on 06/08/2022. The patient was a driver and was wearing a seatbelt. The vehicle was struck on the rear side. The airbags did not deploy. The EMS arrived on the scene. The police were called to the scene of the accident. The patient was transported via ambulance to Franklin Hospital Medical Center and was treated and released the same day. The patient presents today complaining of right knee pain sustained in the motor vehicle accident. The patient was attending physical therapy for the last 3 weeks with no relief.

**WORK HISTORY:** The patient is currently not working.

**PAST MEDICAL HISTORY:** Rheumatoid arthritis.

**PAST SURGICAL HISTORY:** Bunion removal on January 11, 2011.

**DRUG ALLERGIES:** NO KNOWN DRUG ALLERGIES.

**MEDICATIONS:** The patient is taking pain medications p.r.n.

**SOCIAL HISTORY:** The patient is a nonsmoker. The patient does not drink alcohol. The patient does not use recreational drugs.

**ADL CAPABILITIES:** The patient states that she can walk for 2 blocks. She can stand for 5 minutes before she has to sit. She can sit for 30 minutes before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states

that she is unable to do the following activities: kneeling, negotiating stairs, jogging and exercising.

**PRESENT COMPLAINTS:** Right knee: Right knee pain is 8/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking and buckling. Worse with range of motion and improves with rest.

**REVIEW OF SYSTEMS:** Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

**General:** No fever, chills, night sweats, weight gain, or weight loss.

**HEENT:** No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

**Endocrine:** No cold intolerance, appetite changes or hair changes.

**Skin:** Clear, no rashes or lesions.

**Neuro:** No headaches, dizziness, vertigo or tremor.

**Respiratory:** No wheezing, coughing, shortness of breath or difficulty breathing.

**Cardiovascular:** No chest pain, murmurs, irregular heart rate or hypertension.

**GI:** No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits.

**GU:** No blood in urine, painful urination, loss of bladder control or urinary retention.

**Hematology:** No active bleeding, bruising, anemia or blood clotting disorders.

**Psychiatric:** No anxiety, change in sleep pattern, depression or suicidal thoughts.

**PHYSICAL EXAMINATION:** The patient's height is 5 feet 10 inches, weight is 186 pounds, and BMI is 26.7. The right knee reveals tenderness along the medial joint line. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Positive McMurray test. Positive Lachman test. Positive patellofemoral grinding test. Positive anterior drawer. Negative posterior drawer. Range of motion reveals flexion 85/130 degrees and extension 4/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the right lower extremity.

**DIAGNOSTIC TESTING:** MRI of the right knee, done on 06/29/2022, shows increased T2 signal on the proton density sequence adjacent to the ACL indicating sprain. No definite tears. Horizontal tear extending to the inferior articular surface at the posterior horn of the medial meniscus. Oblique tear extending to the inferior articular surface in the posterior horn of the lateral meniscus. Patella cartilage erosion. Increased signal seen at the quadriceps insertion at the patella indicating tendinopathy. There is edema adjacent to the patella representing paratenonitis.

**ASSESSMENT:**

1. S83.241A Medial meniscus tear, right knee.
2. M23.200 Lateral meniscus derangement, right knee.
3. M23.91 Internal derangement, right knee.
4. S83.511A Anterior cruciate ligament sprain, right knee.
5. M25.461 Joint effusion, right knee.
6. S80.911A Injury, right knee.
7. M25.561 Pain, right knee.
8. Patella cartilage erosion, right knee.

**PLAN:**

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for right knee.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for right knee 3 days/week.
6. Recommend steroid injections with pain management for right knee. The patient refuses due to side effects.
7. Discussed right knee arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient wants to think about surgery.
8. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other right knee pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
9. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
10. All the benefits and risks of the right knee arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
11. All the questions in regard to the procedure were answered.
12. Follow up in 2 weeks for decision.


**CAUSALITY:** It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

**AFFIRMATION:** Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

---

Mellita Shakhmurov, PA-C

MS/AEI



---

U.K. Sinha, MD, MS (Ortho), FAAOS  
Board Certified Orthopedic Surgeon