



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

| | | | |
|--------------------|---------------------------------|----------------------|---------------------|
| PATIENT: | SEABROOK, MARIAN | EXAM DATE: | 08/29/2022 10:32 AM |
| STUDY DESCRIPTION: | MRI SHOULDER WITHOUT CONTRAST | MRN: | SEAM75848 |
| DOB: | 05/21/1955 | REFERRING PHYSICIAN: | Jurkovich, Michael |
| CLINICAL HISTORY | C/O LT SHOULDER PAIN DUE TO MVA | GENDER | F |

MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Complains of left shoulder pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: Post operative changes in humeral head. Artifacts noted around Ac joint.

ROTATOR CUFF:


SUPRASPINATUS: Mild tendonitis of supraspinatus tendon for the length of 1.6mm.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

| | | | |
|---------------------------|---------------------------------|-----------------------------|---------------------|
| PATIENT: | SEABROOK, MARIAN | EXAM DATE: | 08/29/2022 10:32 AM |
| STUDY DESCRIPTION: | MRI SHOULDER WITHOUT CONTRAST | MRN: | SEAM75848 |
| DOB: | 05/21/1955 | REFERRING PHYSICIAN: | Jurkovich, Michael |
| CLINICAL HISTORY | C/O LT SHOULDER PAIN DUE TO MVA | GENDER | F |

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: Intact.

BICEPS TENDON: Bicep tendon is not seen clearly and seen to displaced away from bicipital grove.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

1. Bicep tendon is not seen clearly and seen to displaced away from bicipital grove.
2. Mild tendonitis of supraspinatus tendon for the length of 1.6mm.
3. Post operative changes in humeral head.
4. Artifacts noted around Ac joint.



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

| | | | |
|--------------------|---------------------------------|----------------------|---------------------|
| PATIENT: | SEABROOK, MARIAN | EXAM DATE: | 08/29/2022 10:32 AM |
| STUDY DESCRIPTION: | MRI SHOULDER WITHOUT CONTRAST | MRN: | SEAM75848 |
| DOB: | 05/21/1955 | REFERRING PHYSICIAN: | Jurkovich, Michael |
| CLINICAL HISTORY | C/O LT SHOULDER PAIN DUE TO MVA | GENDER | F |

Digitally Signed By: Imam, Naiyer
Digitally Signed Date: 08/30/2022 1:08 PM