



QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qri.newhydepark@yahoo.com

PATIENT:	MAURICE, PAYNE	EXAM DATE:	30-Sep-2022 9:07 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST RT	MRN:	MAUP1021
DOB:	14-May-1963	REFERRING PHYSICIAN:	Jurkovich, Michael M.D.
CLINICAL HISTORY:	N/Fright shoulder PAIN DUE TO MVA.	GENDER:	M

MRI right shoulder without contrast

Clinical history Pain at time of mva

Comparison: None

Description multiplanar, multiecho sequence MRI of the right shoulder was performed. no IV contrast was given.

Osseous structures/marrow: There is bone marrow edema that the greater tuberosity. no dislocation. This may be from trauma

Rotator cuff

Supraspinatus: There is increased signal at the greater tuberosity insertion with flow below the tendon indicating a partial tear at the articular surface of the supraspinatus. There Is no muscle or tendon retraction

infraspinatus: intact

teres minor: intact

subscapularis: intact



QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qri.newhydepark@yahoo.com

PATIENT:	MAURICE, PAYNE	EXAM DATE:	30-Sep-2022 9:07 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST RT	MRN:	MAUP1021
DOB:	14-May-1963	REFERRING PHYSICIAN:	Jurkovich, Michael M.D.
CLINICAL HISTORY:	N/Fright shoulder PAIN DUE TO MVA.	GENDER:	M

muscle: There is no muscle edema fatty atrophy

AC joint : Intact

Bursa: no subacromial subdeltoid bursitis

Biceps: There is normal biceps tendon with tenosynovitis. The biceps tendon is within the bicipital.

Labrum/ligament: Intact

Coracoacromial ligament/rotator interval: Intact

Sonogram/joint: no synovial hypertrophy of the joint fluid

Neurovascular bundle: Intact

Soft tissues: Intact

Impression:

1. increased signal at the greater tuberosity insertion with flow below the tendon indicating a partial tear at the articular surface of the supraspinatus
2. There is bone marrow edema at the greater tuberosity possibly from minor trauma. no dislocation
3. Biceps tendon tenosynovitis.

Digitally Signed By: Izzo, Joseph



**QUEENS RADIOLOGY
IMAGING PC**
DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qri.newhydepark@yahoo.com

PATIENT:	MAURICE, PAYNE	EXAM DATE:	30-Sep-2022 9:07 AM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST RT	MRN:	MAUP1021
DOB:	14-May-1963	REFERRING PHYSICIAN:	Jurkovich, Michael M.D.
CLINICAL HISTORY:	N/Fright shoulder PAIN DUE TO MVA.	GENDER:	M

Digitally Signed Date: 03-Oct-2022 11:22 AM