## UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

September 22, 2022

Office seen at: Dolphin Family Chiropractic, P.C. 430 W Merrick Road Valley Stream, NY 11580 Phone# (516) 612-7288

Re: Curry, Michelle DOB: 07/25/1965 DOA: 07/27/2022

## INITIAL ORTHOPEDIC CONSULT EXAMINATION

**CHIEF COMPLAINT:** Right ankle pain.

**HISTORY OF PRESENT ILLNESS:** A 57-year-old right-hand dominant female involved in a motor vehicle accident on 07/27/2022. The patient was a driver and was wearing a seatbelt. The vehicle was T-boned on the passenger's side. The airbags did not deploy. The EMS did not arrive on the scene. The police were called to the scene of the accident. The patient did not go to any hospital that same day. The patient presents today complaining of right ankle pain sustained in the motor vehicle accident. The patient was attending physical therapy for the last 2 months with no relief.

**WORK HISTORY:** The patient is currently not working.

**PAST MEDICAL HISTORY:** Noncontributory. There is a previous history of trauma, MVA in 2015.

**PAST SURGICAL HISTORY:** Noncontributory.

**DRUG ALLERGIES:** SULFA.

**MEDICATIONS:** The patient is taking pain medications p.r.n.

**SOCIAL HISTORY:** The patient is a nonsmoker. The patient does not drink alcohol. The patient does not use recreational drugs.

**ADL CAPABILITIES:** The patient states that she can walk for 1/2 block. She can stand for 5 minutes before she has to sit. She can sit for 5 minutes before needing to change positions

Curry, Michelle September 22, 2022 Page 2 of 3

secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that she is unable to do the following activities: running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

**PRESENT COMPLAINTS:** Right ankle: Right ankle pain is 7-8/10, described as constant, dull, achy pain. The patient has pain with standing, walking, and climbing.

**REVIEW OF SYSTEMS:** Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

**HEENT**: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing,

nosebleeds, sore throat or hoarseness.

**Endocrine:** No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

**Neuro:** No headaches, dizziness, vertigo or tremor.

**Respiratory:** No wheezing, coughing, shortness of breath or difficulty breathing. **Cardiovascular:** No chest pain, murmurs, irregular heart rate or hypertension.

**GI**: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits. **GU**: No blood in urine, painful urination, loss of bladder control or urinary retention.

**Hematology:** No active bleeding, bruising, anemia or blood clotting disorders.

Psychiatric: No anxiety, change in sleep pattern, depression or suicidal thoughts.

**PHYSICAL EXAMINATION:** The patient's height is 5 feet 5 inches, weight is 165 pounds, and BMI is 27.5. The right ankle reveals swelling noted over anterior and lateral malleolar aspect. Negative anterior drawer test. Positive inversion stress test. Tenderness to palpation noted in the lateral aspect. Range of motion is limited and painful. ROM: Dorsiflexion 10/20 degrees, plantarflexion 35/50 degrees, inversion 10/15 degrees, eversion 10/15 degrees.

**DIAGNOSTIC TESTING:** MRI of the right ankle, done on 08/24/2022, shows sprain injury is seen at distal posterior tibial tendon. Tibiotalar effusion is seen. There is sprain injury of distal Achilles tendon. Sprain injury is seen at posterior talofibular ligament.

## **ASSESSMENT:**

1. Sprain, right ankle.

## **PLAN:**

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for right ankle.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Recommend steroid injections with pain management for right ankle. The patient refuses due to side effects.
- 6. Continue physical therapy for 4 weeks for the right ankle. If no improvement in pain, the patient will consider injection.
- 7. Follow up in 4 weeks.

Curry, Michelle September 22, 2022 Page 3 of 3

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

**AFFIRMATION:** Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

Mellita Shakhmurov, PA-C

MS/AEI

U.K. Sinha, MD, MS (Ortho), FAAOS Board Certified Orthopedic Surgeon