



QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qri.newhydepark@yahoo.com

PATIENT:	BAKER, MERLE	EXAM DATE:	06/25/2022 2:30 PM
STUDY DESCRIPTION:	MRI KNEE WITHOUT CONTRAST (JOINT)	MRN:	BAKM70704
DOB:	02/29/1952	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY:	N/F right knee Pain due to MVA accident.	GENDER:	F

Muscles: No muscle edema or fatty atrophy present
Neurovascular structures: Normal in course and caliber
Extensor mechanism: Quadriceps tendon is intact. Patella tendon is intact
Peripheral soft tissues: There is prepatellar edema present
Plica: No plica present

Impression:

1. bone marrow edema seen at the medial lateral tibial plateau as well as the femoral condyles.
2. increased signal on the proton density along the ACL and ACL fibers are not visualized indicating a tear
3. Medial collateral ligament contains adjacent edema and is bulging
4. Medial and lateral meniscal tears in the posterior horn
5. Suprapatellar joint effusion present, prepatellar edema

Digitally Signed By: Izzo, Joseph
Digitally Signed Date: 06/27/2022 12:24 PM



QUEENS RADIOLOGY IMAGING PC

DIAGNOSTIC RADIOLOGY

1575 Hillside Ave, Suite 100
New Hyde Park, NY 11040
Tel: 516 962 9544, 516 962 9599
Cell: 516 549 6963
Fax: 516 467 3130
Email: qri.newhydepark@yahoo.com

PATIENT:	BAKER, MERLE	EXAM DATE:	06/25/2022 2:30 PM
STUDY DESCRIPTION:	MRI KNEE WITHOUT CONTRAST (JOINT)	MRN:	BAKM70704
DOB:	02/29/1952	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY:	N/F right knee Pain due to MVA accident.	GENDER:	F

Magnetic resonance imaging of the right knee without IV contrast

Clinical history: Pain at the time of MVA

Comparison: None

Description: An MRI of the right knee was performed using multiplanar, multiecho pulse sequence MRI. No IV contrast was given

Osseous structures/marrow: There is bone marrow edema seen at the medial lateral tibial plateau as well as the femoral condyles. There is no evidence of osteonecrosis

Ligaments

Anterior cruciate ligament: There is increased signal on the proton density along the ACL and ACL fibers are not visualized indicating a tear

Posterior cruciate ligament: Posterior cruciate ligament is intact

Medial collateral ligament: Contains adjacent edema and is bulging

Lateral collateral ligament: Lateral collateral ligament is intact

Joint spaces

Medial compartment: Contains a tear in the posterior horn extending to the inferior articular surface

Lateral compartment: Contains a tear at the posterior horn.

Patellofemoral compartment: Patellar cartilage is intact

Synovium/joint fluid: There is joint effusion present in the suprapatellar region