

40-3474th Street, Eimhurst, NY 11373 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:

CRUZ, NORRIS

EXAM DATE:

06/14/2022 10:45 AM

STUDY

MRI ANKLE WITHOUT CONTRAST

MRN:

CRUN70109

DESCRIPTION:

(JOINT)

DOB:

08/18/1974

REFERRING PHYSICIAN: Zilberman, Igor

CLINICAL HISTORY: NF PAIN DUE TO ACCIDENT

MAGNETIC RESONANCE IMAGING OF RIGHT ANKLE WITHOUT CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right ankle was performed without

intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.

LIGAMENTS:

TIBIO-FIBULAR SYNDESMOTIC: The lower syndesmotic ligaments are intact.

ANTERIOR TALOFIBULAR: The anterior talofibular ligament is intact.

POSTERIOR TALOFIBULAR: Hyperintense signal of the fibular attachment of the posterior talofibular ligament noted compatible with a partial tear.

CALCANEOFIBULAR LIGAMENT: The posterior calcaneofibular ligament is intact.

DELTOID LIGAMENT COMPLEX: The deltoid ligament-complex is intact.

TENDONS:

ACHILLES: The Achilles tendon is intact.

PERONEAL: The peroneal tendon is intact.

MEDIAL FLEXOR: The medial flexor tendon is intact.

ANTERIOR EXTENSOR TENDON: The anterior extensor tendon is intact.

MUSCLES: There is no intramuscular edema or fatty muscle atrophy.

PLANTAR FASCIA: The plantar fascia is intact.



40-3474th Street, Elmhurst, NY 11373 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:

CRUZ, NORRIS

EXAM DATE:

06/14/2022 10:45 AM

STUDY

DESCRIPTION:

MRI ANKLE WITHOUT CONTRAST (JOINT)

MRN:

CRUN70109

DOB:

08/18/1974

REFERRING PHYSICIAN: Zilberman, Igor

CLINICAL HISTORY: NF PAIN DUE TO ACCIDENT

CARTILAGE/SUBCHONDRAL BONE: The cartilage of the tibiotalar, subtalar, talonavicular, and calcaneocuboid joints is intact.

SYNOVIUM /JOINT FLUID: No synovial thickening or joint effusion.

SINUS TARSI: Normal.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

Hyperintense signal of the fibular attachment of the posterior talofibular ligament compatible with a partial tear.

Digitally Signed By: Imam, Nalyer

Digitally Signed Date: 06/15/2022 7:58 PM