


Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234 Tel: 718-676-7828 • Fax: 718-676-7829



IDY LIANG, NP-C 5205 CHURCH AVENUE BROOKLYN, NY 11203

PATIENT: RASHEED MORGAN

DOB: 07/27/1991 DOS: 10/27/2022 CHART #: 4373 EXAM: MRI OF THE LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Shoulder pain, weakness, difficulty lifting the arm up.

TECHNIQUE: Multiplanar MR imaging of the left shoulder was performed without contrast on Hitachi open MRI unit.

Coronal T1, T2 and STIR; Sagittal T2; Axial PD and gradient echo images of the shoulder were obtained.

COMPARISON: None.

FINDINGS: The acromioclavicular and glenohumeral joints are preserved.

There is no bone marrow edema, bony lesion or fracture.

There is fluid surrounding the long head of the biceps tendon suggesting tenosynovitis.

The subscapularis tendon demonstrates no abnormality.

The glenoid labrum and rotator cuff muscles are normal in signal and appearance.

There is fluid in the subcoracoid bursa.

Periarticular soft tissue planes are maintained.

IMPRESSION:

- 1. TENOSYNOVITIS OF THE LONG HEAD OF THE BICEPS TENDON.
- 2. FLUID IN THE SUBCORACOID BURSA.

Thank you for referring this patient to us.

land

Guenadí Amoachi, MD Diagnostic Radíologist Diplomate, American Board of Radiology

E-Sig By G. Amoachi, MD on 10/30/2022