

40-34 74th Street, Elmhurst, NY 11373 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:

ORTIZ, FRANCISCO

EXAM DATE:

09/10/2022 11:14 AM

STUDY

DOB:

MRI:KNEE WITHOUT CONTRAST

MRN:

ORTF74282

**DESCRIPTION:** 

(TAIOL)

03/15/1985

REFERRING PHYSICIAN: Levtsenko, Inna Np

CLINICAL HISTORY: NF PAIN DUE TO ACCIDENT

MAGNETIC RESONANCE IMAGING OF THE RIGHT KNEE WITHOUT IV CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right knee was performed without intravenous contrast.

COMPARISON: None available.

**FINDINGS:** 

OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.

LIGAMENTS:

ANTERIOR CRUCIATE: The anterior cruciate ligament is intact. POSTERIOR CRUCIATE: The posterior cruciate ligament is intact.

MEDIAL COLLATERAL LIGAMENT: The medial collateral ligament is intact. LATERAL COLLATERAL LIGAMENT: The lateral collateral ligament is intact.

JOINT SPACES:

MEDIAL COMPARTMENT: There is a horizontal tear of the posterior horn of the medial meniscus. LATERAL COMPARTMENT: Intact lateral meniscus and articular cartilage.


PATELLOFEMORAL COMPARTMENT: Articular cartilage intact.

SYNOVIUM/JOINT FLUID: There is no joint effusion.

MUSCLES: No muscle edema or fatty muscle atrophy.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PDF processed with CutePDF evaluation edition www.CutePDF.com



40-34 74th Street, Elmhurst, NY 11373 Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:

ORTIZ FRANCISCO

EXAM DATE:

09/10/2022 11:14 AM

STUDY

MRI KNEE WITHOUT CONTRAST

MRN:

ORTF74282

**DESCRIPTION:** 

(JOINT)

DOB:

03/15/1985

REFERRING PHYSICIAN: Levtsenko, Inna Np

CLINICAL HISTORY: NF PAIN DUE TO ACCIDENT

EXTENSOR MECHANISM: There is edema surrounding the patellar tendon consistent with paratenonitis.

PERIPHERAL SOFT TISSUES: Significant edema noted in the prepatellar region compatible with trauma sequelae.

PLICAE: No plicae demonstrated.

## IMPRESSION:

- 1. Horizontal tear of the posterior horn of the medial meniscus.
- 2. Edema surrounding the patellar tendon consistent with paratenonitis.
- 3. Significant edema in the prepatellar region compatible with trauma sequelae.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 09/11/2022 4:08 PM