

170-10 Cedarcroft Road, Jamaica, NY 11432 Tel: 718-206-1000 | Fax: 718-532-0633

PATIENT:

DESCRIPTION:

LEVASSEUR, AMELIE

EXAM DATE:

04/12/2022 4:00 PM

**STUDY** 

MRI KNEE WITHOUT CONTRAST (JOINT) MRN:

·----

LEVA61957

DOB:

07/27/1976

REFERRING PHYSICIAN: Zilberman, Igor DC

CLINICAL HISTORY:

GENDER

MAGNETIC RESONANCE IMAGING OF THE RIGHT KNEE WITHOUT IV CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right knee was performed without intravenous contrast.

COMPARISON: None available.

**FINDINGS:** 

OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.

LIGAMENTS:


ANTERIOR CRUCIATE: The anterior cruciate ligament is intact.
POSTERIOR CRUCIATE: The posterior cruciate ligament is intact.
MEDIAL COLLATERAL LIGAMENT: The medial collateral ligament is intact.
LATERAL COLLATERAL LIGAMENT: The lateral collateral ligament is intact.

**JOINT SPACES:** 

MEDIAL COMPARTMENT: Intact medial meniscus and articular cartilage. LATERAL COMPARTMENT: Intact lateral meniscus and articular cartilage. PATELLOFEMORAL COMPARTMENT: Articular cartilage intact.

SYNOVIUM/JOINT FLUID: There is no joint effusion.

MUSCLES: No muscle edema or fatty muscle atrophy.



170-10 Cedarcroft Road, Jamaica, NY 11432 Tel: 718-206-1000 | Fax: 718-532-0633

PATIENT:

LEVASSEUR, AMELIE

EXAM DATE:

04/12/2022 4:00 PM

STUDY DESCRIPTION: MRI KNEE WITHOUT CONTRAST (JOINT) MRN:

LEVA61957

DOB:

07/27/1976

REFERRING PHYSICIAN:

**GENDER** 

Zilberman, Igor DC

**CLINICAL** 

HISTORY:

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

EXTENSOR MECHANISM: The suprapatellar fat pad shows significant hyperintense signal compatible with fat pad impingement. There is linear interstitial tearing of the distal quadriceps tendon superimposed on tendinitis. There is patellar tendinitis.

PERIPHERAL SOFT TISSUES: Significant edema noted in the prepatellar region compatible with trauma sequelae.

PLICAE: No plicae demonstrated.

## IMPRESSION:

- 1. Suprapatellar fat pad impingement.
- 2. Linear interstitial tearing of the distal quadriceps tendon superimposed on tendinitis.
- 3. Significant edema in the prepatellar region compatible with trauma sequelae.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 05/09/2022 12:16 AM