## UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

July 18, 2022

Office seen at: Baxter Medical Care, PC 8106 Baxter Ave # Mc2 Elmhurst, NY 11373 Phone# (718) 639-1110

Re: Arzayus, Luz DOB: 01/15/1996 DOA: 05/23/2022

## **FOLLOW-UP NOTE**

**CHIEF COMPLAINT:** Follow up of right shoulder pain.

**HISTORY OF PRESENT ILLNESS:** The patient presents today in followup with continued pain in the right shoulder.

**ADL CAPABILITIES:** As a direct result of the injuries sustained in this accident, the patient states that she is unable to do the following activities: garden, play sports, driving, lifting heavy objects, carrying, reaching overhead, laundry, shopping, running errands, and exercising.

**PRESENT COMPLAINTS:** Right shoulder: Right shoulder pain is 7/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is unable to reach overhead or behind the back and unable to sleep at night due to pain.

**PHYSICAL EXAMINATION:** The right shoulder reveals no tenderness. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative drop arm test. Negative crossover test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Positive O'Brien test. Negative impingement sign. Negative Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 90/180 degrees, adduction 40/45 degrees, forward flexion 100/180 degrees, extension 50/60 degrees, internal rotation 70/90 degrees, and external rotation 70/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

**DIAGNOSTIC TESTING:** MRI of the right shoulder, done on 06/02/2022, shows partial thickness undersurface tear of the supraspinatus tendon. Tenosynovitis of the extra-articular long head of the biceps tendon.

## **ASSESSMENT:**

- 1. S46.011A Partial rotator cuff tear, right shoulder.
- 2. M24.811 Internal derangement, right shoulder.
- 3. M75.01 Adhesive capsulitis, right shoulder.
- 4. M75.81 Shoulder tendinitis, right shoulder.
- 5. S43.431A Labral tear, right shoulder.
- 6. M75.41 Impingement, right shoulder.
- 7. M65.811 Tenosynovitis, right shoulder.
- 8. M75.51 Bursitis, right shoulder.
- 9. M75.21 Bicipital tendinitis, right shoulder.
- 10. M25.511 Pain, right shoulder.
- 11. S49.91XA Injury, right shoulder.
- 12. M67.211 Hypertrophic synovitis, right shoulder.
- 13. M89.311 Acromioclavicular joint hypertrophy, right shoulder.
- 14. M25.411 Joint effusion, right shoulder.

## **PLAN:**

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for right shoulder.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for right shoulder 3 days/week.
- 6. Discussed right shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient wants to think about surgery.
- 7. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other right shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
- 8. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
- 9. All the benefits and risks of the right shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
- 10. All the questions in regard to the procedure were answered.
- 11. Follow up in 4 weeks.

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

**AFFIRMATION:** Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

U.K. Sinha, MD, MS (Ortho), FAAOS Board Certified Orthopedic Surgeon

Board Certified Offilopedic Surgeon

apendo & wink

UKS/AEI