

30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 Fax: 718-709-4136

EXAM DATE: 06/08/2022 10:00 AM PATIENT: ALEXANDER, TAVAREZ MRIKNEE WITHOUT CONTRAST ALET66689 STUDY MRN: (TMIOU). DESCRIPTION: REFERRING DOB: 06/08/1991 King, William PHYSICIAN: M CLINICAL C/O'RT KNEE PAIN DUE TO WORKER'S GENDER HISTORY COMPENSATION

MAGNETIC RESONANCE IMAGING OF THE RIGHT KNEE WITHOUT IV CONTRAST

HISTORY: Complains of right knee pain due to worker's compensation.

TECHNIQUE: Multiplanar, multi-sequence: MRI of the right knee was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.

LIGAMENTS:

ANTERIOR CRUCIATE: The anterior cruciate ligament is intact.
POSTERIOR CRUCIATE: The posterior cruciate ligament is intact.
MEDIAL COLLATERAL LIGAMENT: The medial collateral ligament is intact.
LATERAL COLLATERAL LIGAMENT: The lateral collateral ligament is intact.

JOINT SPACES:

MEDIAL COMPARTMENT: A horizontal tear of the body and posterior horn of the medial meniscus noted.

LATERAL COMPARTMENT: Intact lateral meniscus and articular cartilage.
PATELLOFEMORAL COMPARTMENT: Articular cartilage intact.

Page 1

page 1 of 2



30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

06/08/2022 10:00 AM EXAM DATE: PATIENT: ALEXANDER, TAVAREZ ALET66689 MRI KNEE WITHOUT CONTRAST STUDY . MRN: (JOINT) DESCRIPTION: REFERRING King, William: DOB: 06/08/1991 PHYSICIAN: GENDER M CLINICAL C/O RT KNEE PAIN DUE TO WORKER'S **HISTORY** COMPENSATION

SYNOVIUM/JOINT FLUID: There is a Joint effusion.

MUSCLES: No muscle edema or fatty muscle atrophy.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

EXTENSOR MECHANISM: The quadrice psitendon is intact. The patellar tendon is intact.

PERIPHERAL SOFT TISSUES: Significant:edema noted in the prepatellar region compatible with trauma sequelae.

PLICAE: No plicae demonstrated.

IMPRESSION:

- 1. Horizontal tear of the body and posterior horn of the medial meniscus.
- 2. Significant edema in the prepatellar region compatible with trauma sequelae.
- 3. Joint effusion.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 06/09/2022 11:54 AM