

106-01 101st Ave., Ozone Park, NY 11416 Tel: 718-850-0900 | Fax: 914-462-4764

PATIENT: MILLER, NAJIYYAH EXAM DATE: 07/08/2022 12:30 PM

STUDY MRI SHOULDER WITHOUT CONTRAST MRN: MILN70231
DESCRIPTION:

DOB: 02/10/1979 REFERRING Qureshi, Adnan PHYSICIAN:

CLINICAL LT SHOULDER PAIN. S/P TRAUMA GENDER F

MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Left shoulder pain. Status post trauma.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

ROTATOR CUFF:

HISTORY

SUPRASPINATUS: The supraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

INFRASPINATUS: There is an interstitial tear of length 8 mm at the attachment of the infraspinatus tendon. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.


SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: Mild fluid in subacromial-subdeltoid bursa compatible with bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: Intact.

BICEPS TENDON: Intact long-head of the biceps tendon.



106-01 101st Ave., Ozone Park, NY 11416 Tel: 718-850-0900 | Fax: 914-462-4764

PATIENT:

MILLER, NAJIYYAH

EXAM DATE:

07/08/2022 12:30 PM

STUDY DESCRIPTION:

DOB:

MRI SHOULDER WITHOUT CONTRAST

MRN:

MILN70231

02/10/1979

REFERRING PHYSICIAN:

Qureshi, Adnan

CLINICAL

LT SHOULDER PAIN. S/P TRAUMA

GENDER

HISTORY

LABRUM/LIGAMENTS: There is a tear of the superior glenoid labrum anterior to posterior (SLAP tear) with a partial tear of the biceps labral anchor complex.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: There is a joint effusion.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

- 1. Interstitial tear of length 8 mm at the attachment of the infraspinatus tendon.
- 2. Type II SLAP tear.
- 3. Mild fluid in subacromial-subdeltoid bursa compatible with bursitis

4. Joint effusion.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 07/12/2022 8:10 PM

