

**AMI****American Medical Initiatives**

30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ALEXANDER, TAVAREZ	EXAM DATE:	05/25/2022 5:58 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	ALET66689
DOB:	06/08/1991	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY	C/O LT SHOULDER PAIN DUE TO MVA	GENDER	M

MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Complains of left shoulder pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

ROTATOR CUFF:

SUPRASPINATUS: There is a partial-thickness undersurface tear of the supraspinatus tendon.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: AC joint hypertrophy may contribute to rotator cuff impingement.

BICEPS TENDON: There is tenosynovitis of the extra articular long head of the biceps tendon.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

**AMI****American Medical Initiatives**

30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	ALEXANDER, TAVAREZ	EXAM DATE:	05/25/2022 5:58 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	ALET66689
DOB:	06/08/1991	REFERRING PHYSICIAN:	Jurkovich, Michael
CLINICAL HISTORY	C/O LT SHOULDER PAIN DUE TO MVA	GENDER	M

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

1. Partial-thickness undersurface tear of the supraspinatus tendon.
2. Tenosynovitis of the extra articular long head of the biceps tendon.
3. AC joint hypertrophy may contribute to rotator cuff impingement.

Digitally Signed By: Imam, Nalier

Digitally Signed Date: 05/26/2022 8:12 PM