



Nova Medical Diagnostic, PC

6317 Ave N • Brooklyn, NY 11234
Tel: 718-676-7828 • Fax: 718-676-7829



IDY LIANG, NP-C
5205 CHURCH AVENUE
BROOKLYN, NY 11203

PATIENT: ANDRE GEORGE
DOB: 01/25/1971 DOS: 09/23/2022 CHART #: 4289
EXAM: MRI OF THE LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Sharp shoulder pain, weakness, difficulty lifting the arm up.

TECHNIQUE: Multiplanar MR imaging of the left shoulder was performed without contrast on Hitachi open MRI unit.

Coronal T1, T2 and STIR; Sagittal T2; Axial PD and gradient echo images of the shoulder were obtained.

COMPARISON: None.

FINDINGS: No bone marrow edema, bony lesion or fracture identified.

The supraspinatus, infraspinatus, long head of the biceps and subscapularis tendons are normal in signal and appearance.

There is increased signal and truncation of the inferior aspect of the posterior glenoid labrum suggesting a labral tear.

The anterior glenoid labrum and rotator cuff interval demonstrate no abnormality.

The rotator cuff muscles are normal in signal and appearance.

Periarticular soft tissue planes are maintained.

IMPRESSION:

FINDING SUGGESTING A TEAR OF THE INFERIOR ASPECT OF THE POSTERIOR GLENOID LABRUM.

Thank you for referring this patient to us.

G. Amoachi

Guenadi Amoachi, MD
Diagnostic Radiologist
Diplomate, American Board of Radiology

E-Sig By G. Amoachi, MD on 09/26/2022 08:41:43