

UK Sinha Physician, P.C.

102-31 Jamaica Ave.
Richmond Hill, NY 11418
Ph: 718-480-1130 Fax: 718-480-1132

July 5, 2022

Office seen at:

Merrick Medical PC
243-51 Merrick Blvd
Rosedale, NY 11422
Phone# (718) 413-5499

Re: Pestano, Wilfred
DOB: 04/07/1968
DOA: 05/07/2022

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Right knee pain.

HISTORY OF PRESENT ILLNESS: A 54-year-old right-hand dominant male involved in a motor vehicle accident on 05/07/2022. The patient was a driver and was wearing a seatbelt. The vehicle was struck on the front driver's side. The airbags did not deploy. The EMS did not arrive on the scene. The police were called to the scene of the accident. The patient did not go to any hospital that same day. The patient presents today complaining of right knee pain sustained in the motor vehicle accident. The patient was attending physical therapy for the last 2 months with little relief.

WORK HISTORY: The patient is currently working.

PAST MEDICAL HISTORY: Diabetes.

PAST SURGICAL HISTORY: Right inguinal hernia repair.

DRUG ALLERGIES: NO KNOWN DRUG ALLERGIES.

MEDICATIONS: The patient is taking metformin, glimepiride, and Jardiance.

SOCIAL HISTORY: The patient is a nonsmoker. The patient drinks alcohol socially. The patient does not use recreational drugs.

ADL CAPABILITIES: The patient states that he can walk for 5 blocks. He can stand for 20 minutes before he has to sit. He can sit with no issues. As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: play sports,

lifting heavy objects, running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

PRESENT COMPLAINTS: Right knee: Right knee pain is 5/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has no difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking, popping, buckling, and intermittent locking. Worse with range of motion and improves with rest.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing. The patient has asthma.

Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits.

GU: No blood in urine, painful urination, loss of bladder control or urinary retention.

Hematology: No active bleeding, bruising, anemia or blood clotting disorders.

Psychiatric: No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 5 feet 11 inches, weight is 196 pounds, and BMI is 27.3. The right knee reveals tenderness along the medial joint line. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Positive McMurray test. Negative Lachman test. Positive patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 85/130 degrees and extension 4/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the right lower extremity.

DIAGNOSTIC TESTING: MRI of the right knee, done on 05/21/2022, shows horizontal tear of the body and posterior horn of the medial meniscus. Linear interstitial tearing of the distal quadriceps tendon superimposed on tendinitis. Edema along the myofascial planes of the partially imaged medial head of the gastrocnemius muscle consistent with myofascial strain.

ASSESSMENT:


1. S83.241A Medial meniscus tear, right knee.
2. M23.91 Internal derangement, right knee.
3. M25.461 Joint effusion, right knee.
4. S80.911A Injury, right knee.
5. M25.561 Pain, right knee.
6. Distal quadriceps tendon tear, right knee.

PLAN:

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for right knee
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for right knee 3 days/week.
6. Recommend steroid injections with pain management for right knee. The patient refuses due to side effects.
7. Discussed right knee arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
8. The patient needs medical clearance prior to surgery.
9. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other right knee pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
10. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
11. All the benefits and risks of the right knee arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
12. All the questions in regard to the procedure were answered.
13. The patient verbally consents for the arthroscopy of right knee and the patient will be scheduled for right knee surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
14. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

CAUSALITY: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.



Pestano, Wilfred
July 5, 2022
Page 2 of 2

Mellita Shakhmurov, PA-C

U.K. Sinha, MD, MS (Ortho), FAAOS
Board Certified Orthopedic Surgeon

MS/AEI