New York Medical & Diagnostic Care P.C. 204-16 Hillside Avenue Hollis, NY 11423

718-740-9200/718-740-9211 FAX

PATIENT NAME:

Kelly, Garthlandlo

DATE OF BIRTH:

3/14/85

REFERRING PHYSICIAN: Dr. Joseph Martone

DATE OF EXAM:

9/14/22

MRI OF THE LEFT SHOULDER:

TECHNIQUE: Coronal oblique and axial images of the left shoulder were performed using spin echo and gradient pulse sequences.

CLINICAL HISTORY: Shoulder pain.

FINDINGS: There is AC joint narrowing and acromion spurring. The glenohumeral joint is intact. Impingement is noted. The rotator cuff musculature including the supraspinatus, subscapularis, infraspinatus and teres minor are normal in size without evidence of atrophy or fatty infiltration. The tendons of the rotator cuff reveal tendinosis/tendonitis of the supraspinatus and infraspinatus portion of the cuff. The subscapularis and teres minor tendons are intact. There is synovitis of the patulous axillary pouch of the inferior glenohumeral ligament.

There is no subacromial/subdeltoid glenohumeral joint effusion.

There is anterior and posterior labral irregularity and hypoplasia. The biceps tendon is intact. The marrow signal is homogeneous. No subluxations are identified.

IMPRESSION:

- 1. Anterior and posterior labral irregularity and hypoplasia.
- 2. Tendinosis/tendonitis of the supraspinatus and infraspinatus portion of the cuff.
- 3. Impingement.
- AC joint narrowing and acromion spurring.
- 5. Synovitis of the patulous axillary pouch of the inferior glenohumeral ligament.

Thank you for the courtesy of this consultation.

Colet V-Solome MO

Robert D. Solomon, M.D. Board Certified Radiologist

New York Medical & Diagnostic Care P.C.