

30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

03/08/2022 1:21 PM EXAM DATE: PATIENT: MIESES, LEANDRO MIEL57137 MRI SHOULDER WITHOUT CONTRAST MRN: STUDY **DESCRIPTION:** REFERRING Phyllis, Geib Md DOB: 05/07/1987 PHYSICIAN: C/O OF LEFT SHOULDER PAIN DUE TO GENDER М CLINICAL HISTORY

## MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Left shoulder pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

OSSEOUS STRUCTURES/MARROW: Normal marrow signal.

## **ROTATOR CUFF:**

SUPRASPINATUS: The supraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: Mild fluid in subacromial-subdeltoid bursa compatible with bursitis or may be seen with full thickness rotator cuff tear.

MUSCLES: No muscle edema or fatty muscle atrophy.

AC JOINT: Intact.

BICEPS TENDON: Intact long-head of the biceps tendon.



30-80 31st Street, Astoria, NY 11102 Tel: 718-335-7100 | Fax: 718-709-4136

03/08/2022 1:21 PM EXAM DATE: PATIENT: MIESES, LEANDRO MRI SHOULDER WITHOUT CONTRAST MIEL57137 STUDY MRN: **DESCRIPTION:** REFERRING Phyllis, Gelb Md DOB: 05/07/1987 PHYSICIAN: М **CLINICAL** C/O OF LEFT SHOULDER PAIN DUE TO GENDER **HISTORY** MVA-

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities/

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber

PERIPHERAL SOFT TISSUES: Normal.

## IMPRESSION:

1.Mild fluid in subacromial-subdeltoid bursa compatible with bursitis or may be seen with full thickness rotator cuff tear.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 03/09/2022 5:28 PM