

# UK Sinha Physician, P.C.

102-31 Jamaica Ave.  
Richmond Hill, NY 11418  
Ph: 718-480-1130 Fax: 718-480-1132

---

August 24, 2022

Office seen at:  
Bronx County Medical Care PC  
4014A Boston Rd  
Bronx, NY 10475  
Phone# (718) 346-6580

Re: Ayers-Brown, Naima  
DOB: 01/24/1982  
DOA: 03/01/2022

## FOLLOW-UP NOTE

**CHIEF COMPLAINT:** Follow up of right shoulder and left shoulder pain.

**HISTORY OF PRESENT ILLNESS:** The patient presents today in followup with continued pain in the right shoulder and left shoulder.

**ADL CAPABILITIES:** The patient states that she can walk for 1/2 block. She can stand for 5 minutes before she has to sit. She can sit for 5 minutes before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that she is unable to do the following activities: lifting heavy objects, carrying heavy objects, childcare, reaching overhead, laundry, shopping, running errands, and exercising.

**PRESENT COMPLAINTS:** Right shoulder: Right shoulder pain is 8-9/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is able to reach overhead, able to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest.

Left shoulder: Left shoulder pain is 8-9/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is able to reach overhead, able to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest.

**PHYSICAL EXAMINATION:** The right shoulder reveals tenderness to palpation over supraspinatus tendon region, AC joint, and proximal biceps tendon. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Positive cross-over test. Positive empty can test. Positive Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Positive Lift-off test.

Positive Hawkins test. Range of motion, as per goniometer, abduction 130/180 degrees, adduction 30/45 degrees, forward flexion 135/180 degrees, extension 45/60 degrees, internal rotation 60/90 degrees, and external rotation 55/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

The left shoulder reveals tenderness to palpation over supraspinatus tendon region, AC joint, and proximal biceps tendon. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Negative drop arm test. Positive cross-over test. Positive empty can test. Positive Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Positive Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 130/180 degrees, adduction 30/45 degrees, forward flexion 135/180 degrees, extension 45/60 degrees, internal rotation 60/90 degrees, and external rotation 55/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

**DIAGNOSTIC TESTING:** MRI of the right shoulder, done on 04/05/2022, shows productive hypertrophic changes of the acromioclavicular joint with impingement of rotator cuff. Mild joint effusion consistent with recent trauma or synovitis in an appropriate clinical setting. MRI of the left shoulder, done on 06/14/2022, shows partial tear of the distal supraspinatus tendon. Fluid in the long head of the biceps tendon sheath consistent with tenosynovitis. Low lying acromion with impingement of rotator cuff, in an appropriate clinical setting

**ASSESSMENT:**

1. M75.41 Impingement, right shoulder.
2. M25.511 Pain, right shoulder.
3. S49.91XA Injury, right shoulder.
4. M89.311 Acromioclavicular joint hypertrophy, right shoulder.
5. M25.411 Joint effusion, right shoulder.
6. S46.012A Partial rotator cuff tear, left shoulder.
7. M24.812 Internal derangement, left shoulder.
8. M75.82 Shoulder tendinitis, left shoulder.
9. M75.42 Impingement, left shoulder.
10. M65.812 Tenosynovitis, left shoulder.
11. M25.512 Pain, left shoulder.
12. S49.92XA Injury, left shoulder.
13. M25.412 Joint effusion, left shoulder

**PLAN:**

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for right shoulder and left shoulder.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for right shoulder and left shoulder 3 days/week.
6. Recommend steroid injections with pain management for right shoulder and left shoulder. The patient refuses due to side effects.


7. Discussed right shoulder and left shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
8. The patient needs medical clearance prior to surgery.
9. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other right shoulder and left shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
10. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
11. All the benefits and risks of the right shoulder and left shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
12. All the questions in regard to the procedure were answered.
13. The patient verbally consents for the arthroscopy of left shoulder and the patient will be scheduled for left shoulder surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
14. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

**CAUSALITY:** It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

**AFFIRMATION:** Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

---

Mellita Shakhmurov, PA-C



---

U.K. Sinha, MD, MS (Ortho), FAAOS  
Board Certified Orthopedic Surgeon

MS/AEI