SKY RADIOLOGY

PATIENT NAME D.O.B. PATIENT # DATE OF SERVICE EWEKA, ESE 12/25/1970 0000013515 5/10/2022 6:20:43 PM

REF. PHYSICIAN

KOPACH, ALEXANDR MD

MRI OF THE RIGHT KNEE WITHOUT CONTRAST

INDICATION: MVA. Right knee pain

COMPARISON: No prior studies were available for comparison at the time of dictation.

TECHNIQUE: T1, T2, and PD axial, coronal, and sagittal sequences without intravenous contrast.

FINDINGS:

Osseous structures: Subcortical edema central to slightly anterolateral tibial plateau with osteochondral injury measuring up to 9.5 x 8.9 mm. Tricompartmental osteophytosis, otherwise remaining marrow signal preserved.

- -At the above there is focal ground the undersurface hyperintense signal and irregular to concerning for tear more along the posterolateral ACL bundle insertional fibers. Series 6 image 11, series 4 image 11.
- -There is also tear of the anterior horn lateral meniscus with associated 14.3 x 4.5 x 6.5 mm partially septated and lobulated per meniscal cyst. Series 4 image 6, series 6 image 11.

No meniscocapsular separation. No meniscal cyst.

PCL is intact. MCL is intact. Lateral (fibular) collateral ligament is intact. Conjoined tendon is intact. Popliteus tendon is normal.

Patellar tendon is intact. Quadriceps tendon is intact. No patellar tilt or subluxation. Patellofemoral ligaments are intact.

Mild chondral loss anterior femoral tibial articulations.

No popliteal cyst. No intra-articular loose body. Visualized muscle signal is normal.

Sky RADIOLOGY P.C. 210-12 NORTHERN BLVD, BAYSIDE , NY 11361 * TEL 718-224-8800 * FAX 718-224-8822

SKY RADIOLOGY

PATIENT NAME

D.O.B.

PATIENT#

DATE OF SERVICE

REF. PHYSICIAN

EWEKA, ESE

12/25/1970

0000013515

5/10/2022 6:20:43 PM

KOPACH, ALEXANDR MD

IMPRESSION: Subcortical edema central to slightly anterolateral tibial plateau with osteochondral injury measuring up to 9.5×8.9 mm.

- -At the above there is focal ground the undersurface hyperintense signal and irregular to concerning for tear more along the posterolateral ACL bundle insertional fibers. Series 6 image 11, series 4 image 11.
- -There is also tear of the anterior horn lateral meniscus with associated $14.3 \times 4.5 \times 6.5 \text{ mm}$ partially septated and lobulated per meniscal cyst. Series 4 image 6, series 6 image 11.

Thank you for this kind referral of this patient.

BY ROLLYMD

B.V. Reddy M.D.

Diagnostic Radiologist and Nuclear Medicine Physician

Diplomat of ABNM and ABR

MRI and Breast Imaging Specialist

Electronically Signed by REDDY, B.V. MD DR. at 5/16/2022 4:58:34 PM