



MULTI-POSITION™MRI

**STAND-UP MRI OF EAST ELMHURST, P.C.**

Jackson Heights Shopping Center  
75-33 31st Avenue • East Elmhurst, NY 11370  
Phone: 718.779.2825 • Fax: 718.779.5349

Accredited by the American College of Radiology

**JOSE GARCIA SANTANA****N10127703-EE****Report Date: 09/15/2022****DOB: 12/27/1975****Exam Date: 09/14/2022**

**MOHAN TRIPATHI, MD**  
**102-31 JAMAICA AVE**  
**RICHMOND HILL, NY 11418**

**MAGNETIC RESONANCE IMAGING OF THE LEFT WRIST****TECHNIQUE:** Multiplanar, multisequential MRI was performed in the neutral/sitting position.**HISTORY:** Patient complains of left wrist pain. Status post MVA 08/31/2022.**INTERPRETATION:** Extensor tendons are intact. No subluxation. No tenosynovitis.

Carpal tunnel is intact. Neurovascular bundles are intact.

No subluxation of the ulna. No fracture of the ulna. No fracture of the radius.

Ulnar TFC fraying. Central and radial TFC intact.

LT ligament is intact. There is tear of the membranous and partial tear of the dorsal fibers of the SL ligament with no widening of the interval. 3 mm ganglion at the radial margin of the lunate.

Extrinsic ligament sprains. 10 mm ganglion at the origin of volar extrinsic ligaments.

No carpal bone fracture. 2 mm ganglion at the proximal capitate. 5 mm ganglion at the hamate.

No muscle tear. No subcutaneous lesion.

**IMPRESSION:**

- Ulnar TFC partial tear.
- Scapholunate ligament partial tear.
- Volar extrinsic ligament sprain with 10 mm ganglion at the origin.

**JOSE GARCIA SANTANA**

**N10127703**

**Exam Date:**


**09/14/2022**

Page 2 of 2  
MRI OF THE LEFT WRIST

- 3 mm intraosseous ganglion at the lunate. 5 mm intraosseous ganglion at the hamate. 2 mm intraosseous ganglion at the capitate. No fracture.

Thank you for referring your patient to us for evaluation.

Sincerely,



Mark J. Decker M.D. D.A.B.R.  
Musculoskeletal and Spine Radiologist  
MD/rt2