

# UK Sinha Physician, P.C.

102-31 Jamaica Ave.  
Richmond Hill, NY 11418  
Ph: 718-480-1130 Fax: 718-480-1132

---

October 31, 2022

Office seen at:  
P.R. Medical, P.C.  
79-09B Northern Boulevard  
Jackson Heights, NY 11372  
Phone# (718) 507-1438

Re: Mangual, Samuel  
DOB: 07/13/1983  
DOA: 07/07/2022

## FOLLOW-UP NOTE

**CHIEF COMPLAINT:** Follow up of right shoulder, left shoulder, right knee, and left knee pain.

**HISTORY OF PRESENT ILLNESS:** The patient presents today in followup with continued pain in the right shoulder, left shoulder, right knee, and left knee.

**ADL CAPABILITIES:** The patient states that he can walk for 1/2 block. He can stand for 5 minutes before he has to sit. He can sit for 5 minutes before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: driving, lifting heavy objects, carrying heavy objects, reaching overhead, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

**PRESENT COMPLAINTS:** Right shoulder: Right shoulder pain is 10/10, described as constant, sharp, stabbing, dull, achy pain. The patient has weakness and popping. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain.

Left shoulder: Left shoulder pain is 10/10, described as constant, sharp, stabbing, dull, achy pain. The patient has weakness and popping. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain.

Right knee: Right knee pain is 10/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking, popping, and buckling.

Left knee: Left knee pain is 10/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking, popping, buckling, and intermittent locking.

**PHYSICAL EXAMINATION:** The right shoulder reveals tenderness to palpation over supraspinatus tendon region. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Negative Lift-off test. Negative Hawkins test. Range of motion, as per goniometer, abduction 160/180 degrees, adduction 40/45 degrees, forward flexion 150/180 degrees, extension 50/60 degrees, internal rotation 70/90 degrees, and external rotation 80/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

The left shoulder reveals tenderness to palpation over supraspinatus tendon region. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Positive O'Brien test. Positive impingement sign. Negative Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 110/180 degrees, adduction 40/45 degrees, forward flexion 120/180 degrees, extension 50/60 degrees, internal rotation 70/90 degrees, and external rotation 80/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

The right knee reveals tenderness along the superior pole of the patella and inferior pole of the patella. There is swelling and crepitus appreciated. There is no heat, erythema or deformity appreciated. Negative McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 120/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the right lower extremity.

The left knee reveals tenderness along the medial joint line. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Positive McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 110/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the left lower extremity.

**DIAGNOSTIC TESTING:** MRI of the right shoulder, done on 08/12/2022, shows a tear seen at the articular surface anteriorly at the supraspinatus tendon, as noted. Mild tendinitis changes are seen at the supraspinatus and infraspinatus tendons. Trace joint fluid is seen without evidence of a loose body. MRI of the left shoulder, done on 10/10/2022, shows a mid substance and bursal surface tear seen anteriorly at the distal supraspinatus tendon. Tendinitis changes are seen at the supraspinatus and infraspinatus tendons, as noted. MRI of the right knee, done on 10/18/2022,

shows an interstitial tear of the ACL noted as described. There is no attenuation or laxity. MRI of the left knee, done on 10/18/2022, shows a horizontal tear seen peripherally at the anterior horn of the medial meniscus. There is no attenuation. There is no fracture.

**ASSESSMENT:**

1. M24.811 Internal derangement, right shoulder.
2. M75.01 Adhesive capsulitis, right shoulder.
3. M75.41 Impingement, right shoulder.
4. M25.511 Pain, right shoulder.
5. S49.91XA Injury, right shoulder.
6. M24.812 Internal derangement, left shoulder.
7. M75.02 Adhesive Capsulitis, left shoulder.
8. M75.42 Impingement, left shoulder.
9. M25.512 Pain, left shoulder.
10. S49.92XA Injury, left shoulder.
11. M23.91 Internal derangement, right knee.
12. M12.569 Traumatic arthropathy, right knee.
13. S80.911A Injury, right knee.
14. M25.561 Pain, right knee.
15. M65.161 Synovitis, right knee.
16. S83.242A Medial meniscus tear, left knee.
17. M23.92 Internal derangement, left knee.
18. M12.569 Traumatic arthropathy, left knee.
19. S80.912A Injury, left knee.
20. M25.562 Pain, left knee.


**PLAN:**

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for right shoulder, left shoulder, right knee, and left knee.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for right shoulder, left shoulder, right knee, and left knee 3 days/week.
6. Discussed left shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
7. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other left knee pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
8. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.

9. All the benefits and risks of the left knee arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
10. All the questions in regard to the procedure were answered.
11. The patient verbally consents for the arthroscopy of left knee and the patient will be scheduled for left knee surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
12. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

**CAUSALITY:** It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

**AFFIRMATION:** Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.



---

U.K. Sinha, MD, MS (Ortho), FAAOS  
Board Certified Orthopedic Surgeon

UKS/AEI