



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	AMPARO, JOSE	EXAM DATE:	07/16/2022 10:12 AM
STUDY DESCRIPTION:	MRI KNEE WITHOUT CONTRAST (JOINT)	MRN:	AMPJ71311
DOB:	01/03/1960	REFERRING PHYSICIAN:	Qureshi, Adnan
CLINICAL HISTORY	C/O RT KNEE PAIN DUE TO MVA	GENDER	M

MAGNETIC RESONANCE IMAGING OF THE RIGHT KNEE WITHOUT IV CONTRAST

HISTORY: Complains of right knee pain due to motor vehicle accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the right knee was performed without intravenous contrast.

COMPARISON: None available.

FINDINGS:

OSSEOUS STRUCTURES/MARROW: No fractures or osteonecrosis.

LIGAMENTS:

ANTERIOR CRUCIATE: There is hyperintense PD signal about the anterior cruciate ligament consistent with sprain sequelae.

POSTERIOR CRUCIATE: The posterior cruciate ligament is intact.

MEDIAL COLLATERAL LIGAMENT: The medial collateral ligament is intact.

LATERAL COLLATERAL LIGAMENT: The lateral collateral ligament is intact.

JOINT SPACES:

MEDIAL COMPARTMENT: A horizontal tear of the body and posterior horn of the medial meniscus noted.

LATERAL COMPARTMENT: Intact lateral meniscus and articular cartilage.

PATELLOFEMORAL COMPARTMENT: Articular cartilage intact.

SYNOVIUM/ JOINT FLUID: There is no joint effusion.



30-80 31st Street, Astoria, NY 11102
Tel: 718-335-7100 | Fax: 718-709-4136

PATIENT:	AMPARO, JOSE	EXAM DATE:	07/16/2022 10:12 AM
STUDY DESCRIPTION:	MRI KNEE WITHOUT CONTRAST (JOINT)	MRN:	AMPJ71311
DOB:	01/03/1960	REFERRING PHYSICIAN:	Qureshi, Adnan
CLINICAL HISTORY	C/O RT KNEE PAIN DUE TO MVA	GENDER	M

MUSCLES: No muscle edema or fatty muscle atrophy.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

EXTENSOR MECHANISM: The quadriceps tendon is intact. The patellar tendon is intact.

PERIPHERAL SOFT TISSUES: Significant edema noted in the prepatellar region compatible with trauma sequelae.

PLICAE: No plicae demonstrated.

IMPRESSION:

1. Horizontal tear of the body and posterior horn of the medial meniscus.
2. Anterior cruciate ligament sprain sequelae.
3. Significant edema in the prepatellar region compatible with trauma sequelae.

Digitally Signed By: Imam, Naiyer
Digitally Signed Date: 07/19/2022 1:40 PM

