UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

August 01, 2022

Office seen at: Graham Wellness Medical P.C. 150 Graham Avenue Suite A Brooklyn NY 11206 Phone# (718) 218-6616

Re: Nieves Torres, Evelyn

DOB: 04/06/1995 DOA: 06/29/2022

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Left knee pain.

HISTORY OF PRESENT ILLNESS: A 27-year-old right-hand dominant female involved in a motor vehicle accident on 06/29/2022. The patient was a driver and was wearing a seatbelt. The vehicle was struck on the rear driver's side. The airbags did not deploy. The EMS arrived on the scene. The police were called to the scene of the accident. The patient was transported via ambulance to Woodhull Medical Center and was treated and released the same day. The patient presents today complaining of left knee pain sustained in the motor vehicle accident. The patient was attending physical therapy for the last 1 month with no relief.

WORK HISTORY: The patient is currently working.

PAST MEDICAL HISTORY: Noncontributory. The patient has no history of any prior trauma.

PAST SURGICAL HISTORY: Noncontributory.

DRUG ALLERGIES: PENICILLIN.

MEDICATIONS: The patient is taking pain medications p.r.n.

SOCIAL HISTORY: The patient is a nonsmoker. The patient drinks alcohol occasionally. The patient uses recreational drugs occasionally.

ADL CAPABILITIES: The patient states that she can walk for 1/2 block. She can stand for 5 minutes before she has to sit. She can sit for 5 minutes before needing to change positions

Nieves Torres, Evelyn August 01, 2022 Page 2 of 2

secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that she is unable to do the following activities: carrying heavy objects, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, jogging, and exercising.

PRESENT COMPLAINTS: Left knee: Left knee pain is 8/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has difficulty rising from a chair and difficulty going up and down stairs. The patient also notes clicking. Worse with range of motion and improves with rest.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing. Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits. **GU**: No blood in urine, painful urination, loss of bladder control or urinary retention.

Hematology: No active bleeding, bruising, anemia or blood clotting disorders. **Psychiatric:** No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 5 feet 6 inches, weight is 320 pounds, and BMI is 51.6. The left knee reveals tenderness along the medial joint line, lateral joint line. There is no heat, swelling, erythema, or deformity appreciated. There is crepitus appreciated. Positive McMurray test. Negative Lachman test. Positive patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 80/130 degrees and extension 3/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the left lower extremity.

DIAGNOSTIC TESTING: MRI of the left knee, done on 07/06/2022, shows posterior medial meniscocapsular junction sprain. Insertional quadriceps tendinitis with peritendinous edema.

ASSESSMENT:

- 1. M23.92 Internal derangement, left knee.
- 2. M25.462 Joint effusion, left knee.
- 3. S80.912A Injury, left knee.
- 4. M25.562 Pain, left knee.
- 5. Medial meniscocapsular junction sprain, left knee.
- 6. Quadriceps tendinitis edema, left knee.

PLAN:

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for left knee.

Nieves Torres, Evelyn August 01, 2022 Page 2 of 2

- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for left knee 3 days/week.
- 6. Recommend steroid injections with pain management for left knee. The patient accepts. Card given.
- 7. Follow up in 4 weeks after injection. If there is no improvement, patient will consider surgical intervention.

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

Mellita Shakhmurov, PA-C MS/AEI U.K. Sinha, MD, MS (Ortho), FAAOS Board Certified Orthopedic Surgeon

aperan k