

# UK Sinha Physician, P.C.

102-31 Jamaica Ave.  
Richmond Hill, NY 11418  
Ph: 718-480-1130 Fax: 718-480-1132

---

August 17, 2022

Office seen at:  
Chiro 4226  
4226-A 3rd Ave  
Bronx, NY 10457  
Phone# (718) 684-7676

Re: Aracena, Felix  
DOB: 01/23/1992  
DOA: 09/17/2021

## INITIAL ORTHOPEDIC CONSULT EXAMINATION

**CHIEF COMPLAINT:** Right shoulder and left knee pain.

**HISTORY OF PRESENT ILLNESS:** A 30-year-old right-hand dominant male involved in a motor vehicle accident on 09/17/2021. The patient was an electric bicyclist and had an impact on left side by car. The EMS arrived on the scene. The police were called to the scene of the accident. The patient was transported via ambulance to Saint Barnabas Medical Center and was treated and released the same day. The patient presents today complaining of right shoulder and left knee pain sustained in the motor vehicle accident. The patient was attending physical therapy for the last 11 months with little relief.

**WORK HISTORY:** The patient is currently working.

**PAST MEDICAL HISTORY:** Noncontributory. There is no previous history of trauma.

**PAST SURGICAL HISTORY:** Noncontributory.

**DRUG ALLERGIES:** NO KNOWN DRUG ALLERGIES.

**MEDICATIONS:** The patient is taking pain medications p.r.n.

**SOCIAL HISTORY:** The patient is a nonsmoker. The patient drinks alcohol socially. The patient does use recreational drugs socially.

**ADL CAPABILITIES:** The patient states that he can walk for 3-4 blocks. He can stand for 30 minutes before he has to sit. He can sit for 30 minutes before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states

that he is unable to do the following activities: play sports, lifting heavy objects, carrying heavy objects, reaching overhead, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

**PRESENT COMPLAINTS:** Right shoulder: Right shoulder pain is 8/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is able to reach overhead, able to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with medication.

Left knee: Left knee pain is 8/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking, popping, and intermittent locking. Worse with range of motion and improves with medication.

**REVIEW OF SYSTEMS:** Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

**General:** No fever, chills, night sweats, weight gain, or weight loss.

**HEENT:** No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

**Endocrine:** No cold intolerance, appetite changes or hair changes.

**Skin:** Clear, no rashes or lesions.

**Neuro:** No headaches, dizziness, vertigo or tremor.

**Respiratory:** No wheezing, coughing, shortness of breath or difficulty breathing.

**Cardiovascular:** No chest pain, murmurs, irregular heart rate or hypertension.

**GI:** No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits.

**GU:** No blood in urine, painful urination, loss of bladder control or urinary retention.

**Hematology:** No active bleeding, bruising, anemia or blood clotting disorders.

**Psychiatric:** No anxiety, change in sleep pattern, depression or suicidal thoughts.

**PHYSICAL EXAMINATION:** The patient's height is 5 feet 7 inches, weight is 207 pounds, and BMI is 32.4. The right shoulder reveals tenderness to palpation over supraspinatus tendon region and AC joint. There is crepitus appreciated. There is heat, swelling, erythema or deformity appreciated. Negative drop arm test. Positive cross-over test. Positive empty can test. Positive Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Positive Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 130/180 degrees, adduction 35/45 degrees, forward flexion 145/180 degrees, extension 45/60 degrees, internal rotation 50/90 degrees, and external rotation 65/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

The left knee reveals tenderness along the medial joint line, lateral joint line, superior pole of patella, and inferior pole of the patella. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Positive McMurray test. Negative Lachman test. Positive patellofemoral grinding test. Positive anterior drawer. Negative posterior drawer. Range of motion reveals flexion 80/130 degrees and extension 4/5 degrees. Knee is

stable with varus and valgus stress test. The patient has no motor or sensory deficit of the left lower extremity.

**DIAGNOSTIC TESTING:** MRI of the right shoulder, done on 11/26/2021, shows mild lateral downsloping of acromion. Minimal synovial effusion. MRI of the left knee, done on 11/26/2021, shows myxoid degeneration of the posterior horn of medial meniscus and posterior horn of lateral meniscus. Sprain of anterior cruciate ligament. Mild synovial effusion, with a tiny Baker's cyst. The patellar cartilage is swollen and reveals hyperintense signal, without erosions of the underlying bone. This is suggestive of chondromalacia patellae (grade I) or this could be due to injury. Clinical correlation is suggested.

Diffuse subcutaneous edema around the joint.

**ASSESSMENT:**

1. M24.811 Internal derangement, right shoulder.
2. M25.511 Pain, right shoulder.
3. S49.91XA Injury, right shoulder.
4. M25.411 Joint effusion, right shoulder.
5. Type II acromion, right shoulder.
6. S83.242A Medial meniscus tear, left knee.
7. S83.282A Lateral meniscus tear, left knee.
8. M23.92 Internal derangement, left knee.
9. S83.512A Anterior cruciate ligament sprain, left knee.
10. M94.262 Chondromalacia, left knee.
11. M25.462 Joint effusion, left knee.
12. S80.912A Injury, left knee.
13. M25.562 Pain, left knee.

**PLAN:**

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for right shoulder and left knee.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for right shoulder and left knee 3 days/week.
6. Recommend steroid injections with pain management for right shoulder and left knee.  
The patient refuses due to side effects.
7. Discussed right shoulder and left knee arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
8. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other right shoulder and left knee pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.

9. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
10. All the benefits and risks of the right shoulder and left knee arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
11. All the questions in regard to the procedure were answered.
12. The patient verbally consents for the arthroscopy of right shoulder and left knee and the patient will be scheduled for left knee surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
13. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.


**CAUSALITY:** It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

**AFFIRMATION:** Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

---

Mellita Shakhmurov, PA-C

MS/AEI



---

U.K. Sinha, MD, MS (Ortho), FAAOS  
Board Certified Orthopedic Surgeon