UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

September 15, 2022

Office seen at: Medical Office 2088 Flatbush Ave Brooklyn, NY 11234 Phone# (718) 975-8176

Re: Skeete, Esan DOB: 03/22/1987 DOA: 05/31/2022

FOLLOW-UP NOTE

CHIEF COMPLAINT: Follow up of right shoulder and right knee pain.

HISTORY OF PRESENT ILLNESS: The patient presents today in followup with continued pain in the right shoulder and right knee.

ADL CAPABILITIES: The patient states that he can walk for 1/2 block. He can stand for 5 minutes before he has to sit. He can sit for 5 minutes before needing to change positions secondary to pain. As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: driving, lifting heavy objects, carrying heavy objects, reaching overhead, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

PRESENT COMPLAINTS: Right shoulder: Right shoulder pain is 7/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest, medication, physical therapy, and ice.

Right knee: Right knee pain is 7/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking and popping. Worse with range of motion and improves with rest, medication, physical therapy, and ice.

PHYSICAL EXAMINATION: The right shoulder reveals tenderness to palpation over supraspinatus tendon region and deltoid. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Positive O'Brien test. Positive impingement

Skeete, Esan September 15, 2022 Page 2 of 3

sign. Negative Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 100/180 degrees, adduction 35/45 degrees, forward flexion 100/180 degrees, extension 45/60 degrees, internal rotation 40/90 degrees, and external rotation 50/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the right upper extremity.

The right knee reveals tenderness along the medial joint line, superior pole of patella, and inferior pole of the patella. There is crepitus appreciated. There is no heat, swelling, erythema or deformity appreciated. Positive McMurray test. Negative Lachman test. Positive patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 110/130 degrees and extension 5/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the right lower extremity.

DIAGNOSTIC TESTING: MRI of the right shoulder, done on 06/16/2022, shows mild subluxation of the acromioclavicular joint noted with significant hypertrophy of the joint capsule. Mild fluid in subacromial-subdeltoid bursa compatible with bursitis or may be seen with full thickness rotator cuff tear. Tenosynovitis of the extra articular long head of the biceps tendon. MRI of the right knee, done on 06/16/2022, shows horizontal tear of the body and posterior horn of the medial meniscus. Suprapatellar fat pad impingement.

ASSESSMENT:

- 1. S46.011A Partial rotator cuff tear, right shoulder.
- 2. M24.811 Internal derangement, right shoulder.
- 3. M75.81 Shoulder tendinitis, right shoulder.
- 4. M75.41 Impingement, right shoulder.
- 5. M65.811 Tenosynovitis, right shoulder.
- 6. M75.51 Bursitis, right shoulder.
- 7. M25.511 Pain, right shoulder.
- 8. S49.91XA Injury, right shoulder.
- 9. M25.411 Joint effusion, right shoulder.
- 10. S83.241A Medial meniscus tear, right knee.
- 11. M23.91 Internal derangement, right knee.
- 12. M25.461 Joint effusion, right knee.
- 13. S80.911A Injury, right knee.
- 14. M25.561 Pain, right knee.

PLAN:

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for right shoulder and right knee.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for right shoulder and right knee 3 days/week.
- 6. Recommend steroid injections with pain management for right shoulder and right knee. The patient refuses due to side effects.

- 7. Discussed right shoulder and right knee arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
- 8. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other right shoulder and right knee pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
- 9. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
- 10. All the benefits and risks of the right shoulder and right knee arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
- 11. All the questions in regard to the procedure were answered.
- 12. The patient verbally consents for the arthroscopy of right knee and the patient will be scheduled for right knee surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
- 13. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

Mellita Shakhmurov, PA-C

MS/AEI

U.K. Sinha, MD, MS (Ortho), FAAOS Board Certified Orthopedic Surgeon