UK Sinha Physician, P.C.

102-31 Jamaica Ave. Richmond Hill, NY 11418 Ph: 718-480-1130 Fax: 718-480-1132

September 13, 2022

Office seen at: Merrick Medical PC 243-51 Merrick Blvd Rosedale, NY 11422 Phone# (718) 413-5499

Re: Hayes, Christopher

DOB: 09/07/1982 DOA: 04/08/2022

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Left shoulder, right knee, left knee, left ankle, left elbow, neck, and low-back pain.

HISTORY OF PRESENT ILLNESS: A 40-year-old right-hand dominant male involved in a motor vehicle accident on 04/08/2022. The patient was in his house, some car ran into his house. The police were called to the scene of the accident. The patient went by car to CityMD Urgent Care and was treated and released the same day. The patient presents today complaining of left shoulder, right knee, left knee, left ankle, left elbow, neck, and low-back pain sustained in the motor vehicle accident. The patient was attending physical therapy 3-4 times a week with little relief.

WORK HISTORY: The patient is currently not working.

PAST MEDICAL HISTORY: Noncontributory. There is no previous history of trauma.

PAST SURGICAL HISTORY: Noncontributory.

DRUG ALLERGIES: NO KNOWN DRUG ALLERGIES.

MEDICATIONS: The patient is taking Lidocaine ointment, muscle relaxant, and Motrin.

SOCIAL HISTORY: The patient is a nonsmoker. The patient drinks alcohol occasionally. The patient does not use recreational drugs.

ADL CAPABILITIES: The patient states that he can walk for 2 blocks. He can stand for 1/2 hour before he has to sit. He can sit for 15 minutes before needing to change positions secondary

Hayes, Christopher September 13, 2022 Page 2 of 5

to pain. As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: driving, lifting heavy objects, carrying heavy objects, reaching overhead, laundry, shopping, running errands, kneeling, squatting, negotiating stairs, jogging and exercising.

PRESENT COMPLAINTS: Left shoulder: Left shoulder pain is 8/10, described as constant, sharp, stabbing, dull, achy pain. The patient has stiffness, weakness, popping, and clicking. The patient is unable to reach overhead, unable to reach behind the back, and unable to sleep at night due to pain. Worse with range of motion and improves with rest, medication, physical therapy, and ice.

Right knee: Right knee pain is 7/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes popping, buckling, and intermittent locking.

Left knee: Left knee pain is 7/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has stiffness and weakness. The patient has difficulty rising from a chair and has difficulty going up and down stairs. The patient also notes clicking, popping, buckling, and intermittent locking.

Left ankle: Left ankle pain is 4/10, described as intermittent, dull, achy pain. The patient has pain with standing, walking, climbing.

Left elbow: Left elbow pain is 4/10, described as intermittent, dull, achy pain.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing.

Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits.

GU: No blood in urine, painful urination, loss of bladder control or urinary retention. **Hematology:** No active bleeding, bruising, anemia or blood clotting disorders.

Psychiatric: No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 6 feet 4 inches, weight is 230 pounds, and BMI is 28. The left shoulder reveals tenderness to palpation over supraspinatus tendon region and AC joint. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Negative Yergason test. Negative deltoid atrophy. Positive O'Brien test. Positive impingement sign.

Hayes, Christopher September 13, 2022 Page 3 of 5

Negative Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 120/180 degrees, adduction 40/45 degrees, forward flexion 110/180 degrees, extension 50/60 degrees, internal rotation 80/90 degrees, and external rotation 80/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

The right knee reveals tenderness along the medial joint line. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 120/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the right lower extremity.

The left knee reveals tenderness along the superior pole of patella and inferior pole of the patella. There is no heat, swelling, erythema, crepitus or deformity appreciated. Negative McMurray test. Negative Lachman test. Negative patellofemoral grinding test. Negative anterior drawer. Negative posterior drawer. Range of motion reveals flexion 120/130 degrees and extension 0/5 degrees. Knee is stable with varus and valgus stress test. The patient has no motor or sensory deficit of the left lower extremity.

The left ankle reveals tenderness to palpation noted in the medial aspect. Range of motion is limited and painful. ROM: Dorsiflexion 15/20 degrees, plantarflexion 40/50 degrees, inversion 10/15 degrees, eversion 10/15 degrees.

The left elbow reveals muscle strength is 4/5. There is tenderness to palpation over the olecranon process. Negative Varus test. Negative Valgus test. Negative Tinel sign. Range of motion reveals flexion 150/150 degrees, extension 0/150 degrees, supination 90/90 degrees, pronation 90/90 degrees.

DIAGNOSTIC TESTING: MRI of the left shoulder, done on 08/15/2022, shows inhomogeneity of the anterior leading edge of the supraspinatus tendon with tendinosis/tendinopathy. Acromioclavicular joint space narrowing with low-lying position to the anterior acromion with acromioclavicular joint hypertrophic change. Mildly laterally downsloping acromial configuration that abuts the underlying supraspinatus. Paucity of fluid accumulating in the subacromial bursa representing bursitis. Small subcortical cystic change and thinning of the cortical margin of the lateral humeral head convexity. Blunting of the free edge and superficial tearing of the posterior labium. Attention drawn to the deltoid muscle where anterolaterally at the level of the greater tuberosity is elongated small bright T2 and relatively low T1-weighted structure measuring 10 mm superoinferiorly x 4 x 3 mm in cross-sectional dimension, probably small cystic focus or other benign-appearing focus within the deltoid muscle. This can be followed to ensure stability of this likely benign finding with repeat MRI in six months.

ASSESSMENT:

- 1. S46.012A Partial rotator cuff tear, left shoulder.
- 2. M24.812 Internal derangement, left shoulder.

Hayes, Christopher September 13, 2022 Page 4 of 5

- 3. M75.02 Adhesive capsulitis, left shoulder.
- 4. M75.82 Shoulder tendinitis, left shoulder.
- 5. M75.42 Impingement, left shoulder.
- 6. M75.52 Bursitis, left shoulder.
- 7. M25.512 Pain, left shoulder.
- 8. S49.92XA Injury, left shoulder.
- 9. M89.312 Acromioclavicular joint hypertrophy, left shoulder.
- 10. M25.412 Joint effusion, left shoulder.
- 11. M23.91 Internal derangement, right knee.
- 12. S80.911A Injury, right knee.
- 13. M25.561 Pain, right knee.
- 14. M23.92 Internal derangement, left knee.
- 15. S80.912A Injury, left knee.
- 16. M25.562 Pain, left knee.
- 17. Pain, left ankle.
- 18. Pain, left elbow.

PLAN:

- 1. Imaging studies and clinical examinations were reviewed with the patient.
- 2. All treatment options discussed with the patient.
- 3. Cold compresses for left shoulder, right knee, left knee, left ankle, and left elbow.
- 4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
- 5. Continue physical therapy for left shoulder, right knee, left knee, left ankle, and left elbow 3 days/week.
- 6. Discussed left shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient would like to proceed with surgery.
- 7. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other left shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
- 8. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
- 9. All the benefits and risks of the left shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
- 10. All the questions in regard to the procedure were answered.
- 11. The patient verbally consents for the arthroscopy of left shoulder and the patient will be scheduled for left shoulder surgery. On the day of the surgery, before the procedure, the surgeon will explain all related questions of the procedure. The patient will sign a written consent and be witnessed by the surgeon.
- 12. The patient will follow up 1-2 weeks postop or in 2 months if surgery has not been performed yet.

Hayes, Christopher September 13, 2022 Page 5 of 5

<u>CAUSALITY</u>: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

U.K. Sinha, MD, MS (Ortho), FAAOS Board Certified Orthopedic Surgeon

apendo k Jink

UKS/AEI