UK Sinha Physician, P.C. 102-31 Jamaica Ave. Richmond Hill, NY 11418

INITIAL INTAKE SHEET

| ^ 1 | wc < | VE LIEN | | | | |
|---|---|--|---|--|--|--|
| Patient Name: SHAYE DOB: 115/96 | Age: <u>S</u> Height: <u>S</u> | Weight: 165 | : 04 27/2022 Handed B / L | | | |
| Chief Complaidt: R/SH R/Wri | △JSP R/KN L/KN F L/Wri Neck Mid-back | V Elb LV Elb RV Hip LV Low-back | Hip R/Ank L/ Ank | | | |
| Type of Injury: Work-Related Working: Y Degree of Disability: | | | | | | |
| Asymptomatic prior to accident Y N History of prior trauma: Y / N Pain in: | | | | | | |
| Other: | | | | | | |
| PedestrianBicyclist Vehicle hit: Rear Passenger side Airbags deployed: Y N Went to Hospital: Y N PMN: None Diabetes HTN F | EMS Arrived | ront Driver side rear Ver side T-Bone Passenger s | cene. Y / N Amb. Car | | | |
| Meds: None Pain mods PRN Drug Allergy: Y / N Soc. His: Smoke Y / N ppd. Alcohol Y / N Recreational Drugs (Y) N PT/Chiro: Y P N Duration: Veels / Months/Years Relief: Good dittle None Walk: Y / N blocks Stand: W N mins Sit Y N mins Unable to: Garden Play sports Drive Lift Childcare Carry Reach overhead Laundry Shopping Errands Kneel Squat Stairs Jog Exercise PRESENT COMPLAINTS: | | | | | | |
| RSH Pain/10 Constant Intermittent Stiff Weak Pop Click Reach overhead Y / N Reach back Y / N Unable to sleep at night Imp w/ Rest Med PT Ice | LSH Pain 10 Constant Amerimitient Stiff Weak Pop Click Reach overhead Y N Reach back Y N Unable to sleep at night Imp w/ Rest Med PT ce | RKN Pain/10 Constant Intermittent Stiff Weak Diff rising from chair Y / N Diff w/ stairs Y / N Click Pop Buckl Lock Imp w/ Rest Med PT Ice | Diff w/ stairs Y / N Click Pop Buckl Lock | | | |
| RHIP Pain/10 Constant Intermit Lock Pain w/ stand walk climb Standing from sitting Imp w/ Rest Med PT Ice | LHIP Pain/10 Constant Intermit Lock Pain w/ stand walk climb Standing from sitting Imp w/ Rest Med PT Ice | RANK Pain/10 Constant Intermittent Pain w/ stand walk climb Imp w/ Rest Med PT Ice | LANK Pain/10 Constant Intermittent Pain w/ stand walk climb Imp w/ Rest Med PT Ice | | | |
| R WRI Pain/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice | LWRI Pain/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice | RELB Pain/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice | LELB Pain/10 Constant Intermittent Weak Numb Tingle Pain w/ lift carry drive Imp w/ Rest Med PT Ice | | | |

Other Complaints:_

| ROS: General: Fevers chills night sweats weight gain weight loss HEENT: Double vision eye pain eye red. hearing loss earache ear ringing nose bleeds sore throat hoarseness Endocrine: Cold intolerance appetite changes hair changes Skin: Clear no rashes or lesions Neuro: Headaches dizziness vertigo tremors Respiratory: Wheezing coughing shortness of breath difficulty breathing Cardiovascular: Chest pain murmurs irregular heart rate hypertension GI: Nausea vomiting diarrhea constipation jaundice change in bowel habits GU: Blood in urine painful urination loss of bladder control urinary retention Hematology: Active bleeding bruising anemia blood clotting disorders Psychiatric: Anxiety change in sleep pattern depression suicidal thoughts |
|--|
| PHYSICAL EXAMINATION: C SPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L Pain w/ neck bend lift carry Impoves w/ Rest Med PT Ice ROM: Flex/45 Ext/45 R Lat Flex/45 L Lat Ext/45 Rot/60 |
| LSPINE: Pain Sharp Shoot Burn Constant Intermit Numb Tingling Radiates to R L Pain w/ stand walk sit bend Impoves w/ Rest Med PT Ice ROM: Flex/80 Ext/25 R Lat Flex/35 L Lat Ext/45 Sac Hip Flex/45 |
| R/SH: Swelling/Tender to palp Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula Heat Erythema Crepitus Deformity Drop Arm Cross-Over Empty Can Yergason Deltoid Atrophy O'Brien's Impingement Lift off test Hawkins ROM: Abd/180 Add/45 For Flex/180 Ext/60 IR/90 ER/90 IR: sacrum mid backno motor or sensory deficit L/SH: Swelling/Tender to palp Supraspinatus AC joint Trap. Prox biceps Coracoid Deltoid Scapula Heat Erythema Grepitus Deformity Drop Arm Cross-Over Empty Can Yergason Deltoid Atrophy O'Brien's Impingement Lift off test Hawkins ROM: Abd/180 Add/45 For Flex/180 Ext/60 IR/90 ER/90 IR: sacrum mid back/45 For Flex/180 Ext/60 IR/90 ER/90 IR: sacrum mid back/45 For Flex/180 Ext/60 IR/90 ER/90 IR: sacrum mid back/45 For Flex/180 Ext/60 IR/90 ER/90 IR: sacrum mid back/45 For Flex//180 Ext//60 IR/90 ER/90 |
| R /KN: Swelling / Tender along → Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa Heat Swelling Erythema Crepitus Deformity McMurray Lachmans Pat. fem. grind Ant. draw Post. draw ROM: Flexion/130 Extension/5Stable varus/valgusno motor or sensory deficit L/KN: Swelling / Tender along → Med joint line Lat joint line Sup. patella Inf. Patella Pop. fossa Heat Swelling Erythema Crepitus Deformity McMurray Lachmans Pat. fem. grind Ant. draw Post. draw ROM: Flexion/130 Extension/5Stable varus/valgusno motor or sensory deficit |
| R/HIP: Swelling /Hematoma / Effusion / bruise Trendelenburg +ve -ve Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful. ROM: Abd/45 Add/35 Flex/120 Ext/30 IR/45 ER/45 L/HIP: Swelling /Hematoma / Effusion / bruise Trendelenburg +ve -ve Tenderness to palpation → Great Troch Groin Medial thigh. ROM: Full Limited and painful. |

| ROM: Abd/45 Add/35 Flex/120 Ext/30 IR/45 ER/45 R //ANK: Swell /Hemato/ bruise \rightarrow Ant. Post. Lat. Malleo Ant Draw +ve -ve Inv Stress +ve -ve Tenderness to palpation \rightarrow Med. aspect Lat. aspect. ROM: Full Limited and painful. ROM: Dorsi flexion/20 Plantar flex/50 Inversion/15 Eversion/15 L/ANK: Swell /Hemato/ bruise \rightarrow Ant. Post. Lat. Malleo Ant Draw +ve -ve Inv Stress +ve -ve Tenderness to palpation \rightarrow Med. aspect Lat. aspect. ROM: Full Limited and painful. ROM: Dorsi flexion/20 Plantar flex/50 Inversion/15 Eversion/15 |
|--|
| R/WRI: Pain to palp. → Ulnar styl. Distal rad. Scaphoid/5 grip strength Swell Erythema Bruise Tinel +ve -ve Phalen +ve -ve ROM: Flexion/80 Extension/70 Radial dev/20 Ulnar dev/30 |
| L/WRI: Pain to palp. → Ulnar styl. Distal rad. Scaphoid/5 grip strength Swell Erythema Bruise Tinel +ve -ve Phalen +ve -ve ROM: Flexion/80 Extension/70 Radial dev/20 Ulnar dev/30 |
| R/ELB: Swell Erythema Bruise Deltoid atrophy/5 musc stren Tender → Med Epi Lat Epi Ole Pro Varus +ve -ve Valgus +ve -ve Tinel +ve -ve ROM: Flexion/150 Extension/150 Supin/90 Pron/90 L/ELB: Swell Erythema Bruise Deltoid atrophy/5 musc stren Tender → Med Epi Lat Epi Ole Pro Varus +ve -ve Valgus +ve -ve Tinel +ve -ve ROM: Flexion/150 Extension/150 Supin/90 Pron/90 |
| |

Dx: Right Shoulder \$46.011A Partial fot cuff teer M75.121 Complete rot cuff tear M24.811 Internal derangement M75.01 Adhesive Capsulitis M75.81 Shoulder tendinitis S43431A Labral fear S43,431A SLAP tear 475.41 Impingement M65.811 Tenosynovitis M75.51 Bursitis M75,21 Bicipital tendinitis 1/125.511 Pain-S49.91XA Injury \$46,101A Biceps tendon tear M24.10 Glenoid chondr defect M94,211 Chondromal, glen/HH M67.211 Hypertroph. synovitis M89.311 AC joint hypertrophy M24.011 Loose Bodies M25.311 Shoulder instability M19.011 Primary osteoarthritis M25.411 Joint Effusion

Left Skoulder S46.012A Partial rot cuff tear M75.122 Complete rot cuff tear M24.812 internal derangement M75.02 Adhesive Capsulitis M75.82 Shoulder tendinitis S43.432A Labral tear S43.432A SLAP tear M75.42 Impingement M 65,812 Tenosynovitis M75.52 Bursitis M 75.22 Bicipital Tendinitis M25.512 Pain S49.92XA Injury S46.102A Biceps tendon tear M24.10 Glenoid chondr defect M94,212 Chondromal, glen/HH M67.212 Hypertroph. synovitis M89.312 AC joint hypertrophy M24.012 Loose Bodies M25,312 Shoulder instability M19.012 Primary osteoarthritis M25,412 Joint Effusion

Right Knee S83,241A Med. Men. tear S83.281A Lat. Men. tear M23.91 internal derangement S83.519A ACL tear S83.511A ACL sprain S83,411 MCL sprain M94.261 Chondromalacia S83.31XA Tear artic. cartilage M22.2X1 PF chondral injury M25.461 Joint effusion M12.569 Trauma, arthropathy S80.911A Injury M25.561 Pain M65.161 Synovitis M23,40 Loose body in knee M24.10 Chondral lesion M93.261 Osteochondral lesion M17.11 Osteoarthritis M24.661 Adhesions M67.51 Medial plica M25.761 Osteophyte M70.41 Prepatellar bursitis

Left Knee S83.242A Med. Men. tear \$83.282A Lat. Men. tear M23.92 Internal derangement S83.519A ACL tear \$83.512A ACL sprain S83,412A MCL sprain M94.262 Chondromalacia \$83,32XA Tear artic. cartilage M22.2X2 PF chondral injury M25.462 Joint effusion M12.569 Trauma. arthropathy y S80.912A Injury M25.562 Pain M65.162 Synovitis M23.40 Loose body in knee M24.10 Chondral lesion M93.262 Osteochondral lesion M17.12 Osteoarthritis M24.662 Adhesions M67.52 Medial plica M25.762 Osteophyte M70.42 Prepatellar bursitis

| Right Hip | Left Hip | Right Ankle | Left Ankle |
|--|-----------------|---|--|
| | | | |
| Right Wrist | Left Wrist | Right Elbow | Left Elbow |
| C Spîne | L Spine | | |
| | | | |
| Plan: Recommend steroid in PatientAccepts | • • | I L/SH R/KN L/KN R/ WRI L/WRI R/ELB L/EL | HIP L/HIP R/ANK L/ANK B CSpine LSpine |
| Brace ordered R/S R/E | H L/SH R/KN L/I | KN R/HIP L/HIP R/ANK | L/ANK R/WRI L/WRI |
| MRI ordered R/SI-R/EL | | L Spine | L/ANK R/WRI L/WRI |
| Discussed R /SH R /ELB | | Spine | /ANK R/WRI L/WRI |
| Med Clearance needs | d prior to SxW | Proceed with //C authorization needed prior to L/KN Surgery on | Sx |
| . | Thui | LIKN Surgery on | y 14th |