



# STAND-UP MRI OF THE BRONX, P.C.

2050 Eastchester Road, Suite 1B • Bronx, NY 10461

Phone: 718.678.1970 • Fax: 718.678.1975

MULTI-POSITION MRI

Accredited by the American College of Radiology

**XAVIER BOBCOMBE**

**BI2005623**

**Report Date:** 10/21/2020

**DOB:** 09/23/1993

**Exam Date:** 10/19/2020

**ANDREW DOWD, MD**

**2426 EASTCHESTER RD SUITE 212**

**BRONX, NY 10469**

## MAGNETIC RESONANCE IMAGING SCAN OF THE RIGHT KNEE

**TECHNIQUE:** Recumbent: 1.5T Axial PD FS, Coronal PD, Coronal STIR, Sagittal PD, Sagittal PD FS, Sagittal T1

**HISTORY:** Patient complains of pain in the right knee with clicking and popping sound, and difficulty walking.

**INTERPRETATION:** There is synovial fluid at the level of patellofemoral articular surface and anteriorly at the tibiofemoral articular surface and anteriorly at the tibiofemoral articular surface. There is strain of the medial collateral ligament at its anterior attachment site on the femur. There is a benign bone island at the lateral margin of the intercondylar notch inferiorly. This is not felt to be of any clinical significance. There is edema involving the superior and superior lateral region of Hoffa's fat pad and this is a finding that has been described in patient's who have a diagnosis of Hoffa's fat pad impingement and clinical assessment is advised. There is also synovial fluid accumulating inferiorly in Hoffa's fat pad.

Osseous signal and morphology are, otherwise, unremarkable. The medial and lateral menisci, the medial and lateral collateral ligaments, the anterior and posterior cruciate ligaments, quadriceps and patellar tendons are, otherwise, unremarkable.

### IMPRESSION:

- There is synovial fluid at the level of patellofemoral articular surface and anteriorly at the tibiofemoral articular surface and anteriorly at the tibiofemoral articular surface.
- There is strain of the medial collateral ligament at its anterior attachment site on the femur.
- There is edema involving the superior and superior lateral region of Hoffa's fat pad and this is a finding that has been described in patient's who have a diagnosis of Hoffa's fat

**XAVIER BOBCOMBE**

**BI2005623**

**Exam Date:**


**10/19/2020**

Page 2 of 2  
KNEE RIGHT MRI

pad impingement and clinical assessment is advised. There is also synovial fluid  
accumulating inferiorly in Hoffa's fat pad.

Thank you for referring your patient to us for evaluation.

Sincerely,



Steven Winter, M.D.

Diplomate of the American Board of Radiology  
Fellowship Trained in Musculoskeletal Radiology  
SW/el