

UK Sinha Physician, P.C.

102-31 Jamaica Ave.

Richmond Hill, NY 11418

Ph: 718-480-1130 Fax: 718-480-1132

usinhaorthopedics@gmail.com

June 13, 2022

Office seen at:

S.P. Physical Therapy

1320 Louis Nine Boulevard

Bronx, NY 10459

Phone # (347) 862-0003

Re: Ahmed, Hasan

DOB: 09/27/1989

DOA: 04/30/2022

INITIAL ORTHOPEDIC CONSULT EXAMINATION

CHIEF COMPLAINT: Left shoulder pain.

HISTORY OF PRESENT ILLNESS: A 32-year-old right-hand dominant male involved in a work related motor vehicle accident on 04/30/2022. The patient was a driver and was wearing a seatbelt. The vehicle was struck on the front driver side. The airbags did not deploy. The EMS arrived on the scene. The police were called to the scene of the accident. The patient did not go to any hospital that same day. The patient presents today complaining of left shoulder pain sustained in the work related motor vehicle accident. The patient was attending physical therapy for the last 6 weeks with good relief.

WORK HISTORY: The patient is currently working as a driver. He worked for city and was injured while on duty. He has a past trauma from a work related injury in 2018 while he worked as a cop in a shelter (city employee) and was injured on duty.

PAST MEDICAL HISTORY: Noncontributory.

PAST SURGICAL HISTORY: Noncontributory.

DRUG ALLERGIES: NO KNOWN DRUG ALLERGIES.

MEDICATIONS: The patient is taking pain medications p.r.n.

SOCIAL HISTORY: The patient is a nonsmoker. The patient does not drink alcohol. The does not use recreational drugs.

ADL CAPABILITIES: As a direct result of the injuries sustained in this accident, the patient states that he is unable to do the following activities: lifting heavy objects, carrying, and exercising.

PRESENT COMPLAINTS: Left shoulder: Left shoulder pain is 5/10, described as intermittent, sharp, stabbing, dull, achy pain. The patient has popping. The patient is unable to reach overhead or behind the back and unable to sleep at night due to pain. Worse with range of motion and improves with rest and physical therapy.

REVIEW OF SYSTEMS: Temperature taken at the time of exam was 98.6 degrees Fahrenheit.

General: No fever, chills, night sweats, weight gain, or weight loss.

HEENT: No double vision, eye pain, eye redness, decreased hearing, earache, ear ringing, nosebleeds, sore throat or hoarseness.

Endocrine: No cold intolerance, appetite changes or hair changes.

Skin: Clear, no rashes or lesions.

Neuro: No headaches, dizziness, vertigo or tremor.

Respiratory: No wheezing, coughing, shortness of breath or difficulty breathing.

Cardiovascular: No chest pain, murmurs, irregular heart rate or hypertension.

GI: No nausea, vomiting, diarrhea, constipation, jaundice or changes in bowel habits.

GU: No blood in urine, painful urination, loss of bladder control or urinary retention.

Hematology: No active bleeding, bruising, anemia or blood clotting disorders.

Psychiatric: No anxiety, change in sleep pattern, depression or suicidal thoughts.

PHYSICAL EXAMINATION: The patient's height is 5 feet 6 inches, weight is 150 pounds, and BMI is 24.2. The left shoulder reveals tenderness to palpation over supraspinatus tendon region. There is crepitus appreciated. There is no heat, swelling, erythema or other deformity appreciated. Negative drop arm test. Negative cross-over test. Negative empty can test. Positive Yergason test. Negative deltoid atrophy. Negative O'Brien test. Positive impingement sign. Positive Lift-off test. Positive Hawkins test. Range of motion, as per goniometer, abduction 150/180 degrees, adduction 40/45 degrees, forward flexion 145/180 degrees, extension 45/60 degrees, internal rotation 65/90 degrees, and external rotation 60/90 degrees. Internal rotation to the sacrum. The patient has no motor or sensory deficit of the left upper extremity.

DIAGNOSTIC TESTING: MRI of the left shoulder, done on 05/16/2022, shows partial tear of the distal supraspinatus tendon. Low lying acromion with impingement of rotator cuff in appropriate clinical setting. Fluid in the long head of the biceps tendon sheath consistent with tenosynovitis. Fluid in the subacromial/subdeltoid bursa suggestive of underlying rotator cuff tear and/or subacromial/subdeltoid bursitis, in an appropriate clinical setting.

ASSESSMENT:

1. S46.012A Partial rotator cuff tear, left shoulder.
2. M24.812 Internal derangement, left shoulder.
3. M75.82 Shoulder tendinitis, left shoulder.
4. S43.432A Labral tear, left shoulder.
5. M75.42 Impingement, left shoulder.

6. M65.812 Tenosynovitis, left shoulder.
7. M75.52 Bursitis, left shoulder.
8. M25.512 Pain, left shoulder.
9. S49.92XA Injury, left shoulder.
10. M25.412 Joint effusion, left shoulder.

PLAN:

1. Imaging studies and clinical examinations were reviewed with the patient.
2. All treatment options discussed with the patient.
3. Cold compresses for left shoulder.
4. Continue anti-inflammatory and muscle relaxant medications p.r.n.
5. Continue physical therapy for left shoulder 3 days/week.
6. Recommend steroid injections with pain management for left shoulder. The patient refuses due to side effects.
7. Discussed left shoulder arthroscopy versus conservative management with the patient. The patient states that due to continual pain and lack of relief with physical therapy and the inability to perform day-to-day activities due to pain, the patient wants to think about surgery.
8. It is medically necessary to perform the suggested surgery to properly diagnose the patient's condition and to objectively verify presence and severity of internal derangement and other left shoulder pathology in quantitative and qualitative terms and achieve better prognosis. This surgery is crucial to provide most specific and maximally effective treatment to this patient.
9. Discussed the length of the arthroscopy, the postoperative instructions, and the option of continuing with conservative management alternatives to surgery, including no surgery.
10. All the benefits and risks of the left shoulder arthroscopy have been discussed with the patient. The risks include, but not limited to bleeding, infection, pain, stiffness, muscle injury, nerve injury, DVT, and recurrence.
11. All the questions in regard to the procedure were answered.
12. Follow up in 4 weeks


IMPAIRMENT RATING: 25%.

CAUSALITY: It is within a certain degree of medical certainty, that the history presented by the patient, the objective physical findings as well as the diagnosis rendered is causally related to the injury the patient incurred on the specified date. These current symptoms were nonexistent prior to the accident. Findings were discussed with the patient.

AFFIRMATION: Being duly licensed to practice medicine in the state of New York, pursuant to the applicable provisions of the Civil Practice Laws and Rules, I hereby affirm under penalty of perjury that the statements contained herein are true and accurate.

Mellita Shakhmurov, PA-C

MS/AEI

A handwritten signature in black ink, appearing to read "U.K. Sinha". The signature is fluid and cursive, with a large, stylized "S" for the last name.

U.K. Sinha, MD, MS (Ortho), FAAOS
Board Certified Orthopedic Surgeon