

1575 Hiliside Ave, Suite 100 New Hyde Park, NY 11040 Tel: 516 962 9544, 516 962 9599 Cel: 516 549 6953 ... Fax: 516 467 3130 Email: qrl.newhydepark@yaltoo.com

06/10/2022 3:00 PM PICKERSGILL, VALDA EXAM DATE: PATIENT: PICV70097 STUDY MRI SHOULDER WITHOUT CONTRAST MRN: DESCRIPTION: REFERRING Jurkowich, Michael DOB: 08/17/1952 PHYSICIAN: CLINICAL NF Pain due to Accident. GENDER HISTORY

MAGNETIC RESONANCE IMAGING OF LEFT SHOULDER WITHOUT CONTRAST

HISTORY: Pain due to accident.

TECHNIQUE: Multiplanar, multi-sequence MRI of the left shoulder was performed without intravenous contrast.

COMPARISON: None available.

OSSEQUS STRUCTURES/MARROW: Normal marrow signal.

ROTATOR CUFF:

SUPRASPINATUS: There is a partial-thickness undersurface tear of the supraspinatus tendon. INFRASPINATUS: The infraspinatus tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

TERES MINOR: The teres minor tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBSCAPULARIS: The subscapularis tendon maintains intact tendon fibers. No tendon retraction is found. No skeletal muscle atrophy is seen.

SUBACROMIAL/SUBDELTOID BURSA: No fluid in subacromial-subdeltoid bursa to suggest bursitis.

MUSCLES: No muscle edema or fatty muscle atrophy.

ACJOINT: AC joint hypertrophy may contribute to rotator cuff impingement.

BICEPS TENDON: Intact long-head of the biceps tendon.

LABRUM/LIGAMENTS: No labral tear or ligament abnormalities.

CORACOACROMIAL LIGAMENT/ROTATOR INTERVAL: Rotator interval is normal.



1675 Hillside Ave, Suite 100 New Hyde Park, NY,11040 Tel: 516 962 9544, 516 862 9599 Cell: 616 549 6963 ... Fax: 518 467,3130 Email: qri.newhydepark@yaheo.com

PATIENT:	PICKERSGILL, VALDA	EXAM DATE:	06/10/2022 3:00 PM
STUDY DESCRIPTION:	MRI SHOULDER WITHOUT CONTRAST	MRN:	PICV70097
DOB:	08/17/1952	REFERRING PHYSICIAN:	Jurkowich, Michael
CLINICAL HISTORY	N/F Pain due to Accident.	GENDER	F

GLENOHUMERAL CARTILAGE: Intact articular cartilage.

SYNOVIUM/JOINT FLUID: No joint effusion or synovial thickening.

NEUROVASCULAR STRUCTURES: Normal in course and caliber.

PERIPHERAL SOFT TISSUES: Normal.

IMPRESSION:

- 1. Partial-thickness undersurface tear of the supraspinatus tendon.
- 2. AC joint hypertrophy may contribute to rotator cuff impingement.

Digitally Signed By: Imam, Naiyer

Digitally Signed Date: 08/11/2022 11:56 AM